

# THE CORNWELL QUALITY TOOLS CO.

## MOGADORE, OHIO

**PRICES EFFECTIVE MARCH 23, 1956**

**PRICES ARE APPLICABLE TO ITEMS APPEARING IN  
CATALOGS A-55 AND I-53.**

**THESE PRICES SUPERSEDE THOSE SHOWN IN ALL  
PREVIOUS PRICE LISTS.**

4.95<sup>-</sup>  
7.45<sup>-</sup>  
12 H0

Prices are subject to change without notice. In event of future price changes, orders will be billed at prices in effect at time of shipment. Items temporarily or permanently unavailable are marked "DISC." Items marked with an asterisk (\*) will be discontinued when stocks are depleted. Double asterisks (\*\*) in the price column indicate availability to special order only and prices will be quoted on request.

| Tool No.                    | Sym | Price  | Catalog Pg. A-55 I-53 | Tool No.             | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.             | Sym | Price  | Catalog Pg. A-55 I-53 |
|-----------------------------|-----|--------|-----------------------|----------------------|-----|-------|-----------------------|----------------------|-----|--------|-----------------------|
| 1/8 Balls/C                 | A   | .20    | 46 41                 | 8-P1 Bit             | A   | .45   | 54                    | 77-1 Repl. Tank      |     | .79    | ---                   |
| 3/16 Balls/C                | A   | .30    | 46, 47, 40, 41        | 8-P2 Bit             | A   | .45   | 54                    | 77-LP Torch          |     | 5.49   | ---                   |
| 5/16 Balls/C                | A   | .60    | 46 41                 | 8-P3 Bit             | A   | .45   | 54                    | 78A Reamer           | A   | 7.25   | 100                   |
| 3/8 Balls/C                 | A   | .60    | 46 40                 | 8R File              | A   | .70   | 112                   | 79 Rmr. Set          | A   | 19.80  | 100                   |
| 3 1/2" x 1/2" Feeler Blades |     |        |                       | 8SE Screw Extractor  | B   | 3.40  | ---                   | 79P Punch Set        | B   | 4.75   | 94                    |
| .0015 thru                  |     |        |                       | 9B Reamer            | A   | 7.75  | 97                    | 80 Rmr. Set          | A   | 25.50  | 100                   |
| .035 Feeler Stk.            | A   | .12    | 86                    | 9L Reamer            | A   | 12.50 | 101                   | 81 Rmr. Set          | A   | 31.60  | 100                   |
| .040 thru                   |     |        |                       | 10 Bully Kit         | D   | 62.50 | ---                   | 81A Rmr. Set         | A   | 40.80  | 100                   |
| .050 Feeler Stk.            | A   | .15    | 86                    | 10B Reamer           | A   | 8.10  | 97                    | 82 Reamer            | A   | 6.15   | 100                   |
| .018 3 1/2 Bent Blade       | A   | .15    | ---                   | 10HR File            | A   | 1.45  | 112                   | 82 + 10 Reamer       | A   | 6.15   | 100                   |
| .019 3 1/2 Bent Blade       | A   | .15    | ---                   | 10L Reamer           | A   | 13.00 | 101                   | 82 + 20 Reamer       | A   | 6.15   | 100                   |
| .020 3 1/2 Bent Blade       | A   | .15    | ---                   | 10M File             | A   | .85   | 112                   | *83 Reamer           | A   | 5.10   | ---                   |
| .021 3 1/2 Bent Blade       | A   | .15    | ---                   | 10R File             | A   | .90   | 112                   | *83 Viv. Punch       | C   | 1.15   | ---                   |
| 12" x 1/2" Feeler Blades    |     |        |                       | 11B Reamer           | A   | 8.25  | 97                    | 84 Reamer            | A   | 5.40   | 100                   |
| .0015 thru                  |     |        |                       | 11L Reamer           | A   | 13.75 | 101                   | 86 Scale Hmr.        | B   | 2.25   | ---                   |
| .003 Feeler Stk.            | A   | .28    | 86                    | 12B Reamer           | A   | 9.80  | 97                    | 89A Reamer           | A   | 5.40   | 100                   |
| .004 thru                   |     |        |                       | 12H Hmr. Hdl.        | A   | .45   | 69                    | 100 1/4" Drill       |     | 25.00  | ---                   |
| .020 Feeler Stk.            | A   | .20    | 86                    | 12HR File            | A   | 1.85  | 112                   | 104-P1 Bit           | A   | .45    | 54                    |
| .021 thru                   |     |        |                       | 12M File             | A   | 1.15  | 112                   | 104-P2 Bit           | A   | .45    | 54                    |
| .035 Feeler Stk.            | A   | .28    | 86                    | 12R File             | A   | 1.20  | 112                   | 104-P3 Bit           | A   | .45    | 54                    |
| 1 Rmr. Set                  | A   | 43.50  | ---                   | 13 Drill Bx.         | B   | 1.10  | 105                   | 104-P4 Bit           | A   | .45    | 54                    |
| 1 Hmr. Hdl.                 | C   | .60    | ---                   | 13B Reamer           | A   | 10.70 | 97                    | 104-RR Rdg. Rmr.     | C   | 9.90   | 81                    |
| 1B Reamer                   | A   | 5.90   | 97                    | 13LK Linksem         | C   | 2.40  | 115                   | 104-RRB Cutter       | C   | 2.50   | 81                    |
| 1SE Screw Extractor         | B   | .60    | ---                   | 14B Reamer           | A   | 12.00 | 97                    | 104-2-SP Plate       | C   | .75    | ---                   |
| 2 Rmr. Set                  | A   | 42.30  | ---                   | 14M File             | A   | 1.60  | 112                   | 104-3-SP Plate       | C   | 1.00   | ---                   |
| 2 Hmr. Hdl.                 | C   | .60    | ---                   | 15B Reamer           | A   | 13.60 | 97                    | 120 L. P. Hmr.       | C   | 4.25   | ---                   |
| 2A Reamer                   | A   | 4.00   | 96                    | 15BA Pilot Rmr.      | A   | 17.25 | 97                    | *131 Mic. Ga.        | A   | 8.00   | ---                   |
| 2B Reamer                   | A   | 5.90   | 97                    | 15M Adptr. (pr.)     | C   | 1.25  | 56                    | 132 Cl. Wk. Hmr.     | C   | 3.10   | 106                   |
| 2H Hmr. Hdl.                | A   | .45    | ---                   | 16 1/2-1 Eng. Hmr.   | B   | 3.15  | 68                    | 150 Sander           |     | 22.88  | ---                   |
| 2SE Screw Extractor         | B   | .65    | ---                   | 16 1/2-2 Eng. Hmr.   | B   | 3.30  | 68                    | 150G Shrk. Hmr.      | A   | 3.95   | 106                   |
| 3 R. & P. Set               | A   | 65.35  | 96                    | 16 1/2-3 Eng. Hmr.   | B   | 3.80  | 68                    | 155 Fndr. Bpr.       | A   | 4.40   | 106                   |
| 3 Hmr. Hdl.                 | C   | .65    | ---                   | 16B Rmr. Set         | A   | 26.25 | 97                    | 156G Fin. Hmr.       | A   | 3.45   | 106                   |
| 3A Reamer                   | A   | 4.00   | 96                    | 16H Hmr. Hdl.        | A   | .45   | 69                    | 158G Fin. Hmr.       | A   | 3.55   | 106                   |
| 3B Reamer                   | A   | 6.00   | 97                    | 16M File             | A   | 2.20  | 112                   | 161G Ding. Hmr.      | A   | 3.60   | 107                   |
| 3SE Screw Extractor         | B   | .70    | ---                   | 17B Rmr. Set         | A   | 56.50 | 97                    | 164G Utly. Hmr.      | A   | 3.35   | 107                   |
| 4 Pilot Set                 | A   | 21.25  | ---                   | 20 Drill Bx.         | B   | 1.00  | 105                   | *171 Rdg. Rmr.       | A   | 12.25  | ---                   |
| 4A Reamer                   | A   | 3.75   | 96                    | 20 Spring/C          | A   | 1.00  | 39                    | *173 Rdg. Rmr.       | A   | 15.45  | ---                   |
| 4B Reamer                   | A   | 6.20   | 97                    | 22AG T. & D. Set     | C   | 14.30 | 116                   | *173A Rdg. Rmr.      | A   | 12.90  | ---                   |
| 4H Hmr. Hdl.                | A   | .45    | ---                   | 24 Oil, 12 qts.      | A   | 15.00 | 102                   | *173B Rdg. Rmr.      | A   | 12.90  | ---                   |
| 4SE Screw Extractor         | B   | .80    | ---                   | 24-1 Oil, 1 qt.      | A   | 1.25  | 102                   | 201JK 1/4" Drill Kit |     | 27.95  | ---                   |
| 4USD E. Imp. Wr.            | -   | 94.50  | ---                   | 24H Hmr. Hdl.        | A   | .50   | ---                   | 210 Coupler          | D   | 1.60   | ---                   |
| 5A Reamer                   | A   | 3.75   | 96                    | 29 Drill Bx.         | B   | 3.00  | 105                   | 260 B. Brckt. Tool   | C   | 5.65   | 108                   |
| 5B Reamer                   | A   | 6.70   | 97                    | 30 Spring/C          | A   | 1.00  | 39                    | 274F Fl. Tool        |     | 3.95   | ---                   |
| 5SE Screw Extractor         | B   | .90    | ---                   | 30LK Linkmaster      | C   | 15.50 | 115                   | 307 Plier            | B   | 1.80   | 63 57                 |
| 5U Imp. Wr.                 | -   | 130.00 | ---                   | 32 Spring/C          | A   | 1.00  | 39                    | 317 1/2 Plier        | B   | 3.60   | 63 57                 |
| 6 Rule 6"                   | B   | .55    | ---                   | 32H Hmr. Hdl.        | A   | .50   | ---                   | 325 3/8" Drill       |     | 32.50  | ---                   |
| 6" Small Grips              | B   | .65    | ---                   | 33 Spring/C          | A   | 1.00  | 39                    | 326 Plier            | B   | 3.20   | 63 57                 |
| 6A Reamer                   | A   | 3.75   | 96                    | 34 Spring/C          | A   | 1.00  | 39                    | 327 Plier            | B   | 2.95   | 63 58                 |
| 6APF Cutter                 | B   | 6.00   | 115                   | 40C B. B. Cable Set  | B   | 9.90  | 95                    | 346 Plier            | B   | 3.00   | 63 58                 |
| 6B Reamer                   | A   | 7.00   | 97                    | 40H Hmr. Hdl.        | A   | .50   | ---                   | 347 Plier            | B   | 3.50   | 63 58                 |
| 6HR File                    | A   | .95    | ---                   | 41 Plier             | B   | 3.00  | 64                    | 348 1/2 Plier        | B   | 4.20   | 63 58                 |
| 6HCT Door TL.               | C   | .90    | ---                   | 42 Plier             | B   | 3.60  | 64                    | 356 Plier            | B   | 2.95   | 63 58                 |
| 6LK Linkfix                 | C   | 1.20   | 115                   | 42H Mag. Hmr.        | C   | 3.21  | 106                   | 366 Plier            | B   | 3.25   | 62 58                 |
| 6M File                     | A   | .55    | 112                   | 42HC Mag. Hmr.       | C   | 3.96  | 106                   | 375FS Flare Tool     |     | 8.70   | ---                   |
| 6R File                     | A   | .55    | 112                   | 43 Plier             | B   | 2.90  | 64                    | 378 Plier            | B   | 2.80   | 62 58                 |
| 6SE Screw Extractor         | B   | 1.40   | ---                   | 44 Plier             | B   | 3.00  | 64                    | *385 Ext. Shank      | A   | 1.00   | ---                   |
| 7A Reamer                   | A   | 3.75   | 96                    | 45 Plier             | B   | 3.00  | 64                    | *386 Ext. Shank      | A   | 1.00   | ---                   |
| 7 Grips, pr.                | B   | .70    | 61                    | 48H Hmr. Hdl.        | A   | .50   | ---                   | *387 Ext. Shank      | A   | 1.00   | ---                   |
| 7B Reamer                   | A   | 7.25   | 97                    | 50AG T. & D. Set     | C   | 18.40 | 116                   | *388 Ext. Shank      | A   | 1.00   | ---                   |
| 7P R. & P. Set              | A   | 76.50  | 96                    | 55 Imp. Wrench       |     | 89.50 | ---                   | *389 Ext. Shank      | A   | 1.00   | ---                   |
| 7SE Screw Extractor         | B   | 2.45   | ---                   | 55 Scr. Ext. Set     | B   | 3.30  | ---                   | *390 Ext. Shank      | A   | 1.00   | ---                   |
| 8 Grips, pr.                | B   | .75    | 61                    | 56 R. Reamer         | A   | 1.75  | 102                   | *391 Ext. Shank      | A   | 1.00   | ---                   |
| 8-2 Bit                     | A   | .30    | 54                    | 57 R. Reamer         | A   | 2.90  | 102                   | 394 Rmr. Set         | A   | 35.90  | 98                    |
| 8-4 Bit                     | A   | .30    | 54                    | 58 T. Hdl.           | A   | .25   | 102                   | 395 Ext. Rmr.        | A   | 4.75   | 98                    |
| 8-6 Bit                     | A   | .30    | 54                    | 59 Scr. Ext. Set     | B   | 7.30  | ---                   | 396 Ext. Rmr.        | A   | 4.75   | 98                    |
| 8-8 Bit                     | A   | .30    | 54                    | 60 Drill Bx.         | B   | 2.50  | 105                   | 397 Ext. Rmr.        | A   | 4.75   | 98                    |
| 8-10 Bit                    | A   | .30    | 54                    | 60 Bully Kit         | D   | 79.50 | ---                   | 398 Ext. Rmr.        | A   | 4.75   | 98                    |
| 8A Reamer                   | A   | 3.75   | 96                    | 62 1/2-0 Blksm. Hmr. | B   | 3.30  | 68                    | 399 Ext. Rmr.        | A   | 4.75   | 98                    |
| 8B Reamer                   | A   | 7.45   | 97                    | 62 1/2-1 Blksm. Hmr. | B   | 3.40  | 68                    | 400 1/2" Drill       |     | 39.50  | ---                   |
| 8H Hmr. Hdl.                | A   | .45    | ---                   | 62 1/2-2 Blksm. Hmr. | B   | 3.50  | 68                    | 400 Ext. Rmr.        | A   | 5.00   | 98                    |
| 8HR File                    | A   | 1.20   | 112                   | 62 1/2-3 Blksm. Hmr. | B   | 3.80  | 68                    | 401 Ext. Rmr.        | A   | 5.00   | 98                    |
| 8L Reamer                   | A   | 12.25  | 101                   | 62 1/2-4 Blksm. Hmr. | B   | 3.95  | 68                    | 404 Impactool        |     | 170.00 | ---                   |
| 8M File                     | A   | .70    | 112                   | 62 1/2-5 Blksm. Hmr. | B   | 4.10  | 68                    | 406 File Hldr.       | D   | 1.50   | 111                   |
|                             |     |        |                       | 68A Reamer           | A   | 6.25  | 100                   | 407 Plier            | B   | 2.90   | 61 57                 |
|                             |     |        |                       | 71 Reamer            | A   | 8.15  | 100                   | 410 Plier            | B   | 3.30   | 61 57                 |
|                             |     |        |                       | 72 Reamer            | A   | 5.75  | 100                   | 414 File Hldr.       | D   | 3.00   | 111                   |
|                             |     |        |                       | 73 Reamer            | A   | 3.20  | 100                   | 417 Plier            | B   | 2.90   | 61 57                 |
|                             |     |        |                       | 74A Reamer           | A   | 5.40  | 100                   | 420 Plier            | B   | 3.00   | 61 57                 |

| Tool No.            | Sym | Price | Catalog A-55 | Pg. I-53 | Tool No.                  | Sym | Price  | Catalog A-55 | Pg. I-53 | Tool No.                  | Sym | Price  | Catalog A-55 | Pg. I-53 |
|---------------------|-----|-------|--------------|----------|---------------------------|-----|--------|--------------|----------|---------------------------|-----|--------|--------------|----------|
| 424 Plier           | B   | 2.10  | 61           | 57       | 1052 Spn. Dolly           | A   | 4.40   | 108          | ---      | AB-12L Hex Bit            | A   | .65    | 55           | 14       |
| 435 Plier           | B   | 2.65  | 62           | 58       | 1058 Toe Dolly            | A   | 4.20   | 108          | ---      | AB-14 Hex Bit             | A   | .25    | 55           | ---      |
| 435KD Door Hdl. Tl. | C   | 2.25  | ---          | ---      | 1059 Heel Dolly           | A   | 4.15   | 108          | ---      | AB-16 Hex Bit             | A   | .25    | 55           | ---      |
| 436 Plier           | B   | 3.10  | 62           | 58       | 1060 Genl. Dolly          | A   | 5.75   | 108          | ---      | AB-16L Hex Bit            | A   | .30    | 55           | ---      |
| 437 Plier           | B   | 3.30  | 62           | 58       | 1061 Utility Dolly        | A   | 3.50   | ---          | ---      | AB-18 Hex Bit             | A   | .25    | 55           | ---      |
| 447 Plier           | B   | 3.40  | 62           | 58       | 1068 Low Dolly            | A   | 4.00   | ---          | ---      | AB-18L Hex Bit            | A   | .30    | 55           | ---      |
| 500 Grv. Clnr.      | C   | 3.95  | 81           | ---      | 1070 H. D. Dolly          | A   | 6.95   | 108          | ---      | AB-20 Hex Bit             | A   | .30    | 55           | ---      |
| 500C Cutter         | C   | .75   | ---          | ---      | 1096 Caulking Iron        | A   | 3.04   | 108          | ---      | AB-22 Hex Bit             | A   | .30    | 55           | ---      |
| 500C-64 Cutter      | C   | .75   | ---          | ---      | 1150 File Hldr.           | D   | 4.95   | 110          | ---      | AB-24 Hex Bit             | A   | .35    | 55           | ---      |
| 516 Plier           | B   | 2.00  | 62           | 58       | 2088 Coarse File          | C   | 2.15   | 110          | ---      | AB-28 Hex Bit             | A   | .35    | 55           | ---      |
| 537 Plier           | B   | 3.35  | 64           | 58       | 2089 Med. File            | C   | 2.15   | 110          | ---      | AB-1406 Hex Bit           | A   | .55    | 54           | 21       |
| 546 Plier           | B   | 2.00  | 64           | ---      | 2090 H. R. File           | C   | 2.50   | 110          | ---      | AB-1407 Hex Bit           | A   | .55    | 54           | 21       |
| 548 Plier           | B   | 2.30  | 64           | ---      | 28905 File Set            | C   | 6.80   | 110          | ---      | AB-1408 Hex Bit           | A   | .55    | 54           | 21       |
| 565 Vlv. Seater     | A   | 8.75  | 102          | ---      | 3017 1/2 Plier            | B   | 2.70   | 63           | 57       | AB-1410 Hex Bit           | A   | .55    | 54           | 21       |
| 568 Plier           | B   | 2.95  | 64           | 58       | 3026 Plier                | B   | 2.45   | 63           | 57       | AB-1412 Hex Bit           | A   | .60    | 54           | 21       |
| 574 Abrsv., doz.    | A   | 1.00  | 102          | ---      | 3046 Plier                | B   | 3.00   | 63           | 58       | AB-1414 Hex Bit           | A   | .60    | 54           | 21       |
| 575 Abrsv., doz.    | A   | 1.00  | 102          | ---      | 3047 Plier                | B   | 3.50   | 63           | 58       | AB-1416 Hex Bit           | A   | .65    | 54           | 21       |
| 847 Adaptor         | A   | .30   | 99           | ---      | 3048 1/2 Plier            | B   | 4.20   | 63           | 58       | AB-1418 Hex Bit           | A   | .65    | 54           | 21       |
| 849 Adaptor         | A   | .30   | 99           | ---      | 3066 Plier                | B   | 2.45   | 62           | 58       | AB-1420 Hex Bit           | A   | .70    | 54           | 21       |
| 850 Adaptor         | A   | .30   | 99           | ---      | 3078 Plier                | B   | 2.90   | 62           | 58       | AD-2 Axle Die             | B   | 7.45   | 103          | ---      |
| 851 Adaptor         | A   | .25   | ---          | ---      | 5110 T. & D. Set          | C   | 97.55  | 116          | ---      | AJ-4 Adj. Wr.             | A   | 2.10   | 66           | 55       |
| 852 Adaptor         | A   | .30   | 99           | ---      | 5120 T. & D. Set          | C   | 161.05 | 116          | ---      | AJ-6 Adj. Wr.             | A   | 2.10   | 66           | 55       |
| 853 Adaptor         | A   | .30   | ---          | ---      | 5410 Plier                | B   | 2.76   | 64           | ---      | AJ-8 Adj. Wr.             | A   | 2.44   | 66           | 55       |
| 853A Adaptor        | A   | .30   | 99           | ---      | A Pilot                   | A   | 2.20   | 96           | ---      | AJ-10 Adj. Wr.            | A   | 3.10   | 66           | 55       |
| 854 Adaptor         | A   | .30   | 99           | ---      | A Reamer                  | A   | 4.25   | 96           | ---      | AJ-12 Adj. Wr.            | A   | 4.50   | 66           | 55       |
| 855 Adaptor         | A   | .35   | 99           | ---      | A Rmr. & P.               | A   | 6.45   | 96           | ---      | AJ-15 Adj. Wr.            | C   | 7.35   | 66           | 55       |
| 856 Adaptor         | A   | .35   | 99           | ---      | A-02 Adpt. 1/4" to 3/8"   | A   | .75    | 7            | 38       | AJ-18 Adj. Wr.            | C   | 12.10  | 66           | ---      |
| 857 Adaptor         | A   | .35   | 99           | ---      | A-0500 Saw 3/8"           | B   | 1.50   | ---          | ---      | AJ-24 Adj. Wr.            | C   | 20.00  | 66           | ---      |
| 858 Adaptor         | A   | .35   | 99           | ---      | A-2 Mirror                | B   | 1.20   | 113          | ---      | AP-23 Adapt. 3/8" to 1/2" | A   | .75    | 38           | 38       |
| 859 Adaptor         | A   | .35   | 99           | ---      | A-2M Mirr. only           | B   | 1.10   | ---          | ---      | AP-32 Adapt. 1/2" to 3/8" | A   | 1.35   | 38           | 38       |
| 860 Adaptor         | A   | .35   | 99           | ---      | A-7 Rmr. Set              | A   | 28.00  | ---          | ---      | AP-34 Adapt. 1/2" to 3/8" | A   | 1.25   | 38           | 38       |
| 861 Adaptor         | A   | .40   | 99           | ---      | A-20 Auto-Lite            | C   | 1.00   | 85           | ---      | AP-35 Adapt. 1/2" to 3/4" | A   | 1.55   | 38           | 38       |
| 862 Adaptor         | A   | .40   | 99           | ---      | A-20 Adapt. 3/8" to 1/4"  | A   | .70    | 9            | 38       | AP-43 Adapt. 3/8" to 1/2" | A   | 1.40   | 38           | 38       |
| 862A Adaptor        | A   | .40   | 99           | ---      | A-21 Adapt. 3/8" to 3/16" | A   | .75    | 9            | 38       | AP-45 Adapt. 3/8" to 3/4" | A   | 1.65   | 38           | 38       |
| 863 Adaptor         | A   | .40   | 99           | ---      | A-23 Adapt. 3/8" to 1/2"  | A   | .80    | 9            | 38       | AP-53 Adapt. 3/4" to 1/2" | A   | 1.95   | 38           | 38       |
| 864 Driver #1       | A   | .55   | 99           | ---      | A-32 Adapt. 1/2" to 3/8"  | A   | .95    | 14           | 38       | AP-54 Adapt. 3/4" to 3/8" | A   | 2.45   | 38           | 38       |
| 865 Driver #2       | A   | .75   | 99           | ---      | A-34 Adapt. 1/2" to 3/8"  | A   | 1.35   | 14           | 38       | AP-56 Adapt. 3/4" to 1"   | A   | 2.90   | 38           | 38       |
| 866 Driver #3       | A   | 1.25  | 99           | ---      | A-35 Adapt. 1/2" to 3/4"  | A   | 1.30   | 14           | 38       | AP-64 Adapt. 1" to 5/8"   | A   | 2.95   | 38           | 38       |
| 867 Nut 1 & 2       | A   | .30   | 99           | ---      | A-43 Adapt. 3/8" to 1/2"  | A   | 1.50   | ---          | 38       | AP-65 Adapt. 1" to 3/4"   | A   | 3.95   | 38           | 38       |
| 868 Nut 3           | A   | .35   | 99           | ---      | A-53 Adapt. 3/4" to 1/2"  | A   | 2.05   | 19           | 38       | AP-76 Adapt. 1 1/4" to 1" | A   | 5.75   | ---          | 38       |
| 875A Driver Set     | A   | 7.45  | 99           | ---      | A-54 Adapt. 3/4" to 3/8"  | A   | 2.25   | 19           | 38       | AP-86 Adapt. 1 1/2" to 1" | A   | 10.25  | 38           | 38       |
| 887 Chain Wr.       | C   | 4.85  | 78           | ---      | A-56 Adapt. 3/4" to 1"    | A   | 2.75   | 19           | 38       | AP-014 Adaptor            | A   | .95    | 38           | 38       |
| 887A Chain          | C   | 1.98  | 78           | ---      | A-65 Adapt. 1" to 3/4"    | A   | 3.75   | 21           | 38       | AP-214 Adaptor            | A   | .90    | 38           | 38       |
| 888 Chain Wr.       | C   | 10.90 | 78           | ---      | A-500 Saw 3/4"            | B   | 1.50   | ---          | ---      | AP-316 Adaptor            | A   | 1.05   | 38           | 38       |
| 888A Chain          | C   | 3.95  | 78           | ---      | A-501 Saw 7/8"            | B   | 1.50   | ---          | ---      | AP-318 Adaptor            | A   | 1.20   | 38           | 38       |
| 897 Thd. Chsr.      | C   | 10.95 | ---          | ---      | A-502 1" Saw              | B   | 1.50   | ---          | ---      | AP-320 Adaptor            | A   | 1.15   | 38           | 38       |
| 912 File Hldr.      | D   | 2.00  | 111          | ---      | A-503 Saw 1 1/8"          | B   | 1.65   | ---          | ---      | AP-322 Adaptor            | A   | 1.20   | 38           | 38       |
| 975 Driver Set      | A   | 9.25  | 99           | ---      | A-504 Saw 1 1/4"          | B   | 1.65   | ---          | ---      | AP-324 Adaptor            | A   | 1.10   | 38           | 38       |
| 976 Adaptor         | A   | .90   | 99           | ---      | A-505 Saw 1 3/8"          | B   | 1.65   | ---          | ---      | *AP-326 Adaptor           | A   | 1.20   | 38           | 38       |
| 977 Adaptor         | A   | .95   | 99           | ---      | A-506 Saw 1 1/2"          | B   | 1.65   | ---          | ---      | AP-328 Adaptor            | A   | 1.25   | 38           | 38       |
| 978 Adaptor         | A   | 1.00  | 99           | ---      | A-507 Saw 1 3/8"          | B   | 1.90   | ---          | ---      | *AP-534 Adaptor           | A   | 5.50   | 38           | 38       |
| 979 Adaptor         | A   | 1.05  | 99           | ---      | A-508 Saw 1 3/4"          | B   | 1.90   | ---          | ---      | AR-112 Resistor           | D   | 6.00   | ---          | ---      |
| 980 Adaptor         | A   | 1.10  | 99           | ---      | A-509 Saw 1 7/8"          | B   | 1.90   | ---          | ---      | AS-26 Board               | Net | 25.00  | ---          | 56       |
| 981 Adaptor         | A   | 1.20  | 99           | ---      | A-510 Saw 2"              | B   | 1.90   | ---          | ---      | AS-27 Pulr. Set           | C   | 416.60 | ---          | 56       |
| 982 Adaptor         | A   | 1.30  | 99           | ---      | A-511 Saw 2 1/8"          | B   | 2.50   | ---          | ---      | ATG-5 Trans. Ga.          | B   | 9.65   | 89           | ---      |
| 985 Driver          | A   | 2.00  | 99           | ---      | A-512 Saw 2 1/4"          | B   | 2.50   | ---          | ---      | AW-0808 Ang. Wr. 1/4"     | A   | .75    | 23           | 48       |
| 987 Nut             | A   | .60   | 99           | ---      | A-513 Saw 2 3/8"          | B   | 2.50   | ---          | ---      | AW-1010 Ang. Wr. 5/16"    | A   | .75    | 23           | 48       |
| 1000 Reamer         | A   | 2.25  | 99           | ---      | A-514 Saw 2 1/2"          | B   | 2.50   | ---          | ---      | AW-1212 Ang. Wr. 3/8"     | A   | 1.00   | 23           | 48       |
| 1001 Reamer         | A   | 2.25  | ---          | ---      | A-515 Saw 2 3/8"          | B   | 2.50   | ---          | ---      | AW-1212R Ratchet Wr.      | A   | **     | ---          | 48       |
| 1002 Reamer         | A   | 2.50  | 98           | ---      | A-516 Saw 2 3/4"          | B   | 2.50   | ---          | ---      | AW-1414 Ang. Wr. 7/16"    | A   | 1.05   | 23           | 48       |
| 1002A Reamer        | A   | 2.50  | ---          | ---      | A-517 Saw 2 7/8"          | B   | 2.50   | ---          | ---      | AW-1414R Ratchet Wr.      | A   | **     | ---          | 48       |
| 1003 Reamer         | A   | 2.60  | 98           | ---      | A-518 Saw 3"              | B   | 2.50   | ---          | ---      | AW-1616 Ang. Wr. 1/2"     | A   | 1.15   | 23           | 48       |
| 1004 Reamer         | A   | 2.60  | 98           | ---      | A-519 Saw 3 1/8"          | B   | 2.50   | ---          | ---      | AW-1616R Ratchet Wr.      | A   | **     | ---          | 48       |
| 1004A Reamer        | A   | 2.70  | 98           | ---      | A-520 Saw 3 1/4"          | B   | 2.50   | ---          | ---      | AW-1818 Ang. Wr. 9/16"    | A   | 1.20   | 23           | 48       |
| 1005 Reamer         | A   | 2.70  | 98           | ---      | A-521 Saw 3 3/8"          | B   | 2.50   | ---          | ---      | AW-1818L Ang. Wr. 9/16"   | A   | 1.50   | 23           | ---      |
| 1005A Reamer        | A   | 2.70  | ---          | ---      | A-522 Saw 3 1/2"          | B   | 2.50   | ---          | ---      | AW-1818R Ratchet Wr.      | A   | **     | ---          | 48       |
| 1006 Reamer         | A   | 2.80  | 98           | ---      | A-700 Mandrel             | B   | 1.65   | ---          | ---      | AW-2020 Ang. Wr. 5/8"     | A   | 1.30   | 23           | 48       |
| 1007 Reamer         | A   | 2.80  | ---          | ---      | A-701 Mandrel             | B   | 1.65   | ---          | ---      | AW-2020L Ang. Wr. 5/8"    | A   | 1.50   | 23           | ---      |
| 1007A Reamer        | A   | 2.80  | ---          | ---      | A-704 Mandrel             | B   | 1.65   | ---          | ---      | AW-2020R Ratchet Wr.      | A   | **     | ---          | 48       |
| 1007B Reamer        | A   | 3.00  | ---          | ---      | AB-6 Hex Bit              | A   | .25    | 55           | 14       | AW-2222 Ang. Wr. 1 1/16"  | A   | 1.45   | 23           | 48       |
| 1008 Reamer         | A   | 3.00  | 98           | ---      | AB-6L Hex Bit             | A   | .30    | 55           | 14       | AW-2424 Ang. Wr. 3/4"     | A   | 1.60   | 23           | 48       |
| 1009 Reamer         | A   | 3.00  | 98           | ---      | AB-7 Hex Bit              | A   | .25    | 55           | ---      | AW-2424L Ang. Wr. 3/4"    | A   | 1.90   | 23           | ---      |
| 1012 File Hldr.     | D   | 2.00  | 111          | ---      | AB-7L Hex Bit             | A   | .30    | 55           | ---      | AW-2626 Ang. Wr. 1 1/16"  | A   | 1.75   | 23           | 48       |
| *1013 Rmr. Set      | A   | 28.65 | ---          | ---      | AB-8 Hex Bit              | A   | .25    | 55           | 14       | AW-2828 Ang. Wr. 7/8"     | A   | 1.80   | 23           | 48       |
| 1015 Rmr. Set       | A   | 15.40 | ---          | ---      | AB-8L Hex Bit             | A   | .30    | 55           | 14       | AW-3030 Ang. Wr. 1 1/16"  | A   | 1.85   | 23           | 48       |
| 1016 Rmr. Set       | A   | 12.40 | ---          | ---      | AB-10 Hex Bit             | A   | .40    | 55           | 14       | AW-3232 Ang. Wr. 1"       | A   | 2.05   | 23           | 48       |
| 1036 Shr. Spn.      | A   | 2.30  | 108          | ---      | AB-10L Hex Bit            | A   | .45    | 55           | 14       | AW-3434 Ang. Wr. 1 1/8"   | A   | 2.15   | 23           | 48       |
| 1050 Fndr. Spn.     | A   | 4.00  | ---          | ---      | AB-12 Hex Bit             | A   | .60    | 55           | 14       | AW-3636 Ang. Wr. 1 1/8"   | A   | 2.95   | 23           | 48       |

| Tool No.                                | Sym | Price        | Catalog Pg. A-55 I-53 | Tool No.                              | Sym | Price        | Catalog Pg. A-55 I-53 | Tool No.                             | Sym   | Price        | Catalog Pg. A-55 I-53 |
|-----------------------------------------|-----|--------------|-----------------------|---------------------------------------|-----|--------------|-----------------------|--------------------------------------|-------|--------------|-----------------------|
| <b>AW-3838</b> Ang. Wr. 1 1/16" A       |     | <b>3.00</b>  | 23 48                 | <b>BT-114</b> Float Ga. B             |     | <b>.90</b>   | 88                    | <b>C-1214</b> Socket 3/32" x 7/16" A |       | <b>.50</b>   | 10                    |
| <b>AW-4040</b> Ang. Wr. 1 1/4" A        |     | <b>3.10</b>  | 23 48                 | <b>BT-119</b> Float Ga. B             |     | <b>.90</b>   | 88                    | <b>C-1216</b> Socket 1/2" x 1/2" A   |       | <b>.50</b>   | 10                    |
| <b>AW-4242</b> Ang. Wr. 1 3/8" A        |     | <b>3.25</b>  | 23 48                 | <b>BT-155</b> Gauge Set C             |     | <b>2.85</b>  | 88                    | <b>C-2206</b> Socket 3/8" x 3/16" A  |       | <b>.55</b>   | 13                    |
| <b>AW-4444</b> Ang. Wr. 1 3/8" A        |     | <b>3.50</b>  | 23 48                 | <b>BT-156</b> Carb. Kit A             |     | <b>3.95</b>  | 88                    | <b>C-2207</b> Socket 3/8" x 7/32" A  |       | <b>.55</b>   | 13                    |
| <b>AW-4646</b> Ang. Wr. 1 1/8" A        |     | <b>3.60</b>  | 23 48                 | <b>BW-2M</b> Bx Wr 3/16x1 3/4" A      |     | <b>.90</b>   | 24                    | <b>C-2208</b> Socket 3/8" x 1/4" A   |       | <b>.55</b>   | 13                    |
| <b>AW-4848</b> Ang. Wr. 1 1/2" A        |     | <b>3.70</b>  | 23 48                 | <b>BW-4M</b> Bx Wr 3/32x1 3/4" A      |     | <b>.95</b>   | 24                    | <b>C-2209</b> Socket 3/8" x 3/32" A  |       | <b>.55</b>   | 13                    |
| <b>AWA-1618</b> Ang. Wr. 1/2" x 9/16" A |     | <b>1.00</b>  | ---                   | <b>BW-6M</b> Bx Wr 1/4x3/32" A        |     | <b>1.00</b>  | 24                    | <b>C-2210</b> Socket 3/8" x 5/16" A  |       | <b>.55</b>   | 13                    |
| <b>AWB-0608</b> Ang. Wr. 3/16" x 1/2" A |     | <b>1.65</b>  | 32                    | <b>BW-8M</b> Bx Wr 3/16x1/32" A       |     | <b>1.15</b>  | 24                    | <b>C-2210Y</b> Socket 3/8" x 3/16" A | DISC. | ---          | 13                    |
| <b>AWB-1012</b> Ang. Wr. 3/16" x 3/8" A |     | <b>1.65</b>  | 32                    | <b>BW-18SP</b> Bx Wr 1/16" A          |     | <b>2.45</b>  | 31                    | <b>C-2212</b> Socket 3/8" x 3/8" A   |       | <b>.55</b>   | 13                    |
| <b>AWC-38F</b> Cstr. Wr. 1 1/16" A      |     | <b>1.95</b>  | 32                    | <b>BW-30SP</b> Bx Wr 15/16" A         |     | <b>2.65</b>  | 31                    | <b>C-2212Y</b> Socket 3/8" x 3/8" A  |       | <b>.75</b>   | 13                    |
| <b>AWC-42</b> Cstr. Wr. 1 1/16" A       |     | <b>1.85</b>  | 32                    | <b>BW-69</b> Bx Wr 7/16x1/2" 8 Pt. A  |     | <b>2.20</b>  | 32                    | <b>C-2214</b> Socket 3/8" x 7/16" A  |       | <b>.55</b>   | 13                    |
| <b>AWC-45</b> Cstr. Wr. 1 1/32" A       |     | <b>1.85</b>  | 32                    | <b>BW-73B</b> Bx Wr 3/4" A            |     | <b>3.50</b>  | 31                    | <b>C-2214V</b> Socket 3/8" x 7/16" A |       | <b>.55</b>   | 13                    |
| <b>AWC-48</b> Cstr. Wr. 1 1/2" A        |     | <b>1.85</b>  | 32                    | <b>BW-94</b> Bx Wr 5/8" A             |     | <b>1.60</b>  | 31                    | <b>C-2216</b> Socket 3/8" x 1/2" A   |       | <b>.60</b>   | 13                    |
| <b>B Pilot</b> A                        |     | <b>2.20</b>  | 96                    | <b>BW-1214</b> Bx Wr 3/8x7/16" A      |     | <b>1.50</b>  | 24 46                 | <b>C-3212</b> Socket 1/2" x 3/8" A   |       | <b>.75</b>   | 20                    |
| <b>B Reamer</b> A                       |     | <b>4.50</b>  | 96                    | <b>BW-1214S</b> Bx Wr 3/8x7/16" A     |     | <b>1.10</b>  | 24 46                 | <b>C-3214</b> Socket 1/2" x 7/16" A  |       | <b>.75</b>   | 20                    |
| <b>B Rmr. &amp; P.</b> A                |     | <b>6.70</b>  | 96                    | <b>BW-1416</b> Bx Wr 7/16x1/2" A      |     | <b>1.60</b>  | 24 46                 | <b>C-3214Z</b> Socket 1/2" x 7/16" A |       | <b>1.25</b>  | 20                    |
| <b>B-2</b> Mirror B                     |     | <b>1.50</b>  | 113                   | <b>BW-1416L</b> Bx Wr 7/16x1/2" A     |     | <b>1.65</b>  | 24                    | <b>C-3216</b> Socket 1/2" x 1/2" A   |       | <b>.90</b>   | 20                    |
| <b>B-2M</b> Mirr. only B                |     | <b>.55</b>   | ---                   | <b>BW-1416S</b> Bx Wr 7/16x1/2" A     |     | <b>1.15</b>  | 24 46                 | <b>C-3216Z</b> Socket 1/2" x 1/2" A  |       | <b>1.25</b>  | 20                    |
| <b>B-3</b> Spoon C                      |     | <b>7.28</b>  | ---                   | <b>BW-1618</b> Bx Wr 1/2x3/16" A      |     | <b>1.75</b>  | 24 46                 | <b>C-3218</b> Socket 1/2" x 9/16" A  |       | <b>.95</b>   | 20                    |
| <b>BB-50</b> Vent Tool C                |     | <b>1.40</b>  | ---                   | <b>BW-1618L</b> Bx Wr 1/2x3/16" A     |     | <b>1.75</b>  | 24                    | <b>C-4543</b> Magnet Wr. A           |       | <b>4.30</b>  | ---                   |
| <b>BH-7</b> Body Hmr. C                 |     | <b>3.53</b>  | 107                   | <b>BW-1618S</b> Bx Wr 1/2x3/16" A     |     | <b>1.15</b>  | 24 46                 | <b>CA-10</b> Clutch Tl. B            |       | <b>4.50</b>  | 69                    |
| <b>BH-8</b> Body Hmr. C                 |     | <b>3.79</b>  | ---                   | <b>BW-1820</b> Bx Wr 3/16x3/8" A      |     | <b>1.85</b>  | 24 46                 | <b>CC-2</b> Chisel A                 |       | <b>.75</b>   | 41 52                 |
| <b>BH-14</b> Body Hammer C              |     | <b>3.79</b>  | 107                   | <b>BW-1820S</b> Bx Wr 3/16x3/8" A     |     | <b>1.20</b>  | 24 46                 | <b>CC-3</b> Cell Tstr. D             |       | <b>6.50</b>  | 95                    |
| <b>BI-5</b> Ball Insrtr. A              |     | <b>.40</b>   | 46 41                 | <b>BW-1922</b> Bx Wr 1/2x1 1/16" A    |     | <b>2.05</b>  | 24 46                 | <b>CC-4</b> Chisel A                 |       | <b>.80</b>   | 41 52                 |
| <b>BI-10</b> Ball Insrtr. A             |     | <b>.50</b>   | 46, 47, 40, 41        | <b>BW-2022</b> Bx Wr 5/8x1 1/16" A    |     | <b>2.05</b>  | 24 46                 | <b>CC-6</b> Chisel A                 |       | <b>.95</b>   | 41 52                 |
| <b>BI-15</b> Ball Insrtr. A             |     | <b>1.00</b>  | 46 41                 | <b>BW-2024</b> Bx Wr 5/8x3/4" A       |     | <b>2.20</b>  | 24 46                 | <b>CC-8</b> Chisel A                 |       | <b>1.00</b>  | 41 52                 |
| <b>BI-20</b> Ball Insrtr. A             |     | <b>1.20</b>  | 46 40                 | <b>BW-2024S</b> Bx Wr 5/8x3/4" A      |     | <b>1.35</b>  | 24 46                 | <b>CC-10</b> Chisel A                | DISC. | ---          | 52                    |
| <b>BR-12</b> Ratchet A                  |     | <b>3.00</b>  | ---                   | <b>BW-2224</b> Bx Wr 1 1/16x3/4" A    |     | <b>2.45</b>  | 24 46                 | <b>CC-12</b> Chisel A                |       | <b>1.50</b>  | 41 52                 |
| <b>BR-14</b> Ratchet A                  |     | <b>3.00</b>  | ---                   | <b>BW-2224S</b> Bx Wr 1 1/16x3/4" A   |     | <b>1.40</b>  | 24 46                 | <b>CD-3G</b> Clutch Dr. A            |       | <b>.65</b>   | 52                    |
| <b>BR-16</b> Ratchet A                  |     | <b>3.00</b>  | ---                   | <b>BW-2226</b> Bx Wr 1 1/16x1 3/16" A |     | <b>2.45</b>  | 24 46                 | <b>CD-4G</b> Clutch Dr. A            |       | <b>.65</b>   | 52                    |
| <b>BR-18</b> Ratchet A                  |     | <b>3.80</b>  | ---                   | <b>BW-2428</b> Bx Wr 3/4x7/8" A       |     | <b>2.60</b>  | 24 46                 | <b>CD-5G</b> Clutch Dr. A            |       | <b>.70</b>   | 52                    |
| <b>BR-20</b> Ratchet A                  |     | <b>3.80</b>  | ---                   | <b>BW-2526</b> Bx Wr 2 3/32x1 3/16" A |     | <b>2.60</b>  | 24 46                 | <b>CD-5GK</b> Clutch Dr. A           |       | <b>1.28</b>  | 58                    |
| <b>BR-22</b> Ratchet A                  |     | <b>3.80</b>  | ---                   | <b>BW-2628</b> Bx Wr 1 1/16x7/8" A    |     | <b>2.60</b>  | 24 46                 | <b>CD-6G</b> Clutch Dr. A            |       | <b>.70</b>   | 52                    |
| <b>BR-24</b> Ratchet A                  |     | <b>3.80</b>  | ---                   | <b>BW-2830</b> Bx Wr 7/8x1 1/16" A    |     | <b>3.05</b>  | 24 46                 | <b>CD-6GK</b> Clutch Dr. A           |       | <b>1.28</b>  | 58                    |
| <b>BR-084</b> Ratchet A                 |     | <b>3.00</b>  | ---                   | <b>BW-3032</b> Bx Wr 1 1/16x1" A      |     | <b>3.50</b>  | 24 46                 | <b>CD-8G</b> Clutch Dr. A            |       | <b>.85</b>   | 52                    |
| <b>BR-1296</b> Ratchet A                |     | <b>2.85</b>  | 67                    | <b>BW-3236</b> Bx Wr 1x1 1/8" A       |     | <b>4.25</b>  | 24 46                 | <b>CD-8GK</b> Clutch Dr. A           |       | <b>1.55</b>  | 58                    |
| <b>BR-1456</b> Ratchet A                |     | <b>1.85</b>  | 67                    | <b>BW-3436</b> Bx Wr 1 1/16x1 1/8" A  |     | <b>4.55</b>  | 24 46                 | <b>CD-10G</b> Clutch Dr. A           |       | <b>1.10</b>  | 52                    |
| <b>BR-3478</b> Ratchet A                |     | <b>3.60</b>  | 67                    | <b>BW-3440</b> Bx Wr 1 1/16x1 1/4" A  |     | <b>4.85</b>  | 24 46                 | <b>CD-10GK</b> Clutch Dr. A          |       | <b>1.80</b>  | 58                    |
| <b>BR-3876</b> Ratchet A                |     | <b>2.00</b>  | 67                    | <b>BW-3842</b> Bx Wr 1 3/16x1 3/16" A |     | <b>5.55</b>  | 24 46                 | <b>CD-12G</b> Clutch Dr. A           | DISC. | ---          | 52                    |
| <b>BR-3896</b> Box Ratchet A            |     | <b>3.35</b>  | 67                    | <b>BW-4044</b> Bx Wr 1 1/4x1 3/8" A   |     | <b>5.85</b>  | 24 46                 | <b>CD-2823G</b> Clutch Dr. C         |       | <b>1.00</b>  | 56 51                 |
| <b>BR-5834</b> Ratchet Wr. A            |     | <b>3.15</b>  | 67                    | <b>BW-4448</b> Bx Wr 1 3/8x1 1/2" A   |     | <b>6.95</b>  | 24 46                 | <b>CD-2824G</b> Clutch Dr. C         |       | <b>1.00</b>  | 56 51                 |
| <b>BR-58116</b> Ratchet A               |     | <b>3.15</b>  | 67                    | <b>BW-4648</b> Bx Wr 1 1/16x1 1/2" A  |     | <b>6.95</b>  | 24 46                 | <b>CD-2825G</b> Clutch Dr. C         |       | <b>1.00</b>  | 56 51                 |
| <b>BSC-110</b> Sprg. Comp. A            |     | <b>1.25</b>  | ---                   | <b>BW-4652</b> Bx Wr 1 1/16x1 5/8" A  |     | <b>9.25</b>  | 24 46                 | <b>CD-2827G</b> Clutch Dr. C         |       | <b>1.00</b>  | 56 51                 |
| <b>BSP-32</b> Brake Pl. A               |     | <b>3.75</b>  | 45                    | <b>BW-6064</b> Bx Wr 1 7/8x2" A       |     | <b>13.75</b> | 24 46                 | <b>CD-2828G</b> Clutch Dr. C         |       | <b>1.00</b>  | 56 51                 |
| <b>BST-101</b> Brake Tl. A              |     | <b>1.50</b>  | 45                    | <b>BWK-10</b> Spline Wrs. A           |     | <b>1.18</b>  | 53                    | <b>CDG-3</b> Clutch Dr. See CD-3G    |       |              | 52 51                 |
| <b>BSW-4</b> Spline Wr. A               |     | <b>.07</b>   | 53 55                 | <b>BWK-10K</b> Kit only A             |     | <b>.35</b>   | 53                    | <b>CDG-5</b> Clutch Dr. See CD-4G    |       |              | 52 51                 |
| <b>BSW-5</b> Spline Wr. A               |     | <b>.07</b>   | 53 55                 | <b>BWK-10S</b> Spl. Wr. Set. A        |     | <b>1.53</b>  | 53                    | <b>CDG-7</b> Clutch Dr. See CD-5G    |       |              | 52 51                 |
| <b>BSW-6</b> Spline Wr. A               |     | <b>.07</b>   | 53 55                 | <b>BWM-1416</b> Bx Wr 7/16x1/2" A     |     | <b>1.40</b>  | 32                    | <b>CDG-9</b> Clutch Dr. See CD-6G    |       |              | 52 51                 |
| <b>BSW-8</b> Spline Wr. A               |     | <b>.07</b>   | 53 55                 | <b>BWM-1618</b> Bx Wr 1/2x3/16" A     |     | <b>1.45</b>  | 32                    | <b>CDG-11</b> Clutch Dr. See CD-8G   |       |              | 52 51                 |
| <b>BSW-10</b> Spline Wr. A              |     | <b>.07</b>   | 53 55                 | <b>BWM-1820</b> Bx Wr 3/16x3/8" A     |     | <b>1.75</b>  | 32                    | <b>CDG-15</b> Clutch Dr. See CD-10G  |       |              | 52 51                 |
| <b>BSW-12</b> Spline Wr. A              |     | <b>.27</b>   | 53 55                 | <b>BWM-2024</b> Bx Wr 5/8x3/4" A      |     | <b>1.85</b>  | 32                    | <b>CF-63</b> Hone Tool A             |       | <b>7.15</b>  | 93                    |
| <b>BSW-14</b> Spline Wr. A              |     | <b>.07</b>   | 53 55                 | <b>BWS-0810S</b> Hex Bx 1/4x3/16" A   |     | <b>.95</b>   | 24 47                 | <b>CF-63-1</b> Stones A              |       | <b>1.60</b>  | 93                    |
| <b>BSW-34</b> Spline Wr. A              |     | <b>.75</b>   | 53 55                 | <b>BWS-0812</b> Bx Wr 1/4x3/8" A      |     | <b>1.50</b>  | ---                   | <b>CF-65</b> Con. Rod Tool A         |       | <b>3.95</b>  | 79                    |
| <b>BSW-38</b> Spline Wr. A              |     | <b>.15</b>   | 53 55                 | <b>BWS-1012S</b> Hex Bx 3/16x3/8" A   |     | <b>1.05</b>  | 24 47                 | <b>CF-70</b> Spk. Plg. Tl. A         |       | <b>3.95</b>  | 67                    |
| <b>BSW-58</b> Spline Wr. A              |     | <b>.48</b>   | 53 55                 | <b>BWS-1214</b> Hex Bx 3/8x7/16" A    |     | <b>1.50</b>  | 24 47                 | <b>CG-2</b> Cstr. Cmb. B             |       | <b>24.50</b> | ---                   |
| <b>BSW-516</b> Spline Wr. A             |     | <b>.10</b>   | 53 55                 | <b>BWS-1214S</b> Hex Bx 3/8x7/16" A   |     | <b>1.10</b>  | 24 47                 | <b>CG-2C</b> Clamp B                 |       | <b>4.00</b>  | ---                   |
| <b>BSW-716</b> Spline Wr. A             |     | <b>.24</b>   | 53 55                 | <b>BWS-1416</b> Hex Bx 7/16x1/2" A    |     | <b>1.60</b>  | 24 47                 | <b>CH-60</b> Brake Hone B            |       | <b>6.75</b>  | 93                    |
| <b>BT-3</b> Tools B                     |     | <b>7.25</b>  | 95                    | <b>BWS-1416S</b> Hex Bx 7/16x1/2" A   |     | <b>1.15</b>  | 24 47                 | <b>CH-70</b> Brake Hone B            |       | <b>6.75</b>  | 93                    |
| <b>BT-3K</b> Kit D                      |     | <b>.70</b>   | 95                    | <b>BWS-1618</b> Hex Bx 1/2x3/16" A    |     | <b>1.75</b>  | 24 47                 | <b>CH-60-70</b> Hone Set B           |       | <b>13.25</b> | 93                    |
| <b>BT-35</b> Set & Kit B                |     | <b>7.95</b>  | 95                    | <b>BWS-1618S</b> Hex Bx 1/2x3/16" A   |     | <b>1.15</b>  | 24 47                 | <b>CH-120</b> Flex Shaft B           |       | <b>1.60</b>  | ---                   |
| <b>BT-14</b> Plier B                    |     | <b>1.70</b>  | 95                    | <b>C Pilot</b> A                      |     | <b>2.20</b>  | 96                    | <b>CH-60S</b> Stone Assy. B          |       | <b>1.60</b>  | ---                   |
| <b>BT-20C</b> Spreader B                |     | <b>2.55</b>  | 95                    | <b>C Reamer</b> A                     |     | <b>4.75</b>  | 96                    | <b>CH-60S</b> Stone Assy. B          |       | <b>1.60</b>  | ---                   |
| <b>BT-21</b> Lifter B                   |     | <b>3.00</b>  | 95                    | <b>C Rmr. &amp; P.</b> A              |     | <b>6.95</b>  | 96                    | <b>CH-70S</b> Stone Assy. B          |       | <b>1.60</b>  | ---                   |
| <b>BT-37</b> Body Ga. C                 |     | <b>10.65</b> | ---                   | <b>C-0206</b> Socket 1/4" x 3/16" A   |     | <b>.45</b>   | 7                     | <b>CH-750</b> Stone Assy. B          |       | <b>1.60</b>  | ---                   |
| <b>BT-66</b> Float Gauge B              |     | <b>.90</b>   | 88                    | <b>C-0207</b> Socket 1/4" x 7/32" A   |     | <b>.45</b>   | 7                     | <b>CH-850</b> Stone Assy. B          |       | <b>1.60</b>  | ---                   |
| <b>BT-85</b> Float Gauge B              |     | <b>.90</b>   | 88                    | <b>C-0208</b> Socket 1/4" x 1/4" A    |     | <b>.45</b>   | 7                     | <b>CHD-15</b> Cyl. Hone Deglz. A     |       | <b>7.15</b>  | 93                    |
| <b>BT-87</b> Float Gauge B              |     | <b>.90</b>   | 88                    | <b>C-0208X</b> Socket 1/4" x 1/4" A   |     | <b>.45</b>   | 7                     | <b>CHD-15S</b> Deglz. Tool A         |       | <b>8.95</b>  | 93                    |
| <b>BT-89</b> Float Gauge B              |     | <b>.90</b>   | 88                    | <b>C-0209</b> Socket 1/4" x 3/32" A   |     | <b>.50</b>   | 7                     | <b>CK-2</b> Chisels A                |       | <b>2.85</b>  | 42                    |
| <b>BT-101</b> Float Gauge B             |     | <b>.90</b>   | 88                    | <b>C-0210</b> Socket 1/4" x 3/16" A   |     | <b>.45</b>   | 7                     | <b>CK-2K</b> Chisel Kit A            |       | <b>.35</b>   | 42                    |
| <b>BT-105</b> Float Ga. C               |     | <b>.50</b>   | 88                    | <b>C-0211</b> Socket 1/4" x 1 1/32" A |     | <b>.50</b>   | 7                     | <b>CK-25</b> Chisel Set A            |       | <b>3.20</b>  | 42                    |
| <b>BT-106</b> Choke Ga. C               |     | <b>.50</b>   | 88                    | <b>C-0212</b> Socket 1/4" x 3/8" A    |     | <b>.50</b>   | 7                     | <b>CK-2J</b> Chisel Set A            |       | <b>3.00</b>  | ---                   |
| <b>BT-107</b> Float Ga. C               |     | <b>.50</b>   | 88                    | <b>C-0214</b> Socket 1/4" x 7/16" A   |     | <b>.50</b>   | 7                     | <b>CK-4</b> Chisels A                |       | <b>5.15</b>  | 42                    |
| <b>BT-108</b> Choke Ga. C               |     | <b>.50</b>   | 88                    | <b>C-0216</b> Socket 1/4" x 1/2" A    |     | <b>.50</b>   | 7                     | <b>CK-4K</b> Chisel Kit A            |       | <b>.45</b>   | 42                    |
| <b>BT-109</b> Float Ga. C               |     | <b>.50</b>   | 88                    | <b>C-1208</b> Socket 3/32" x 1/4" A   |     | <b>.45</b>   | 10                    | <b>CK-4S</b> Chisel Set A            |       | <b>5.60</b>  | 42                    |
| <b>BT-110</b> Choke Ga. C               |     | <b>.50</b>   | 88                    | <b>C-1209</b> Socket 3/32" x 3/32" A  |     | <b>.45</b>   | 10                    | <b>CK-7</b> Chisels A                |       | <b>6.90</b>  | 42                    |
|                                         |     |              |                       | <b>C-1210</b> Socket 3/32" x 3/16" A  |     | <b>.45</b>   | 10                    | <b>CK-7K</b> Chisel Kit A            |       | <b>.65</b>   | 42                    |
|                                         |     |              |                       | <b>C-1212</b> Socket 3/32" x 3/8" A   |     | <b>.50</b>   | 10                    | <b>CK-7S</b> Chisel Set A            |       | <b>7.55</b>  | 42                    |

| Tool No.             | Sym        | Price | Catalog Pg. A-55 I-53 | Tool No.                 | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.               | Sym   | Price | Catalog Pg. A-55 I-53 |
|----------------------|------------|-------|-----------------------|--------------------------|-----|-------|-----------------------|------------------------|-------|-------|-----------------------|
| CK-8 Chisels         | A          | 9.05  | 42                    | CT-74 Carb. Gage         | A   | .20   | 88                    | CWS-1616 Hex Comb 1/2" | A     | 1.45  | 26 45                 |
| CK-8K Chisel Kit     | A          | 1.00  | 42                    | CT-80 Carb. Gage         | A   | .20   | 88                    | CWS-1818 Hex Comb 3/8" | A     | 1.55  | 26 45                 |
| CK-85 Chisel Set     | A          | 10.05 | 42                    | CT-82 Carb. Gage         | A   | .20   | 88                    | CWS-2020 Hex Comb 3/8" | A     | 1.75  | 26 45                 |
| CK-10 Chisels        | A          | 14.70 | 42 53                 | CT-83 Carb. Gage         | A   | .20   | 88                    | D Pilot                | A     | 2.40  | 96                    |
| CK-10K Chisel Kit    | A          | 1.90  | 42 53                 | CT-84 Carb. Gage         | A   | .20   | 88                    | D Reamer               | A     | 5.00  | 96                    |
| CK-105 Chisel Set    | A          | 16.60 | 42 53                 | CT-85 Carb. Gage         | A   | .20   | 88                    | D Rmr. & P.            | A     | 7.40  | 96                    |
| CP-2 Ctr. Punch      | A          | .50   | 40 53                 | CT-86 Carb. Gage         | A   | .20   | 88                    | D-008-2 Driver         | A     | 1.05  | 39 8                  |
| CP-4 Ctr. Punch      | A          | .55   | 40 53                 | CT-87 Carb. Gage         | A   | .20   | 88                    | D-008-3 Driver         | A     | 1.30  | 39 8                  |
| CP-6 Ctr. Punch      | A          | .65   | 40 53                 | CT-88 Carb. Gage         | A   | .20   | 88                    | D-008-4 Driver         | A     | 1.30  | 39 8                  |
| CP-8 Ctr. Punch      | A          | 2.75  | 40 53                 | CT-89 Carb. Gage         | A   | .20   | 88                    | D-008-6 Driver         | A     | 1.40  | 39 8                  |
| CP-10 Ctr. Punch     | A          | .65   | 40 53                 | CT-90 Carb. Gage         | A   | .20   | 88                    | D-1 Spoon              | C     | 7.28  | 85                    |
| CPP-5 Cotr. Pln. Tl. | A          | 1.00  | 45 53                 | CT-92 Carb. Gage         | A   | .20   | 88                    | D-15 Delco-Remy        | C     | 1.25  | 85                    |
| CR-10 Creeper        | C          | 8.95  | 114                   | CT-94 Carb. Gage         | A   | .20   | 88                    | D-60 Die               | C     | 2.00  | 116                   |
| CR-10HR Head Rest    | C          | 1.00  | 114                   | CT-101 Carb. Gage        | A   | .24   | 88                    | D-65 Die               | C     | 2.00  | 116                   |
| CR-52 Rollers (4)    | C          | 3.25  | 114                   | CT-102 Carb. Gage        | A   | .24   | 88                    | D-70 Die               | C     | 2.00  | 116                   |
| *CRS-15 Swirl Seat   | C          | 8.70  | 114                   | CT-103 Carb. Gage        | A   | .24   | 88                    | D-75 Die               | C     | 3.25  | 116                   |
| CRS-20 Swirl Seat    | C          | 7.75  | 114                   | CT-111 Carb. Gage        | A   | .25   | 88                    | D-80 Die               | C     | 3.25  | 116                   |
| CRS-100 Swirl Seat   | C          | 8.20  | 114                   | CT-113 Carb. Gage        | A   | .25   | 88                    | D-85 Die               | C     | 3.25  | 116                   |
| CS-1 Cbn. Scpr.      | A          | 1.10  | 45                    | CT-115 Carb. Gage        | A   | .70   | 88                    | D-90 Die               | C     | 3.25  | 116                   |
| CS-2 Cbn. Scpr.      | A          | .70   | 114                   | CT-117 Carb. Gage        | A   | .85   | 88                    | D-95 Die               | C     | 3.25  | 116                   |
| CS-10 Cbn. Scpr.     | A          | 1.40  | 45                    | CT-119 Carb. Gage        | A   | .95   | 88                    | D-100 Die              | C     | 5.65  | 116                   |
| CT-1 Comp. Tstr.     | B          | 6.85  | 90                    | CTF-3 Stem               | B   | 5.80  | 91                    | D-105 Die              | C     | 5.65  | 116                   |
| CT-1L Lens           | B          | .60   | 90                    | CTX-3 Stem               | B   | 3.25  | 91                    | D-108-2 Driver         | A     | 1.05  | 10                    |
| CT-15 Shrt. Shnk.    | B          | 2.25  | 90                    | CW-1010 Comb Wr 3/16"    | A   | 1.00  | 26                    | D-110 Die              | C     | 2.00  | 116                   |
| CT-1VC Vlv. Core     | B          | .12   | 90                    | CW-1212 Comb Wr 3/8"     | A   | 1.20  | 26 44                 | D-115 Die              | C     | 2.00  | 116                   |
| CT-1T Tip            | B          | .12   | 90                    | CW-1414 Comb Wr 7/16"    | A   | 1.35  | 26 44                 | D-120 Die              | C     | 2.00  | 116                   |
| CT-2 Comp. Tstr.     | B          | 9.45  | 90                    | CW-1414S Comb Wr 7/16"   | A   | 1.35  | 26 44                 | D-125 Die              | C     | 3.25  | 116                   |
| CT-2L Lens           | B          | .60   | 90                    | CW-1615 Comb Wr 1/2"     | A   | 1.45  | 26 44                 | D-130 Die              | C     | 3.25  | 116                   |
| CT-3 Carb. Tool      | A          | .45   | 59, 61                | CW-1616L Comb Wr 1/2"    | A   | 1.50  | 26 44                 | D-135 Die              | C     | 3.25  | 116                   |
| CT-4 Comp. Tstr.     | B          | 11.50 | 90                    | CW-1616S Comb Wr 1/2"    | A   | 1.40  | 26 44                 | D-140 Die              | C     | 3.25  | 116                   |
| CT-4A Adaptor        | B          | .60   | 90                    | CW-1818 Comb Wr 1/8"     | A   | 1.55  | 26 44                 | D-145 Die              | C     | 3.25  | 116                   |
| CT-5 Carb. Tool      | A          | .80   | 59, 61                | CW-1818L Comb Wr 1/8"    | A   | 1.60  | 26 44                 | D-150 Die              | C     | 5.65  | 116                   |
| CT-5 Comp. Tstr.     | B          | 11.10 | 90                    | CW-1818S Comb Wr 1/8"    | A   | 1.50  | 26 44                 | D-155 Die              | C     | 5.65  | 116                   |
| CT-6S Comp. Tstr.    | A          | 22.75 | 91                    | CW-2020 Comb Wr 3/8"     | A   | 1.75  | 26 44                 | D-208-2 Driver         | A     | 1.20  | 39 15                 |
| CT-6-1 Adaptor       | A          | .90   | 91                    | CW-2020L Comb Wr 3/8"    | A   | 1.80  | 26 44                 | D-210-3 Driver         | A     | 1.15  | 39 15                 |
| CT-6-2 Adaptor       | A          | 2.00  | 91                    | CW-2020S Comb Wr 3/8"    | A   | 1.55  | 26 44                 | D-210-4 Driver         | A     | 1.25  | 39 15                 |
| CT-6-3 Adaptor       | A          | 2.15  | 91                    | CW-2222 Comb Wr 1 1/16"  | A   | 1.95  | 26 44                 | D-210-6 Driver         | A     | 1.25  | 39 15                 |
| CT-6-4 Adaptor       | A          | 2.30  | 91                    | CW-2222L Comb Wr 1 1/16" | A   | 2.05  | 26 44                 | D-214-2 Driver         | A     | 1.20  | 39 15                 |
| CT-6-5 Extension     | A          | 2.75  | 91                    | CW-2222S Comb Wr 1 1/16" | A   | 1.65  | 26 44                 | D-214-3 Driver         | A     | 1.20  | 39 15                 |
| CT-6-6 Tip           | A          | .15   | 91                    | CW-2424 Comb Wr 3/4"     | A   | 2.10  | 26 44                 | D-214-5 Driver         | A     | 1.30  | 39 15                 |
| CT-6-7 Tip           | A          | .15   | 91                    | CW-2424L Comb Wr 3/4"    | A   | 2.20  | 26 44                 | D-214-8 Driver         | A     | 1.45  | 39 15                 |
| CT-6-8 Body          | A          | 2.25  | 91                    | CW-2424S Comb Wr 3/4"    | A   | 1.85  | 26 44                 | D-214-12 Driver        | A     | 1.60  | 39 15                 |
| CT-6-9 Case          | A          | 4.76  | 91                    | CW-2626 Comb Wr 1 1/8"   | A   | 2.45  | 26 44                 | D-214-18 Driver        | A     | 2.05  | 39 15                 |
| CT-6-10 Gage         | A          | 3.68  | 91                    | CW-2828 Comb Wr 7/8"     | A   | 2.70  | 26 44                 | D-314-2 Driver         | A     | 1.85  | 39 23                 |
| CT-6-11 Knob         | A          | .85   | 91                    | CW-3030 Comb Wr 1 1/8"   | A   | 3.00  | 26 44                 | D-314-3 Driver         | A     | 1.40  | 39 23                 |
| CT-6-12 Valve        | A          | .12   | 91                    | CW-3232 Comb Wr 1"       | A   | 3.45  | 26 44                 | D-314-5 Driver         | A     | 1.70  | 39 23                 |
| CT-6-13 Washer       | A          | .10   | 91                    | CW-3434 Comb Wr 1 1/8"   | A   | 4.00  | 26 44                 | D-314-8 Driver         | A     | 1.95  | 39 23                 |
| CT-6-14 Lens         | A          | .25   | 91                    | CW-3636 Comb Wr 1 1/8"   | A   | 4.50  | 26 44                 | D-314-12 Driver        | A     | 2.10  | 39 23                 |
| CT-7 Carb. Tool      | A          | .80   | 91                    | CW-3838 Comb Wr 1 3/8"   | A   | 4.60  | 26 44                 | D-314-18 Driver        | A     | 2.55  | 39 23                 |
| CT-9 Carb. Tool      | A          | .75   | 91                    | CW-4040 Comb Wr 1 1/4"   | A   | 5.35  | 26 44                 | D-314-20 Driver        | A     | 3.50  | 39 23                 |
| CT-11 Carb. Tool     | A          | .70   | 91                    | CW-4242 Comb Wr 1 1/8"   | A   | 5.80  | 26 44                 | D-314-22 Driver        | A     | 3.50  | 39 23                 |
| CT-13 Carb. Tool     | A          | .80   | 91                    | CW-4444 Comb Wr 1 3/8"   | A   | 6.70  | 26 44                 | D-320-3 Driver         | A     | 1.35  | 39 23                 |
| CT-15 Carb. Tool     | A          | .80   | 91                    | CW-4646 Comb Wr 1 1/8"   | A   | 7.35  | 26 44                 | D-320-5 Driver         | A     | 1.55  | 39 23                 |
| CT-17 Carb. Tool     | A          | .80   | 91                    | CW-4848 Comb Wr 1 1/2"   | A   | 8.85  | 26 44                 | D-320-8 Driver         | A     | 1.80  | 39 23                 |
| CT-23 Carb. Tool     | A          | .80   | 91                    | CW-5252 Comb Wr 1 3/8"   | A   | 9.80  | 26 44                 | D-320-12 Driver        | A     | 2.85  | 39 23                 |
| CT-25 Carb. Tool     | A          | .80   | 91                    | CW-5454 Comb Wr 1 11/16" | A   | 11.80 | 26 44                 | D-320-18 Driver        | A     | 3.10  | 39 23                 |
| CT-27S Gage Set      | A          | 5.50  | 88                    | CW-5656 Comb Wr 1 3/4"   | A   | 12.80 | 26 44                 | D-320-22 Driver        | A     | 4.40  | 39 23                 |
| CT-29 Carb. Tool     | A          | .85   | 91                    | CW-5858 Comb Wr 1 13/16" | A   | 13.80 | 26 44                 | D-420-3 Driver         | A     | 1.65  | 39 29                 |
| CT-31 Carb. Tool     | A          | .95   | 91                    | CW-6060 Comb Wr 1 7/8"   | A   | 14.80 | 26 44                 | D-420-5 Driver         | A     | 2.30  | 39 29                 |
| CT-35 Carb. Tool     | A          | .90   | 91                    | CW-6464 Comb Wr 2"       | A   | 15.80 | 26 44                 | D-420-8 Driver         | A     | 2.25  | 39 29                 |
| CT-37 Carb. Tool     | A          | .80   | 91                    | CWF-1212 Flare Wr 3/8"   | A   | 1.55  | 28 45                 | D-420-12 Driver        | A     | 2.55  | 39 29                 |
| CT-39 Carb. Tool     | A          | .80   | 91                    | CWF-1414 Flare Wr 7/8"   | A   | 1.70  | 28 45                 | D-420-18 Driver        | A     | 3.00  | 39 29                 |
| CT-41 Carb. Tool     | A          | .80   | 91                    | CWF-1616 Flare Wr 1 1/2" | A   | 1.80  | 28 45                 | D-424-3 Driver         | A     | 2.25  | 29                    |
| CT-45 Carb. Tool     | See SD-006 |       |                       | CWF-1818 Flare Wr 1 1/8" | A   | 1.90  | 28 45                 | D-424-6 Driver         | A     | 2.55  | 29                    |
| CT-47 Carb. Tool     | See SD-008 |       |                       | CWF-2020 Flare Wr 3/8"   | A   | 2.00  | 28 45                 | D-424-9 Driver         | A     | 3.25  | 29                    |
| CT-49 Carb. Tool     | See SD-012 |       |                       | CWF-2222 Flare Wr 1 1/8" | A   | 2.25  | 28 45                 | DA-40 Point Tool       | C     | 1.00  | 85                    |
| CT-53 Carb. Tool     | A          | .65   | 91                    | CWF-2424 Flare Wr 3/4"   | A   | 2.35  | 28 45                 | DC-2 Chisel            | A     | .75   | 41 52                 |
| CT-55 Carb. Tool     | A          | .65   | 91                    | CWF-2828 Flare Wr 7/8"   | A   | 2.95  | 28 45                 | DC-4 Chisel            | A     | .85   | 41 52                 |
| CT-61 Carb. Wr.      | A          | .35   | 91                    | CWO-1212 Comb Wr 3/8"    | A   | 1.20  | 28                    | DC-6 Chisel            | A     | .90   | 41 52                 |
| CT-65 Carb. Gage     | A          | .20   | 88                    | CWO-1414 Comb Wr 7/16"   | A   | 1.35  | 28                    | DC-7 Chisel            | DISC. |       | 52                    |
| CT-66 Carb. Gage     | A          | .20   | 88                    | CWO-1616 Comb Wr 1/2"    | A   | 1.45  | 28                    | DC-8 Chisel            | DISC. |       | 52                    |
| CT-67 Carb. Gage     | A          | .20   | 88                    | CWO-1818 Comb Wr 3/8"    | A   | 1.55  | 28                    | DDP-5 Dist. Wr.        | A     | 1.15  |                       |
| CT-68 Carb. Gage     | A          | .20   | 88                    | CWO-2020 Comb Wr 3/8"    | A   | .90   | 28                    | DFT-93 Flare Tl.       |       | 9.40  | 93                    |
| CT-69 Carb. Gage     | A          | .20   | 88                    | CWS-0808 Hex Comb 1/4"   | A   | .90   | 26 45                 | DL-21 Drag Link        | A     | .70   | 9                     |
| CT-70 Carb. Gage     | A          | .20   | 88                    | CWS-1010 Hex Comb 3/8"   | A   | 1.00  | 26 45                 | DL-21G Drag Link       | A     | .80   |                       |
| CT-71 Carb. Gage     | A          | .20   | 88                    | CWS-1111 Hex Comb 11/32" | A   | 1.20  | 26 45                 | DL-32 Drag Link        | A     | .95   | 13 21                 |
| CT-72 Carb. Gage     | A          | .20   | 88                    | CWS-1212 Hex Comb 3/8"   | A   | 1.20  | 26 45                 | DL-34 Drag Link        | A     | 1.00  | 13 21                 |
| CT-73 Carb. Gage     | A          | .20   | 88                    | CWS-1414 Hex Comb 7/8"   | A   | 1.35  | 26 45                 | DL-36 Drag Link        | A     | 1.10  | 13 21                 |

| Tool No.                   | Sym | Price | Catalog Pg. A-55 | I-53 | Tool No.                       | Sym   | Price | Catalog Pg. A-55 | I-53 | Tool No.               | Sym | Price | Catalog Pg. A-55 | I-53 |
|----------------------------|-----|-------|------------------|------|--------------------------------|-------|-------|------------------|------|------------------------|-----|-------|------------------|------|
| DL-38 Drag Link            | A   | 1.40  | 13               | 21   | EP-6-12 Ext. 1" x 12"          | A     | 9.00  | 38               | 36   | FG-25 Flr. Gage        | A   | 1.95  | 87               | 55   |
| DL-52 Drag Link            | A   | 2.30  | 18               | 33   | EP-6-22 Ext. 1" x 22"          | A     | 23.10 | 38               | 36   | FG-30 Wire Gage        | A   | 1.80  | 87               | .... |
| DP-2 Drft. Pnch.           | A   | .50   | 40               | 53   | EP-8-8 Ext. 1 1/2" x 8"        | A     | 16.50 | 38               | 37   | FG-250FM Flr. Gage     | A   | 1.40  | 87               | .... |
| DP-25 Drft. Pnch.          | A   | .70   | 40               | .... | EP-8-16 Ext. 1 1/2" x 16"      | A     | 19.00 | 38               | 37   | FP-2 Fin. Punch        | C   | 1.65  | 109              | .... |
| DP-4 Drft. Pnch.           | A   | .70   | 40               | 53   | EW-0810 End Wr 1/4x3/16"       | A     | .75   | 29               | .... | FP-3 Fin. Punch        | C   | 1.65  | 109              | .... |
| DP-6 Drft. Pnch.           | A   | .75   | 40               | 53   | EW-1012 End Wr 5/16x3/8"       | A     | .75   | 29               | 43   | FP-5 Pierce Punch      | C   | 1.65  | 109              | .... |
| DP-6S Drft. Pnch.          | A   | .95   | 40               | .... | EW-1214 End Wr 3/8x7/16"       | A     | .85   | 29               | 43   | FS-1214 Flex. Sokt.    | A   | 1.90  | 67               | .... |
| DP-8 Drft. Pnch.           | A   | .95   | 40               | 53   | EW-1416 End Wr 7/16x1/2"       | A     | .90   | 29               | 43   | FS-1416 Flex. Sokt.    | A   | 1.90  | 67               | .... |
| DP-8S Drft. Pnch.          | A   | 1.10  | 40               | .... | EW-1618 End Wr 1/2x3/16"       | A     | 1.05  | 29               | 43   | FS-1618 Flex. Sokt.    | A   | 1.90  | 67               | .... |
| DP-10 Drft. Pnch.          | A   | 1.10  | 40               | 53   | EW-1619 End Wr 1/2x1/32"       | DISC. | ....  | 43               | .... | FS-1820 Flex. Sokt.    | A   | 1.90  | 67               | .... |
| DP-10S Drft. Pnch.         | A   | 1.40  | 40               | .... | EW-1820 End Wr 5/16x3/8"       | A     | 1.15  | 29               | 43   | FS-2224 Flex. Sokt.    | A   | 2.15  | 67               | .... |
| DP-10SP Drft. Pnch.        | A   | 1.40  | ....             | .... | EW-1922 End Wr 1/32x1 1/16"    | A     | 1.25  | 29               | 43   | FT-5 Flare Tool        | A   | 4.25  | 92               | .... |
| DP-12 Drft. Pnch.          | A   | 1.60  | 40               | 53   | EW-2022 End Wr 3/8x1 1/16"     | A     | 1.30  | 29               | 43   | FT-300F Flare Tool     |     | 6.75  | 92               | .... |
| DP-14S Drft. Pnch.         | A   | 1.70  | 40               | .... | EW-2022L End Wr 3/8x1 1/16"    | DISC. | ....  | 43               | .... | FTA-84 Adpt. 1/2"      |     | 1.05  | ....             | .... |
| DPG-100 Dynaflo Tool       | B-1 | 8.95  | 83               | .... | EW-2024 End Wr 3/8x3/4"        | A     | 1.40  | 29               | 43   | FTA-85 Adpt. 3/8"      |     | 1.05  | ....             | .... |
| DT-109 Drip Tool           | B   | 3.25  | 110              | .... | EW-2224 End Wr 1 1/16x3/4"     | A     | 1.55  | 29               | .... | FTA-86 Adpt. 5/16"     |     | .75   | ....             | .... |
| DT-125 Lock Tool           | B   | 1.00  | ....             | .... | EW-2426 End Wr 3/4x1 1/16"     | A     | 1.70  | 29               | .... | FTA-87 Adpt. 1/4"      |     | .75   | ....             | .... |
| DTC-55 Door Tool           | A   | 1.25  | ....             | .... | EW-2428 End Wr 3/4x7/8"        | A     | 1.85  | 29               | 43   | FTA-88 Adpt. 3/16"     |     | .75   | ....             | .... |
| E Pilot                    | A   | 2.40  | 96               | .... | EW-2428L End Wr 3/4x7/8"       | DISC. | ....  | 43               | .... | FWT-15 Flywhl. Trn.    | A   | 1.35  | 114              | .... |
| E Reamer                   | A   | 5.25  | 96               | .... | EW-2526 End Wr 2 1/2x1 1/16"   | A     | 1.85  | 29               | .... | G Pilot                | A   | 2.60  | 96               | .... |
| E Rmr. & P.                | A   | 7.65  | 96               | .... | EW-2628 End Wr 1 1/16x7/8"     | A     | 1.95  | 29               | 43   | G Reamer               | A   | 5.90  | 96               | .... |
| E-0-2 Ext. 1/4" x 2"       | A   | .65   | 7                | 8    | EW-2830 End Wr 7/8x1 1/16"     | A     | 2.30  | 29               | .... | G Rmr. & P.            | A   | 8.50  | 96               | .... |
| E-0-4 Ext. 1/4" x 4"       | A   | .85   | 7                | 8    | EW-3032 End Wr 1 1/16x1"       | A     | 2.85  | 29               | 43   | GB-353W Clean Brsh.    | A   | 1.60  | ....             | .... |
| E-0-6 Ext. 1/4" x 6"       | A   | 1.00  | 7                | 8    | EW-3034 End Wr 1 1/16x1 1/16"  | A     | 2.85  | 29               | 43   | GC-2 Chisel            | A   | .60   | 41               | 52   |
| E-2-2 Ext. 3/8" x 1 1/2"   | A   | .75   | 9                | 15   | EW-3034L End Wr 1 1/16x1 1/16" | DISC. | ....  | 43               | .... | GC-4 Chisel            | A   | .70   | 41               | 52   |
| E-2-3 Ext. 3/8" x 3"       | A   | 1.10  | 9                | 15   | EW-3034L End Wr 1 1/16x1 1/16" | A     | 3.20  | 29               | 43   | GC-6 Chisel            | A   | .80   | 41               | 52   |
| E-2-6 Ext. 3/8" x 6"       | A   | 1.45  | 9                | 15   | EW-3236 End Wr 1x1 1/8"        | A     | 2.95  | 29               | .... | GC-8 Chisel            | A   | .70   | 41               | 52   |
| E-2-9 Ext. 3/8" x 9"       | A   | 1.60  | 9                | 15   | EW-3236L End Wr 1x1 1/8"       | DISC. | ....  | 43               | .... | GD-1 Dolly             | C   | 4.95  | ....             | .... |
| E-2-12 Ext. 3/8" x 12"     | A   | 1.85  | 9                | 15   | EW-3236L End Wr 1x1 1/8"       | DISC. | ....  | 43               | .... | GR-3 Ratchet           | A   | 27.60 | 21               | 36   |
| E-2-18 Ext. 3/8" x 18"     | A   | 2.40  | 9                | 15   | EW-3436 End Wr 1 1/16x1 1/8"   | A     | 3.15  | 29               | 43   | GR-3A Head             | A   | 9.50  | 46               | 40   |
| E-2-24 Ext. 3/8" x 24"     | A   | 2.55  | 9                | 15   | EW-3440 End Wr 1 1/16x1 1/4"   | A     | 3.30  | 29               | .... | GR-3B Hub              | A   | 6.25  | 46               | 40   |
| E-3-2 Ext. 1/2" x 2"       | A   | 1.20  | 14               | 23   | EW-3640 End Wr 1 1/8x1 1/4"    | DISC. | ....  | 43               | .... | GR-3C Pawl             | A   | 2.85  | 46               | 40   |
| E-3-5 Ext. 1/2" x 5"       | A   | 1.50  | 14               | 23   | EW-3640S End Wr 1 1/8x1 1/4"   | A     | 3.25  | 29               | 43   | GR-3D Trigger          | A   | 3.60  | 46               | 40   |
| E-3-10 Ext. 1/2" x 10"     | A   | 2.05  | 14               | 23   | EW-4042 End Wr 1 1/4x1 1/16"   | A     | 3.40  | 29               | .... | GR-3E Ring Cap         | A   | .90   | 46               | 40   |
| E-3-14C Special Extension  | A   | 1.95  | 32               | .... | EW-4046 End Wr 1 1/4x1 1/16"   | DISC. | ....  | 43               | .... | GR-3F Pin              | A   | .30   | 46               | 40   |
| E-3-15T Torque Ext.        | A   | 2.95  | ....             | .... | EW-4046L End Wr 1 1/4x1 1/16"  | A     | 4.10  | 29               | 43   | GR-3G Spring/doz.      | A   | .60   | 46               | 40   |
| E-3-20 Ext. 1/2" x 20"     | A   | 3.20  | 14               | 23   | EW-4244 End Wr 1 1/16x1 3/8"   | A     | 3.75  | ....             | 43   | GR-3L Handle           | A   | 5.75  | 46               | 40   |
| E-3-24 Ext. 1/2" x 24"     | A   | 3.60  | 14               | 23   | EW-4244L End Wr 1 1/16x1 3/8"  | A     | 4.30  | 29               | 43   | GR-3PL Plier           | A   | 2.50  | 46               | 40   |
| E-3-30 Ext. 1/2" x 30"     | A   | 3.90  | 14               | 23   | EW-4446 End Wr 1 3/8x1 1/16"   | A     | 4.75  | 29               | .... | GR-3R Ret. Rg./doz.    | A   | .72   | 46               | 40   |
| E-3-36 Ext. 1/2" x 36"     | A   | 4.65  | 14               | 23   | EW-4852 End Wr 1 1/2x1 5/8"    | A     | 5.25  | 29               | 43   | GR-3RK Repair Kit      | A   | 9.30  | 47               | .... |
| E-5-2 Ext. 3/4" x 2"       | A   | 2.05  | 19               | 33   | EZ-2 Screw Ext.                | A     | .55   | 43               | 53   | GR-W Wrench            | A   | 4.00  | 46               | 40   |
| E-5-4 Ext. 3/4" x 4 1/2"   | A   | 2.45  | 19               | 33   | EZ-4 Screw Ext.                | A     | .65   | 43               | 53   | GT-1 Grv. Clnr.        | D   | 2.80  | 81               | .... |
| E-5-8 Ext. 3/4" x 8"       | A   | 3.35  | 19               | 33   | EZ-6 Screw Ext.                | A     | .70   | 43               | 53   | GT-2 Grv. Clnr.        | D   | 3.30  | 81               | .... |
| E-5-15T Torque Ext.        | A   | 5.70  | ....             | .... | EZ-8 Screw Ext.                | A     | .75   | 43               | 53   | GW-612C Grind Whl.     | A   | 1.95  | ....             | .... |
| E-5-16 Ext. 3/4" x 16"     | A   | 4.65  | 19               | 33   | F Pilot                        | A     | 2.60  | 96               | .... | GW-612M Grind Whl.     | A   | 1.95  | ....             | .... |
| E-5-24 Ext. 3/4" x 24"     | A   | 5.25  | 19               | 33   | F Reamer                       | A     | 5.50  | 96               | .... | GW-634C Grind Whl.     | A   | 2.15  | ....             | .... |
| E-6-8 Ext. 1" x 8"         | A   | 5.95  | 21               | 36   | F Rmr. & P.                    | A     | 8.10  | 96               | .... | GW-634M Grind Whl.     | A   | 2.15  | ....             | .... |
| E-6-16 Ext. 1" x 16"       | A   | 7.50  | 21               | 36   | F-70 Rubbing Blk.              | C     | 1.25  | ....             | .... | H Pilot                | A   | 2.85  | 96               | .... |
| EF-0-4 Flex Ext. 1/4" x 4" | A   | 1.45  | ....             | .... | F-100 Fr. Band Tool            | B-1   | 8.95  | 83               | .... | H Reamer               | A   | 6.25  | 96               | .... |
| EF-2-8 Flex Ext. 3/8" x 8" | A   | 2.35  | ....             | .... | F-110 Rear Band Tool           | B-1   | 18.95 | 83               | .... | H Rmr. & P.            | A   | 9.10  | 96               | .... |
| EL-214 Elbow Skt. 3/16"    | A   | .95   | 8                | .... | F-201KO Valve KO               | C     | 7.50  | 81               | .... | H-2 (c) Hammer         | B   | 1.95  | 68               | 55   |
| EL-216 Elbow Skt. 1/2"     | A   | 1.05  | 8                | .... | F-203KE Valve Ext.             | C     | 3.25  | 81               | .... | H-4 (c) Hammer         | B   | 1.95  | 68               | 55   |
| EL-218 Elbow Skt. 3/8"     | A   | 1.20  | 8                | .... | F-715 Mech. Fngrr.             | A     | 2.40  | 113              | .... | H-8 (c) Hammer         | B   | 2.10  | 68               | 55   |
| EL-220 Elbow Skt. 5/8"     | A   | 1.25  | 8                | .... | FC-2 Chisel                    | A     | .55   | 41               | 52   | H-12 (c) Hammer        | B   | 2.20  | 68               | 55   |
| EL-222 Elbow Skt. 1 1/16"  | A   | 1.25  | 8                | .... | FC-4 Chisel                    | A     | .65   | 41               | 52   | H-16 (c) Hammer        | B   | 2.40  | 68               | 55   |
| EL-224 Elbow Skt. 3/4"     | A   | 1.30  | 8                | .... | FC-3 Ford Rmr.                 | A     | 2.90  | 98               | .... | H-20 (c) Hammer        | B   | 2.55  | 68               | 55   |
| EL-227 Elbow Skt. 2 1/32"  | A   | 1.35  | 8                | .... | FC-6 Chisel                    | A     | .70   | 41               | 52   | H-24 (c) Hammer        | B   | 2.70  | 68               | 55   |
| EL-2025 Ext. Lite 25'      | C   | 2.35  | 112              | .... | FC-8 Chisel                    | A     | .80   | 41               | 52   | H-32 (c) Hammer        | B   | 2.95  | 68               | 55   |
| EL-2050 Ext. Lite 50'      | C   | 3.30  | 112              | .... | FC-10 Chisel                   | A     | 1.10  | 41               | 52   | H-40 (c) Hammer        | B   | 3.15  | 68               | 55   |
| EP-2-3 Ext. 3/8" x 3"      | A   | 1.15  | 38               | 15   | FC-12 Chisel                   | A     | 1.45  | 41               | 52   | H-48 (c) Hammer        | B   | 3.65  | 68               | 55   |
| EP-2-6 Ext. 3/8" x 6"      | A   | 1.40  | 38               | 15   | FC-14 Chisel                   | A     | 1.45  | 41               | 52   | H-100 Hydramatic Tool  | B-1 | 8.95  | 82               | .... |
| EP-2-9 Ext. 3/8" x 9"      | A   | 1.55  | 38               | 15   | FC-15 Merc. Rmr.               | A     | 2.90  | 98               | .... | H-110 Hydramatic Tool  | B-1 | 5.45  | 82               | .... |
| EP-2-12 Ext. 3/8" x 12"    | A   | 1.75  | 38               | 15   | FC-16 Chisel                   | A     | 1.90  | 41               | 52   | H-120 Hydramatic Tool  | B-1 | 1.00  | 82               | .... |
| EP-3-2 Ext. 1/2" x 2"      | A   | 1.10  | 38               | 23   | FC-18 Chisel                   | A     | 1.95  | 41               | 52   | HC-642 Puller          | C   | 10.90 | 77               | .... |
| EP-3-5 Ext. 1/2" x 5"      | A   | 1.60  | 38               | 23   | FC-20 Chisel                   | A     | 2.05  | 41               | 52   | HCP-5 Plier            | C   | 1.75  | ....             | .... |
| EP-3-10 Ext. 1/2" x 10"    | A   | 1.95  | 38               | 23   | FC-22 Chisel                   | A     | 2.40  | 41               | 52   | HCP-428 H. Clamp Plier | C   | 1.95  | ....             | .... |
| EP-3-20 Ext. 1/2" x 20"    | A   | 2.25  | 38               | 23   | FC-30 Chev. Rmr.               | A     | 2.90  | 98               | .... | HF-05 Flex Hdl. 1/4"   | A   | 2.25  | 6                | 9    |
| EP-4-4 Ext. 5/8" x 4"      | A   | 1.95  | 38               | 29   | FC-48 Rmr. Set                 | A     | 10.95 | 98               | .... | HF-29 Flex Hdl. 3/8"   | A   | 2.85  | 10               | 16   |
| EP-4-6 Ext. 5/8" x 6"      | A   | 2.45  | 38               | 29   | FG-1 Flr. Gage                 | A     | .80   | 86               | .... | HF-312 Flex Hdl. 1/2"  | A   | 2.50  | 15               | 24   |
| EP-4-8 Ext. 5/8" x 8"      | A   | 2.55  | 38               | 29   | *FG-5 Flr. Gage                | A     | 1.50  | ....             | .... | HF-315 Flex Hdl. 1/2"  | A   | 4.75  | 15               | 24   |
| EP-4-12 Ext. 5/8" x 12"    | A   | 2.95  | 38               | 29   | FG-8 Flr. Gage                 | A     | 1.15  | 86               | .... | HF-318 Flex Hdl. 1/2"  | A   | 4.95  | 15               | 24   |
| EP-5-4 Ext. 3/4" x 3 1/2"  | A   | 4.25  | 38               | 33   | FG-10 Flr. Gage                | A     | 1.90  | 87               | .... | HF-324 Flex Hdl. 1/2"  | A   | 5.20  | 15               | 24   |
| EP-5-7 Ext. 3/4" x 7"      | A   | 5.25  | 38               | 33   | FG-11 Flr. Hldr.               | A     | .40   | 86               | .... | HF-524 Flex Hdl. 3/4"  | A   | 7.40  | 19               | 33   |
| EP-5-10 Ext. 3/4" x 10"    | A   | 6.50  | 38               | 33   | FG-14 Flr. Gage                | A     | 1.05  | 87               | .... | HFA-0 Hdl. Assy.       | A   | 1.00  | 47               | .... |
| EP-5-13 Ext. 3/4" x 13"    | A   | 7.05  | 38               | 33   | FG-15 Flr. Gage                | A     | 1.35  | 87               | .... | HFA-2 Hdl. Assy.       | A   | 1.10  | 47               | .... |
| EP-6-4 Ext. 1" x 3 1/2"    | A   | 5.75  | 38               | 36   | FG-17 Flr. Gage                | A     | 1.60  | ....             | .... | HFA-3 Hdl. Assy.       | A   | 1.30  | 47               | .... |
| EP-6-6 Ext. 1" x 6"        | A   | 6.95  | 38               | 36   | FG-19 Flr. Gage                | A     | 1.80  | 87               | .... | HFA-5 Hdl. Assy.       | A   | 3.15  | 47               | .... |
| EP-6-9 Ext. 1" x 9"        | A   | 7.50  | 38               | 36   | FG-20FM Flr. Gage              | A     | 1.20  | 87               | .... | HIS-315 Ind. Spdr.     | A   | 3.75  | ....             | 25   |

| Tool No.                           | Sym                      | Price | Catalog Pg. A-55 I-53 | Tool No.                                           | Sym   | Price | Catalog Pg. A-55 I-53 | Tool No.                                            | Sym | Price | Catalog Pg. A-55 I-53 |
|------------------------------------|--------------------------|-------|-----------------------|----------------------------------------------------|-------|-------|-----------------------|-----------------------------------------------------|-----|-------|-----------------------|
| HIS-319 Ind. Spdr.                 | A                        | 3.75  | 25                    | HTU-218 Univ. T Hdl.                               | A     | 2.95  | 10                    | I-4248 Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "    | A   | 2.55  | 37 26                 |
| HIS-325 Ind. Spdr.                 | A                        | 4.25  | 25                    | HTU-224 Univ. T Hdl.                               | DISC. | 10    | ---                   | I-4248L Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "   | A   | 5.65  | 37 26                 |
| HIS-328 Ind. Spdr.                 | A                        | 4.50  | 25                    | HU-13 Drill Set                                    | B     | 6.85  | 105                   | I-4322 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "   | A   | 1.10  | 37 27                 |
| HISD-5 Impak Dr.                   | C                        | 4.84  | 94                    | HU-15 Drill Set                                    | B     | 16.75 | 105                   | I-4322L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A   | 1.70  | 37 27                 |
| HISD-78 Impak Set                  |                          | 9.70  | 94                    | HU-20 Drill Set                                    | B     | 8.35  | 105                   | I-4323 Socket $\frac{5}{8}$ " x $2\frac{3}{32}$ "   | A   | 1.10  | 37 27                 |
| HISD-78T Tray only                 | C                        | .45   | 94                    | HU-29 Drill Set                                    | B     | 36.55 | 105                   | I-4324 Socket $\frac{5}{8}$ " x $\frac{3}{4}$ "     | A   | 1.25  | 37 27                 |
| HJ-5 Hood Jk.                      | A                        | 2.10  | ---                   | HU-60 Drill Set                                    | B     | 26.10 | 105                   | I-4324L Socket $\frac{5}{8}$ " x $\frac{3}{4}$ "    | A   | 1.85  | 37 27                 |
| HJ-5TL Lg. Tip                     | A                        | .15   | ---                   | HW-1 Allen Wr. .050"                               | A     | .07   | 53                    | I-4325 Socket $\frac{5}{8}$ " x $2\frac{3}{32}$ "   | A   | 1.35  | 37 27                 |
| HJ-5TS Sml. Tip                    | A                        | .12   | ---                   | HW-2 Allen Wr. $\frac{1}{16}$ "                    | A     | .07   | 53                    | I-4326 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "   | A   | 1.35  | 37 27                 |
| HL-31-12 Ell. Hdl.                 | A                        | 1.40  | 25                    | HW-2 $\frac{1}{2}$ Allen Wr. $\frac{5}{16}$ "      | A     | .07   | 53                    | I-4326L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A   | 1.90  | 37 27                 |
| HL-32-12 Ell. Hdl.                 | A                        | 1.30  | 25                    | HW-2 $\frac{1}{2}$ L Allen Wr. $\frac{5}{16}$ "    | A     | .07   | 53                    | I-4328 Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "     | A   | 1.40  | 37 27                 |
| HL-32-20 Ell. Hdl.                 | A                        | 2.80  | 25                    | HW-3 Allen Wr. $\frac{3}{32}$ "                    | A     | .07   | 53                    | I-4328L Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "    | A   | 1.95  | 37 27                 |
| HL-33-12 Ell. Hdl.                 | A                        | 1.30  | 25                    | HW-3L Allen Wr. $\frac{3}{32}$ "                   | A     | .07   | 53                    | I-4330 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "   | A   | 1.65  | 37 27                 |
| HL-42-14 Ell. Hdl.                 | A                        | 1.50  | 29                    | HW-4 Allen Wr. $\frac{1}{8}$ "                     | A     | .07   | 53                    | I-4330L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A   | 2.25  | 37 27                 |
| HL-46-16 Ell. Hdl.                 | A                        | 1.75  | 29                    | HW-4L Allen Wr. $\frac{1}{8}$ "                    | A     | .08   | 53                    | I-4332 Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "    | A   | 1.85  | 37 27                 |
| HN-01P Spin. Hdl.                  | A                        | 1.20  | 7                     | HW-5 Allen Wr. $\frac{5}{32}$ "                    | A     | .10   | 53                    | I-4332L Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "   | A   | 2.35  | 37 27                 |
| HN-02P Spin. Hdl.                  | A                        | 1.20  | 7                     | HW-5L Allen Wr. $\frac{5}{32}$ "                   | A     | .10   | 53                    | I-4334 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "   | A   | 2.10  | 37 27                 |
| HN-02PN Spin. Hdl.                 | A                        | 1.20  | 9                     | HW-6 Allen Wr. $\frac{3}{16}$ "                    | A     | .12   | 53                    | I-4334L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A   | 2.65  | 37 27                 |
| HN-03 Spin. Hdl.                   | A                        | 1.20  | 7                     | HW-6L Allen Wr. $\frac{3}{16}$ "                   | A     | .15   | 53                    | I-4336 Socket $\frac{5}{8}$ " x $1\frac{1}{8}$ "    | A   | 2.35  | 37 27                 |
| HN-03N Spin. Hdl.                  | DISC.                    | ---   | 9                     | HW-7 Allen Wr. $\frac{7}{32}$ "                    | A     | .15   | 53                    | I-4336L Socket $\frac{5}{8}$ " x $1\frac{1}{8}$ "   | A   | 2.95  | 37 27                 |
| HN-21P Spin. Hdl.                  | A                        | 1.35  | 10                    | HW-7L Allen Wr. $\frac{7}{32}$ "                   | A     | .18   | 53                    | I-4338 Socket $\frac{5}{8}$ " x $1\frac{3}{16}$ "   | A   | 2.70  | 37 27                 |
| HR-3 Ratchet                       | A                        | 15.05 | 19 33                 | HW-8 Allen Wr. $\frac{1}{4}$ "                     | A     | .18   | 53                    | I-4340 Socket $\frac{5}{8}$ " x $1\frac{1}{4}$ "    | A   | 2.80  | 37 27                 |
| HR-3A Head                         | A                        | 6.60  | 46 41                 | HW-8L Allen Wr. $\frac{1}{4}$ "                    | A     | .25   | 53                    | I-4342 Socket $\frac{5}{8}$ " x $1\frac{3}{16}$ "   | A   | 3.05  | 37 27                 |
| HR-3B Hub                          | A                        | 2.50  | 46 41                 | HW-10 Allen Wr. $\frac{5}{16}$ "                   | A     | .19   | 53                    | I-4344 Socket $\frac{5}{8}$ " x $1\frac{3}{8}$ "    | A   | 3.35  | 37 27                 |
| HR-3C Pawl                         | A                        | 1.30  | 46 41                 | HW-10L Allen Wr. $\frac{5}{16}$ "                  | A     | .28   | 53                    | I-4412 Socket $\frac{5}{8}$ " x $\frac{3}{8}$ "     | A   | .95   | 37 27                 |
| HR-3D Trigger                      | A                        | 1.50  | 46 41                 | HW-12 Allen Wr. $\frac{3}{8}$ "                    | A     | .30   | 53                    | I-4414 Socket $\frac{5}{8}$ " x $\frac{7}{16}$ "    | A   | .95   | 37 27                 |
| HR-3E Ring Cap                     | A                        | .85   | 46 41                 | HW-12L Allen Wr. $\frac{3}{8}$ "                   | A     | .43   | 53                    | I-4416 Socket $\frac{5}{8}$ " x $\frac{1}{2}$ "     | A   | .95   | 37 27                 |
| HR-3G Spring/doz.                  | A                        | .24   | 46 41                 | HW-14 Allen Wr. $\frac{7}{16}$ "                   | A     | .48   | 53                    | I-4418 Socket $\frac{5}{8}$ " x $\frac{9}{16}$ "    | A   | .95   | 37 27                 |
| HR-3L Handle                       | A                        | 2.90  | 46 41                 | HW-16 Allen Wr. $\frac{1}{2}$ "                    | A     | .60   | 53                    | I-4418L Socket $\frac{5}{8}$ " x $\frac{9}{16}$ "   | A   | 1.60  | 37 27                 |
| HR-3PL Plier                       | A                        | 2.50  | 46 41                 | HW-18 Allen Wr. $\frac{5}{8}$ "                    | A     | .77   | 53                    | I-4420 Socket $\frac{5}{8}$ " x $\frac{5}{8}$ "     | A   | 1.10  | 37 27                 |
| HR-3R Ret. Rg./doz.                | A                        | .42   | 46 41                 | HW-20 Allen Wr. $\frac{5}{8}$ "                    | A     | 1.40  | 53                    | I-4420L Socket $\frac{5}{8}$ " x $\frac{5}{8}$ "    | A   | 1.65  | 37 27                 |
| HR-3RK Repair Kit                  | A                        | 3.90  | 47                    | HW-24 Allen Wr. $\frac{3}{4}$ "                    | A     | 1.90  | 53                    | I-4421 Socket $\frac{5}{8}$ " x $2\frac{1}{2}$ "    | A   | 1.10  | 37 27                 |
| HR-W Wrench                        | A                        | 3.60  | 46 41                 | HWK-9 Wrenches                                     | A     | .90   | 53                    | I-5216 Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "     | A   | 1.65  | 37 31                 |
| HS-016 Speed Hdl. $\frac{1}{4}$ "  | A                        | 2.05  | 6 9                   | HWK-9K Kit only                                    | A     | .35   | 53                    | I-5216L Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "    | A   | 2.60  | 37 31                 |
| HS-217 Speed Hdl. $\frac{3}{8}$ "  | A                        | 2.10  | 10 16                 | HWK-9S Wrench Set                                  | A     | 1.25  | 53                    | I-5218 Socket $\frac{3}{4}$ " x $\frac{9}{16}$ "    | A   | 1.65  | 37 31                 |
| HS-217C Speed Hdl. $\frac{3}{8}$ " | A                        | 2.10  | ---                   | HWK-9L Wrenches                                    | A     | 1.61  | ---                   | I-5218L Socket $\frac{3}{4}$ " x $\frac{9}{16}$ "   | A   | 2.60  | 37 31                 |
| HS-226 Speed Hdl. $\frac{3}{8}$ "  | A                        | 2.50  | 10 16                 | HWK-9LK Kit only                                   | A     | .25   | ---                   | I-5220 Socket $\frac{3}{4}$ " x $\frac{5}{8}$ "     | A   | 1.65  | 37 31                 |
| HS-234 Speed Hdl. $\frac{3}{8}$ "  | A                        | 3.20  | 10 16                 | HWK-9LS Wr. Set                                    | A     | 1.86  | ---                   | I-5220L Socket $\frac{3}{4}$ " x $\frac{5}{8}$ "    | A   | 2.60  | 37 31                 |
| HS-313 Speed Hdl. $\frac{1}{2}$ "  | A                        | 2.10  | 15 25                 | HWK-14 Wrenches                                    | A     | 4.16  | 53                    | I-5222 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 1.65  | 37 31                 |
| HS-317 Speed Hdl. $\frac{1}{2}$ "  | A                        | 2.95  | 15 25                 | HWK-14K Kit only                                   | A     | 1.10  | 53                    | I-5222L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 2.60  | 37 31                 |
| HS-328 Speed Hdl. $\frac{1}{2}$ "  | A                        | 3.25  | 15 25                 | HWK-14S Wr. Set                                    | A     | 5.26  | 53                    | I-5224 Socket $\frac{3}{4}$ " x $\frac{3}{4}$ "     | A   | 1.65  | 37 31                 |
| HS-333 Speed Hdl. $\frac{1}{2}$ "  | A                        | 3.50  | 15 25                 | I Pilot                                            | A     | 3.15  | 96                    | I-5224L Socket $\frac{3}{4}$ " x $\frac{3}{4}$ "    | A   | 2.60  | 37 31                 |
| HSF-5 Hack Saw                     | A                        | 2.75  | ---                   | I Reamer                                           | A     | 7.50  | 96                    | I-5225 Socket $\frac{3}{4}$ " x $2\frac{3}{32}$ "   | A   | 1.65  | 37 31                 |
| HST-04 Sl. T. Hdl.                 | A                        | 1.10  | 7 9                   | I Rmr. & P.                                        | A     | 10.65 | 96                    | I-5225L Socket $\frac{3}{4}$ " x $2\frac{3}{32}$ "  | A   | 2.65  | 37 31                 |
| HST-27 Sl. T. Hdl.                 | A                        | 1.60  | 10 16                 | I-4216 Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "   | A     | 1.00  | 37 26                 | I-5226 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 1.65  | 37 31                 |
| HST-312 Sl. T. Hdl.                | A                        | 2.25  | 15 25                 | I-4218 Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "    | A     | 1.05  | 37 26                 | I-5226L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 2.65  | 37 31                 |
| HST-316 Sl. T. Hdl.                | A                        | 2.50  | 15 25                 | I-4218L Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "   | A     | 1.70  | 37 26                 | I-5228 Socket $\frac{3}{4}$ " x $\frac{7}{8}$ "     | A   | 1.65  | 37 31                 |
| HST-520 Sl. T. Hdl.                | A                        | 4.70  | 19 33                 | I-4220 Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "    | A     | 1.05  | 37 26                 | I-5228L Socket $\frac{3}{4}$ " x $\frac{7}{8}$ "    | A   | 2.75  | 37 31                 |
| HST-630 Sl. T. Hdl.                | A                        | 10.65 | 21 36                 | I-4220L Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "   | A     | 1.70  | 37 26                 | I-5229 Socket $\frac{3}{4}$ " x $2\frac{3}{32}$ "   | A   | 1.65  | 37 31                 |
| HSW-1                              | See HW-1                 | ---   | 55                    | I-4222 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A     | 1.05  | 37 26                 | I-5230 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 1.65  | 37 31                 |
| HSW-3                              | See HW-2                 | ---   | 55                    | I-4222L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ " | A     | 1.70  | 37 26                 | I-5230L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 2.75  | 37 31                 |
| HSW-5                              | See HW-2 $\frac{1}{2}$   | ---   | 55                    | I-4224 Socket $\frac{5}{8}$ " x $\frac{3}{4}$ "    | A     | 1.05  | 37 26                 | I-5232 Socket $\frac{3}{4}$ " x $1\frac{1}{2}$ "    | A   | 1.65  | 37 31                 |
| HSW-5L                             | See HW-2 $\frac{1}{2}$ L | ---   | 55                    | I-4224L Socket $\frac{5}{8}$ " x $\frac{3}{4}$ "   | A     | 1.70  | 37 26                 | I-5232L Socket $\frac{3}{4}$ " x $1\frac{1}{2}$ "   | A   | 2.85  | 37 31                 |
| HSW-7                              | See HW-3                 | ---   | 55                    | I-4225 Socket $\frac{5}{8}$ " x $2\frac{3}{32}$ "  | A     | 1.05  | 37 26                 | I-5234 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 1.80  | 37 31                 |
| HSW-7L                             | See HW-3L                | ---   | 55                    | I-4226 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A     | 1.05  | 37 26                 | I-5234L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 3.00  | 37 31                 |
| HSW-9                              | See HW-4                 | ---   | 55                    | I-4226L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ " | A     | 1.75  | 37 26                 | I-5236 Socket $\frac{3}{4}$ " x $1\frac{1}{8}$ "    | A   | 1.95  | 37 31                 |
| HSW-9L                             | See HW-4L                | ---   | 55                    | I-4228 Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "    | A     | 1.10  | 37 26                 | I-5236L Socket $\frac{3}{4}$ " x $1\frac{1}{8}$ "   | A   | 3.00  | 37 31                 |
| HSW-11                             | See HW-5                 | ---   | 55                    | I-4228L Socket $\frac{5}{8}$ " x $\frac{7}{8}$ "   | A     | 1.75  | 37 26                 | I-5238 Socket $\frac{3}{4}$ " x $1\frac{3}{16}$ "   | A   | 2.10  | 37 31                 |
| HSW-11L                            | See HW-5L                | ---   | 55                    | I-4229 Socket $\frac{5}{8}$ " x $2\frac{3}{32}$ "  | A     | 1.20  | 37 26                 | I-5238L Socket $\frac{3}{4}$ " x $1\frac{3}{16}$ "  | A   | 3.60  | 37 31                 |
| HSW-13                             | See HW-6                 | ---   | 55                    | I-4230 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A     | 1.20  | 37 26                 | I-5240 Socket $\frac{3}{4}$ " x $1\frac{1}{4}$ "    | A   | 2.20  | 37 31                 |
| HSW-13L                            | See HW-6L                | ---   | 55                    | I-4230L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ " | A     | 1.95  | 37 26                 | I-5240L Socket $\frac{3}{4}$ " x $1\frac{1}{4}$ "   | A   | 3.60  | 37 31                 |
| HSW-15                             | See HW-7                 | ---   | 55                    | I-4231 Socket $\frac{5}{8}$ " x $2\frac{1}{32}$ "  | A     | 1.20  | 37 26                 | I-5242 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 2.35  | 37 31                 |
| HSW-15L                            | See HW-7L                | ---   | 55                    | I-4232 Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "   | A     | 1.30  | 37 26                 | I-5242L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 3.85  | 37 31                 |
| HSW-17                             | See HW-8                 | ---   | 55                    | I-4232L Socket $\frac{5}{8}$ " x $1\frac{1}{2}$ "  | A     | 1.95  | 37 26                 | I-5244 Socket $\frac{3}{4}$ " x $1\frac{3}{8}$ "    | A   | 2.50  | 37 31                 |
| HSW-17L                            | See HW-8L                | ---   | 55                    | I-4234 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A     | 1.45  | 37 26                 | I-5244L Socket $\frac{3}{4}$ " x $1\frac{3}{8}$ "   | A   | 4.00  | 37 31                 |
| HSW-19                             | See HW-10                | ---   | 55                    | I-4234L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ " | A     | 1.95  | 37 26                 | I-5246 Socket $\frac{3}{4}$ " x $1\frac{7}{16}$ "   | A   | 2.60  | 37 31                 |
| HSW-19L                            | See HW-10L               | ---   | 55                    | I-4236 Socket $\frac{5}{8}$ " x $1\frac{1}{8}$ "   | A     | 1.65  | 37 26                 | I-5246L Socket $\frac{3}{4}$ " x $1\frac{7}{16}$ "  | A   | 4.45  | 37 31                 |
| HSW-21                             | See HW-12                | ---   | 55                    | I-4236L Socket $\frac{5}{8}$ " x $1\frac{1}{8}$ "  | A     | 2.10  | 37 26                 | I-5248 Socket $\frac{3}{4}$ " x $1\frac{1}{2}$ "    | A   | 2.75  | 37 31                 |
| HSW-21L                            | See HW-12L               | ---   | 55                    | I-4238 Socket $\frac{5}{8}$ " x $1\frac{3}{16}$ "  | A     | 1.75  | 37 26                 | I-5248BWL Socket $\frac{3}{4}$ " x $1\frac{1}{2}$ " | A   | 4.95  | 22                    |
| HSW-23                             | See HW-14                | ---   | 55                    | I-4238L Socket $\frac{5}{8}$ " x $1\frac{3}{16}$ " | A     | 2.15  | 37 26                 | I-5248L Socket $\frac{3}{4}$ " x $1\frac{1}{2}$ "   | A   | 5.00  | 37 31                 |
| HSW-25                             | See HW-16                | ---   | 55                    | I-4240 Socket $\frac{5}{8}$ " x $1\frac{1}{4}$ "   | A     | 1.85  | 37 26                 | I-5252 Socket $\frac{3}{4}$ " x $1\frac{3}{8}$ "    | A   | 3.00  | 37 31                 |
| HSW-27                             | See HW-18                | ---   | 55                    | I-4240L Socket $\frac{5}{8}$ " x $1\frac{1}{4}$ "  | A     | 2.50  | 37 26                 | I-5326 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 2.35  | 37 32                 |
| HT-24-8 T Handle                   | A                        | 1.35  | 16                    | I-4242 Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ "  | A     | 2.10  | 37 26                 | I-5326L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 4.65  | 37 32                 |
| HT-26-8 T Handle                   | A                        | 1.45  | 16                    | I-4242L Socket $\frac{5}{8}$ " x $1\frac{1}{16}$ " | A     | 2.65  | 37 26                 | I-5328 Socket $\frac{3}{4}$ " x $\frac{7}{8}$ "     | A   | 2.35  | 37 32                 |
| HT-36-10 T Handle                  | A                        | 1.70  | 25                    | I-4244 Socket $\frac{5}{8}$ " x $1\frac{3}{8}$ "   | A     | 2.25  | 37 26                 | I-5328L Socket $\frac{3}{4}$ " x $\frac{7}{8}$ "    | A   | 4.65  | 37 32                 |
| HT-212-8 T Handle                  | A                        | 1.55  | 16                    | I-4244L Socket $\frac{5}{8}$ " x $1\frac{3}{8}$ "  | A     | 2.75  | 37 26                 | I-5330 Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "   | A   | 2.45  | 37 32                 |
| HT-310-10 T Handle                 | A                        | 1.95  | 25                    | I-4246 Socket $\frac{5}{8}$ " x $1\frac{7}{16}$ "  | A     | 2.50  | 37 26                 | I-5330L Socket $\frac{3}{4}$ " x $1\frac{1}{16}$ "  | A   | 4.65  | 37 32                 |
| HT-412-12 T Handle                 | A                        | 2.00  | 29                    | I-4246L Socket $\frac{5}{8}$ " x $1\frac{7}{16}$ " | A     | 5.40  | 37 26                 | I-5332 Socket $\frac{3}{4}$ " x $1\frac{1}{2}$ "    | A   | 2.50  | 37 32                 |

| Tool No.                      | Sym | Price | Catalog Pg. A-55 | I-53 | Tool No.                      | Sym | Price | Catalog Pg. A-55 | I-53 | Tool No.                      | Sym | Price | Catalog Pg. A-55 | I-53 |
|-------------------------------|-----|-------|------------------|------|-------------------------------|-----|-------|------------------|------|-------------------------------|-----|-------|------------------|------|
| I-5332L Socket 3/4"x1"        | A   | 4.65  | 37               | 32   | I-6274L Socket 1"x2 3/16"     | A   | 12.35 | 37               | 34   | I-8258 Socket 1 1/2"x1 13/16" | A   | 9.95  | 38               | 37   |
| I-5334 Socket 3/4"x1 1/16"    | A   | 2.75  | 37               | 32   | I-6276 Socket 1"x2 3/8"       | A   | 9.15  | 37               | 34   | I-8260 Socket 1 1/2"x1 7/8"   | A   | 10.25 | 38               | 37   |
| I-5334L Socket 3/4"x1 1/16"   | A   | 4.65  | 37               | 32   | I-6276L Socket 1"x2 3/8"      | A   | 12.60 | 37               | 34   | I-8264 Socket 1 1/2"x2"       | A   | 12.10 | 38               | 37   |
| I-5336 Socket 3/4"x1 1/8"     | A   | 2.85  | 37               | 32   | I-6278 Socket 1"x2 7/8"       | A   | 9.45  | 37               | 34   | I-8266 Socket 1 1/2"x2 1/16"  | A   | 12.20 | 38               | 37   |
| I-5336L Socket 3/4"x1 1/8"    | A   | 4.75  | 37               | 32   | I-6280 Socket 1"x2 1/2"       | A   | 10.95 | 37               | 34   | I-8268 Socket 1 1/2"x2 3/8"   | A   | 12.35 | 38               | 37   |
| I-5338 Socket 3/4"x1 3/16"    | A   | 3.00  | 37               | 32   | I-6282 Socket 1"x2 5/16"      | A   | 12.00 | 37               | 34   | I-8270 Socket 1 1/2"x2 3/16"  | A   | 12.60 | 38               | 37   |
| I-5338L Socket 3/4"x1 3/16"   | A   | 5.40  | 37               | 32   | I-6284 Socket 1"x2 5/8"       | A   | 13.10 | 37               | 34   | I-8272 Socket 1 1/2"x2 1/4"   | A   | 13.40 | 38               | 37   |
| I-5340 Socket 3/4"x1 1/4"     | A   | 3.15  | 37               | 32   | I-6286 Socket 1"x2 11/16"     | A   | 13.40 | 37               | 34   | I-8274 Socket 1 1/2"x2 3/8"   | A   | 15.00 | 38               | 37   |
| I-5340L Socket 3/4"x1 1/4"    | A   | 5.75  | 37               | 32   | I-6288 Socket 1"x2 3/4"       | A   | 13.55 | 37               | 34   | I-8276 Socket 1 1/2"x2 3/8"   | A   | 15.25 | 38               | 37   |
| I-5342 Socket 3/4"x1 3/16"    | A   | 3.95  | 37               | 32   | I-6290 Socket 1"x2 13/16"     | A   | 15.50 | 37               | 34   | I-8278 Socket 1 1/2"x2 3/8"   | A   | 16.95 | 38               | 37   |
| I-5342L Socket 3/4"x1 3/16"   | A   | 6.25  | 37               | 32   | I-6292 Socket 1"x2 7/8"       | A   | 17.05 | 37               | 34   | I-8280 Socket 1 1/2"x2 1/2"   | A   | 17.50 | 38               | 37   |
| I-5416 Socket 3/4"x1 1/2"     | A   | 2.15  | 37               | 32   | I-6294 Socket 1"x2 15/16"     | A   | 17.30 | 37               | 34   | I-8282 Socket 1 1/2"x2 5/8"   | A   | 17.50 | 38               | 37   |
| I-5416L Socket 3/4"x1 1/2"    | A   | 3.65  | 37               | 32   | I-6296 Socket 1"x3"           | A   | 18.00 | 37               | 34   | I-8284 Socket 1 1/2"x2 5/8"   | A   | 20.50 | 38               | 37   |
| I-5418 Socket 3/4"x3/16"      | A   | 2.15  | 37               | 32   | I-62100 Socket 1"x3 1/8"      | A   | 18.35 | 37               | 34   | I-8286 Socket 1 1/2"x2 11/16" | A   | 20.50 | 38               | 37   |
| I-5418L Socket 3/4"x3/16"     | A   | 3.65  | 37               | 32   | I-62104 Socket 1"x3 1/4"      | A   | 20.75 | 37               | 34   | I-8288 Socket 1 1/2"x2 3/4"   | A   | 21.75 | 38               | 37   |
| I-5420 Socket 3/4"x3/8"       | A   | 2.25  | 37               | 32   | I-62108 Socket 1"x3 3/8"      | A   | 21.00 | 37               | 34   | I-8290 Socket 1 1/2"x2 13/16" | A   | 23.00 | 38               | 37   |
| I-5420L Socket 3/4"x3/8"      | A   | 4.25  | 37               | 32   | I-62112 Socket 1"x3 1/2"      | A   | 21.25 | 37               | 34   | I-8294 Socket 1 1/2"x2 15/16" | A   | 23.75 | 38               | 37   |
| I-5422 Socket 3/4"x1 1/16"    | A   | 2.30  | 37               | 32   | I-62116 Socket 1"x3 5/8"      | A   | 25.20 | 37               | 34   | I-8296 Socket 1 1/2"x3"       | A   | 24.75 | 38               | 37   |
| I-5422L Socket 3/4"x1 1/16"   | A   | 4.25  | 37               | 32   | I-6338 Socket 1"x1 3/16"      | A   | 3.65  | 38               | 35   | I-82100 Socket 1 1/2"x3 3/8"  | A   | 27.50 | 38               | 37   |
| I-5424 Socket 3/4"x3/4"       | A   | 2.30  | 37               | 32   | I-6338L Socket 1"x1 3/16"     | A   | 6.50  | 38               | 35   | I-82108 Socket 1 1/2"x3 3/8"  | A   | 31.50 | 38               | 37   |
| I-5424L Socket 3/4"x3/4"      | A   | 4.50  | 37               | 32   | I-6340 Socket 1"x1 1/4"       | A   | 3.75  | 38               | 35   | I-82112 Socket 1 1/2"x3 1/2"  | A   | 34.00 | 38               | 37   |
| *I-5426 Socket 3/4"x1 3/16"   | A   | 2.35  | 37               | 32   | I-6340L Socket 1"x1 1/4"      | A   | 6.75  | 38               | 35   | IA-5 Adaptor                  | A   | .75   | ....             | 9    |
| I-5426BW Socket 3/4"x1 3/16"  | A   | 2.60  | 22               | .... | I-6342 Socket 1"x1 3/16"      | A   | 3.80  | 38               | 35   | IA-10 Adaptor                 | A   | .75   | ....             | 10   |
| I-5426BWL Socket 3/4"x1 3/16" | A   | 4.50  | 22               | .... | I-6342L Socket 1"x1 3/16"     | A   | 6.85  | 38               | 35   | IW-3 Ign. Wr. 1 3/4"x1 5/8"   | A   | .80   | 30               | 49   |
| *I-5426L Socket 3/4"x1 3/16"  | A   | 4.50  | 37               | 32   | I-6344 Socket 1"x1 3/8"       | A   | 4.05  | 38               | 35   | IW-5 Ign. Wr. 7/8"x1 1/4"     | A   | .80   | 30               | 49   |
| I-6220 Socket 1"x5/8"         | A   | 2.75  | 37               | 34   | I-6344L Socket 1"x1 3/8"      | A   | 7.00  | 38               | 35   | IW-7 Ign. Wr. 1 3/4"x1 3/4"   | A   | .80   | 30               | 49   |
| I-6224 Socket 1"x3/4"         | A   | 2.75  | 37               | 34   | I-6346 Socket 1"x1 7/8"       | A   | 4.05  | 38               | 35   | IW-9 Ign. Wr. 1/4"x7/8"       | A   | .80   | 30               | 49   |
| I-6224L Socket 1"x3/4"        | A   | 4.20  | 37               | 34   | I-6346L Socket 1"x1 7/8"      | A   | 7.00  | 38               | 35   | IW-13 Ign. Wr. 5/8"x3/16"     | A   | .80   | 30               | 49   |
| I-6226 Socket 1"x1 3/16"      | A   | 2.75  | 37               | 34   | I-6348 Socket 1"x1 1/2"       | A   | 4.35  | 38               | 35   | IW-17 Ign. Wr. 3/4"x7/8"      | A   | .80   | 30               | 49   |
| I-6226L Socket 1"x1 3/16"     | A   | 4.20  | 37               | 34   | I-6348L Socket 1"x1 1/2"      | A   | 7.25  | 38               | 35   | IW-19 Ign. Wr. 1 1/2"x3/8"    | A   | .80   | 30               | 49   |
| I-6228 Socket 1"x3/8"         | A   | 2.75  | 37               | 34   | I-6350 Socket 1"x1 1/16"      | A   | 4.85  | 38               | 35   | IW-21 Ign. Wr. 3/8"x1 1/2"    | A   | .80   | 30               | 49   |
| I-6228L Socket 1"x3/8"        | A   | 4.20  | 37               | 34   | I-6350L Socket 1"x1 1/16"     | A   | 7.50  | 38               | 35   | J Pilot                       | A   | 4.10  | 96               | .... |
| I-6230 Socket 1"x1 3/16"      | A   | 2.75  | 37               | 34   | I-6352 Socket 1"x1 3/8"       | A   | 5.00  | 38               | 35   | J Reamer                      | A   | 8.60  | 96               | .... |
| I-6230L Socket 1"x1 3/16"     | A   | 4.20  | 37               | 34   | I-6352L Socket 1"x1 3/8"      | A   | 8.25  | 38               | 35   | J Rmr. & P.                   | A   | 12.70 | 96               | .... |
| I-6232 Socket 1"x1"           | A   | 2.75  | 37               | 34   | I-6354 Socket 1"x1 11/16"     | A   | 5.50  | 38               | 35   | J-200 1/64 Drill              | B   | .42   | 104              | .... |
| I-6232L Socket 1"x1"          | A   | 4.20  | 37               | 34   | I-6354L Socket 1"x1 11/16"    | A   | 9.40  | 38               | 35   | J-200 1/32 Drill              | B   | .34   | 104              | .... |
| I-6234 Socket 1"x1 1/16"      | A   | 2.75  | 37               | 34   | I-6356 Socket 1"x1 3/4"       | A   | 5.80  | 38               | 35   | J-200 3/64 Drill              | B   | .22   | 104              | .... |
| I-6234L Socket 1"x1 1/16"     | A   | 4.20  | 37               | 34   | I-6356L Socket 1"x1 3/4"      | A   | 9.70  | 38               | 35   | J-200 1/16 Drill              | B   | .22   | 104              | .... |
| I-6236 Socket 1"x1 1/8"       | A   | 2.75  | 37               | 34   | I-6358 Socket 1"x1 13/16"     | A   | 6.25  | 38               | 35   | J-200 5/64 Drill              | B   | .27   | 104              | .... |
| I-6236L Socket 1"x1 1/8"      | A   | 4.20  | 37               | 34   | I-6358L Socket 1"x1 13/16"    | A   | 9.70  | 38               | 35   | J-200 3/32 Drill              | B   | .28   | 104              | .... |
| I-6238 Socket 1"x1 3/16"      | A   | 2.75  | 37               | 34   | I-6360 Socket 1"x1 7/8"       | A   | 6.25  | 38               | 35   | J-200 7/64 Drill              | B   | .29   | 104              | .... |
| I-6238L Socket 1"x1 3/16"     | A   | 4.70  | 37               | 34   | I-6360L Socket 1"x1 7/8"      | A   | 10.20 | 38               | 35   | J-200 1/8 Drill               | B   | .35   | 104              | .... |
| I-6240 Socket 1"x1 1/4"       | A   | 2.80  | 37               | 34   | I-6362 Socket 1"x1 15/16"     | A   | 7.20  | 38               | 35   | J-200 9/64 Drill              | B   | .37   | 104              | .... |
| I-6240L Socket 1"x1 1/4"      | A   | 4.95  | 37               | 34   | I-6362L Socket 1"x1 15/16"    | A   | 10.90 | 38               | 35   | J-200 5/32 Drill              | B   | .39   | 104              | .... |
| I-6242 Socket 1"x1 3/8"       | A   | 3.00  | 37               | 34   | I-6364 Socket 1"x2"           | A   | 10.25 | 38               | 35   | J-200 11/64 Drill             | B   | .45   | 104              | .... |
| I-6242L Socket 1"x1 3/8"      | A   | 5.00  | 37               | 34   | I-6364L Socket 1"x2"          | A   | 15.25 | 38               | 35   | J-200 3/16 Drill              | B   | .59   | 104              | .... |
| I-6244 Socket 1"x1 3/8"       | A   | 3.00  | 37               | 34   | I-6366 Socket 1"x2 1/16"      | A   | 10.75 | 38               | 35   | J-200 13/64 Drill             | B   | .63   | 104              | .... |
| I-6244L Socket 1"x1 3/8"      | A   | 5.00  | 37               | 34   | I-6366L Socket 1"x2 1/16"     | A   | 15.25 | 38               | 35   | J-200 7/32 Drill              | B   | .70   | 104              | .... |
| I-6246 Socket 1"x1 7/16"      | A   | 3.10  | 37               | 34   | I-6368 Socket 1"x2 1/8"       | A   | 11.00 | 38               | 35   | J-200 15/64 Drill             | B   | .73   | 104              | .... |
| I-6246L Socket 1"x1 7/16"     | A   | 5.00  | 37               | 34   | I-6368L Socket 1"x2 1/8"      | A   | 17.00 | 38               | 35   | J-200 1/4 Drill               | B   | .81   | 104              | .... |
| I-6248 Socket 1"x1 1/2"       | A   | 3.30  | 37               | 34   | I-6370 Socket 1"x2 3/8"       | A   | 12.10 | 38               | 35   | J-200 17/64 Drill             | B   | .90   | 104              | .... |
| I-6248BW Socket 1"x1 1/2"     | A   | 5.25  | 22               | .... | I-6370L Socket 1"x2 3/8"      | A   | 17.00 | 38               | 35   | J-200 9/32 Drill              | B   | .98   | 104              | .... |
| I-6248L Socket 1"x1 1/2"      | A   | 5.75  | 37               | 34   | I-6372 Socket 1"x2 1/4"       | A   | 12.60 | 38               | 35   | J-200 19/64 Drill             | B   | 1.09  | 104              | .... |
| I-6250 Socket 1"x1 1/8"       | A   | 3.65  | 37               | 34   | I-6372L Socket 1"x2 1/4"      | A   | 17.75 | 38               | 35   | J-200 5/16 Drill              | B   | 1.17  | 104              | .... |
| I-6250L Socket 1"x1 1/8"      | A   | 6.55  | 37               | 34   | I-6374 Socket 1"x2 5/8"       | A   | 12.95 | 38               | 35   | J-200 21/64 Drill             | B   | 1.29  | 104              | .... |
| I-6252 Socket 1"x1 3/16"      | A   | 3.65  | 37               | 34   | I-6376 Socket 1"x2 3/4"       | A   | 13.10 | 38               | 35   | J-200 11/32 Drill             | B   | 1.43  | 104              | .... |
| I-6252L Socket 1"x1 3/16"     | A   | 6.55  | 37               | 34   | I-6376L Socket 1"x2 3/4"      | A   | 25.85 | 38               | 35   | J-200 23/64 Drill             | B   | 1.54  | 104              | .... |
| I-6254 Socket 1"x1 11/16"     | A   | 3.75  | 37               | 34   | I-6382 Socket 1"x2 5/8"       | A   | 15.95 | 38               | 35   | J-200 3/8 Drill               | B   | 1.65  | 104              | .... |
| I-6254L Socket 1"x1 11/16"    | A   | 7.10  | 37               | 34   | I-6424 Socket 1"x3/4"         | A   | 3.15  | 38               | 35   | J-200 25/64 Drill             | B   | 1.82  | 104              | .... |
| I-6256 Socket 1"x1 3/4"       | A   | 4.15  | 37               | 34   | I-6426 Socket 1"x1 3/8"       | A   | 3.15  | 38               | 35   | J-200 13/32 Drill             | B   | 1.96  | 104              | .... |
| I-6256L Socket 1"x1 3/4"      | A   | 7.10  | 37               | 34   | I-6426BW Socket 1"x1 3/8"     | A   | 4.50  | 22               | .... | J-200 27/64 Drill             | B   | 2.12  | 104              | .... |
| I-6258 Socket 1"x1 13/16"     | A   | 4.15  | 37               | 34   | I-6426L Socket 1"x1 3/8"      | A   | 5.00  | 38               | 35   | J-200 7/16 Drill              | B   | 2.26  | 104              | .... |
| I-6258L Socket 1"x1 13/16"    | A   | 7.60  | 37               | 34   | I-6428 Socket 1"x7/8"         | A   | 3.15  | 38               | 35   | J-200 29/64 Drill             | B   | 2.43  | 104              | .... |
| I-6260 Socket 1"x1 7/8"       | A   | 4.60  | 37               | 34   | I-6428L Socket 1"x7/8"        | A   | 5.25  | 38               | 35   | J-200 15/32 Drill             | B   | 2.58  | 104              | .... |
| I-6260L Socket 1"x1 7/8"      | A   | 7.65  | 37               | 34   | I-6430 Socket 1"x1 15/16"     | A   | 3.15  | 38               | 35   | J-200 31/64 Drill             | B   | 2.77  | 104              | .... |
| I-6262 Socket 1"x1 15/16"     | A   | 4.95  | 37               | 34   | I-6430L Socket 1"x1 15/16"    | A   | 5.25  | 38               | 35   | J-200 1/2 Drill               | B   | 2.94  | 104              | .... |
| I-6262L Socket 1"x1 15/16"    | A   | 8.65  | 37               | 34   | I-6432 Socket 1"x1"           | A   | 3.15  | 38               | 35   | J-8 3/8" Ratchet Adptr.       | A   | 4.55  | ....             | .... |
| I-6264 Socket 1"x2"           | A   | 5.00  | 37               | 34   | I-6432L Socket 1"x1"          | A   | 5.25  | 38               | 35   | JL-17 Tool Box                | C   | 8.00  | 117              | .... |
| I-6264L Socket 1"x2"          | A   | 8.95  | 37               | 34   | I-6433 Socket 1"x1 1/2"       | A   | 3.15  | 38               | 35   | JP-60 Jet Pulr.               | C   | 1.40  | ....             | .... |
| I-6266 Socket 1"x2 1/8"       | A   | 5.10  | 37               | 34   | I-6434 Socket 1"x1 1/8"       | A   | 3.15  | 38               | 35   | JP-80 Jet Pulr.               | C   | 1.40  | ....             | .... |
| I-6266L Socket 1"x2 1/8"      | A   | 9.85  | 37               | 34   | I-6434L Socket 1"x1 1/8"      | A   | 5.25  | 38               | 35   | JPD-2 Pulr. & Dr.             | C   | 14.55 | 94               | .... |
| I-6268 Socket 1"x2 1/8"       | A   | 5.75  | 37               | 34   | I-6436 Socket 1"x1 1/8"       | A   | 3.40  | 38               | 35   | JR-3A Handle                  | A   | 2.50  | 47               | 41   |
| I-6268L Socket 1"x2 1/8"      | A   | 10.50 | 37               | 34   | I-6436L Socket 1"x1 1/8"      | A   | 5.95  | 38               | 35   | JR-3B Hub                     | A   | .90   | 47               | 41   |
| I-6270 Socket 1"x2 3/16"      | A   | 6.00  | 37               | 34   | I-8246 Socket 1 1/2"x1 7/8"   | A   | 9.95  | 38               | 37   | JR-3C Pawl                    | A   | .50   | 47               | 41   |
| I-6270L Socket 1"x2 3/16"     | A   | 11.00 | 37               | 34   | I-8248 Socket 1 1/2"x1 1/2"   | A   | 9.95  | 38               | 37   | JR-3D Trigger                 | A   | .55   | 47               | 41   |
| I-6272 Socket 1"x2 1/4"       | A   | 6.15  | 37               | 34   | I-8252 Socket 1 1/2"x1 3/8"   | A   | 9.95  | 38               | 37   | JR-3E Ring Cap                | A   | .50   | 47               | 41   |
| I-6272L Socket 1"x2 1/4"      | A   | 11.55 | 37               | 34   | I-8254 Socket 1 1/2"x1 11/16" | A   | 9.95  | 38               | 37   | JR-3F Screw                   | A   | .20   | 47               | 41   |
| I-6274 Socket 1"x2 5/16"      | A   | 6.15  | 37               | 34   | I-8256 Socket 1 1/2"x1 3/4"   | A   | 9.95  | 38               | 37   | JR-3G Spring/doz.             | A   | .23   | 47               | 41   |

| Tool No.              | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.             | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.                    | Sym | Price | Catalog Pg. A-55 I-53 |
|-----------------------|-----|-------|-----------------------|----------------------|-----|-------|-----------------------|-----------------------------|-----|-------|-----------------------|
| JR-5 Ratchet          | A   | 3.30  | 16                    | MF-906 Maggimick     | B   | 1.10  | 113                   | P-21 Plier                  | A   | 3.20  | 59                    |
| JR-30 Ratchet         | A   | 4.95  | 10                    | MF-100 Maggimick     | B   | 1.70  | 113                   | P-22 Plier                  | A   | 2.85  | 59                    |
| JR-30A Handle         | A   | 2.50  | 46                    | MG-188 Micrometer    | B   | 3.10  | 113                   | P-23 Plier                  | A   | 3.00  | 59                    |
| JR-30B Hub            | A   | .90   | 46                    | MH-5 Starter Sw.     | D   | 5.75  | 113                   | P-24 Plier                  | A   | 3.60  | 59                    |
| JR-30C Pawl           | A   | .50   | 46                    | MMT-10 Tap           | C   | .55   | 113                   | P-32 Brk. Plr.              | A   | 2.75  | 45                    |
| JR-30D Trigger        | A   | .50   | 46                    | MMT-14 Tap           | C   | .75   | 113                   | P-35 Brk. Plr.              | A   | 4.95  | 45                    |
| JR-30E Ring Cap       | A   | .50   | 46                    | MMT-18 Tap           | C   | 1.20  | 113                   | P-39 Plier                  | A   | 3.55  | 59                    |
| JR-30F Pin            | A   | .15   | 46                    | MMT-42 Tap Set       | C   | 7.58  | 113                   | P-40 Plier                  | B   | .75   | 59                    |
| JR-30G Spring/doz.    | A   | .23   | 46                    | MS-1 Multiscope      | A   | 5.75  | 113                   | P-40-7 Plier                | A   | 3.00  | 59                    |
| JR-30PL Plier         | A   | 2.50  | 46                    | MS-0208 Mag. Sckt.   |     | 2.35  | 7                     | P-42 Plier                  | A   | 3.20  | 59                    |
| JR-30R Ret. Rg./doz.  | A   | .36   | 46                    | MS-0209 Mag. Sckt.   |     | 2.35  | 7                     | P-45 Plier                  | A   | 1.35  | 110                   |
| JR-30RK Repair Kit    | A   | 1.50  | 47                    | MS-0210 Mag. Sckt.   |     | 2.35  | 7                     | P-46 Plier                  | A   | 2.85  | 60                    |
| JR-W Wrench           | A   | 2.10  | 46, 47, 40, 41        | MS-0211 Mag. Sckt.   |     | 2.35  | 7                     | P-60 Plier                  | C   | 1.85  | 65                    |
| K Pilot               | A   | 5.00  | 96                    | MS-0212 Mag. Sckt.   |     | 2.35  | 7                     | P-61 Ratchet                | C   | 13.95 | 56                    |
| K Reamer              | A   | 10.75 | 96                    | MS-0214 Mag. Sckt.   |     | 2.35  | 7                     | P-62 Plier                  | C   | 2.15  | 65                    |
| K Rmr. & P.           | A   | 15.75 | 96                    | MS-2212 Mag. Sckt.   | C   | 2.40  | 113                   | P-68 Plier                  | C   | 2.95  | 65                    |
| K-2 Mirror            | B   | 2.25  | 113                   | MS-2214 Mag. Sckt.   | C   | 2.50  | 113                   | P-69 Plier                  | C   | 2.95  | 65                    |
| K-2M Mirror only      | B   | .60   | 113                   | MS-2216 Mag. Sckt.   | C   | 2.50  | 113                   | P-70 Plier                  | C   | 1.95  | 65                    |
| K-199 Shop Knife      | B   | 1.80  | 113                   | MS-2218 Mag. Sckt.   | C   | 2.60  | 113                   | P-75 Plier                  | C   | 2.25  | 65                    |
| K-199B Blades         | B   | .50   | 113                   | MSD-22 Die 4-36      | C   | .80   | 113                   | *P-80 Plier                 | C   | 2.25  | 65                    |
| KPG-3 Ratchet         | A   | 1.95  | 58                    | MSD-30 Die 6-32      | C   | .80   | 113                   | P-85 Plier                  | C   | 2.60  | 65                    |
| L Pilot               | A   | 5.80  | 96                    | MSD-36 Die 8-32      | C   | .80   | 113                   | P-100 Plier                 | C   | 1.95  | 60                    |
| L Reamer              | A   | 12.25 | 96                    | MSD-44 Die 10-24     | C   | .80   | 113                   | P-133 Plier                 | B   | 4.95  | 60                    |
| L Rmr. & P.           | A   | 18.05 | 96                    | MSD-46 Die 10-32     | C   | .80   | 113                   | *P-512 Snip                 | A   | 3.10  | 60                    |
| L-31 Pencil           | B   | 3.60  | 113                   | MSD-52 Die 12-24     | C   | .80   | 113                   | P-520 Plier                 | A   | 1.60  | 60                    |
| L-31B Transfmr.       | G   | 8.50  | 113                   | MST-22 Tap 4-36      | C   | .40   | 113                   | P-534 Plier                 | A   | 2.70  | 60                    |
| LC-5 Plier Set        | B   | 18.25 | 64                    | MST-30 Tap 6-32      | C   | .40   | 113                   | P-542 Plier                 | A   | 2.00  | 60                    |
| LS-11035 Lk. Stp. St. | B   | 4.75  | 110                   | MST-36 Tap 8-32      | C   | .40   | 113                   | P-543 Plier                 | A   | 2.55  | 60                    |
| LST-110 Lk. Stp. Tl.  | B   | 1.25  | 110                   | MST-44 Tap 10-24     | C   | .45   | 113                   | P-550 Plier                 | A   | 2.70  | 60                    |
| LT-106 Lead Tip       | B   | 2.00  | 69                    | MST-46 Tap 10-32     | C   | .45   | 113                   | P-818 Plier                 | A   | 2.90  | 59                    |
| M Pilot               | A   | 9.00  | 96                    | MST-52 Tap 12-24     | C   | .45   | 113                   | P-888 Plier                 | A   | 3.30  | 60                    |
| M Reamer              | A   | 18.80 | 96                    | MT-8 Puller          | C   | 7.50  | 56                    | P-1033 Plier                | A   | 2.50  | 59                    |
| M Rmr. & P.           | A   | 27.80 | 96                    | N Pilot              | A   | 12.75 | 96                    | P-2112 Socket 3/8" x 3/8"   | A   | .50   | 12                    |
| M-1 Snip, left        | C   | 4.25  | 60                    | N Reamer             | A   | 27.50 | 96                    | P-2112L Socket 3/8" x 3/8"  | A   | .65   | 12                    |
| M-1-5 Grips (pr.)     | C   | .60   | 59                    | N Rmr. & P.          | A   | 40.25 | 96                    | P-2112LF Socket 3/8" x 3/8" | A   | 1.10  | 12                    |
| M-2 Snip, right       | C   | 4.25  | 60                    | NAME Nameplate       | C   | .40   | 113                   | P-2114 Socket 3/8" x 7/16"  | A   | .50   | 12                    |
| M-3 Snip, comb.       | C   | 4.25  | 60                    | ND-6 Nut Dr. 3/16"   | A   | .90   | 67                    | P-2114L Socket 3/8" x 7/16" | A   | .65   | 12                    |
| M-5 Snip, 9"          | C   | 4.25  | 59                    | ND-7 Nut Dr. 7/32"   | A   | .90   | 67                    | P-2116 Socket 3/8" x 1/2"   | A   | .50   | 12                    |
| M-6 Mstrwr.           | D   | 2.15  | 66                    | ND-8 Nut Dr. 1/4"    | A   | .90   | 67                    | P-2116L Socket 3/8" x 1/2"  | A   | .65   | 12                    |
| M-8 Mstrwr.           | D   | 2.85  | 66                    | ND-9 Nut Dr. 5/32"   | A   | .90   | 67                    | P-2118 Socket 3/8" x 3/16"  | A   | .50   | 12                    |
| M-10 Mstrwr.          | D   | 3.50  | 66                    | ND-10 Nut Dr. 3/8"   | A   | .90   | 67                    | P-2118L Socket 3/8" x 3/16" | A   | .65   | 12                    |
| M-14 Mstrwr.          | D   | 5.75  | 66                    | ND-11 Nut Dr. 1/2"   | A   | .90   | 67                    | P-2120 Socket 3/8" x 3/8"   | A   | .60   | 12                    |
| M-18 Mstrwr.          | D   | 8.35  | 66                    | ND-12 Nut Dr. 3/4"   | A   | .90   | 67                    | P-2120L Socket 3/8" x 3/8"  | A   | .75   | 12                    |
| M-28 Handle           | C   | 3.50  | 56                    | ND-14 Nut Dr. 7/8"   | A   | 1.25  | 67                    | P-2122 Socket 3/8" x 1/2"   | A   | .65   | 12                    |
| M-32 Handle           | C   | 4.95  | 56                    | ND-16 Nut Dr. 1 1/2" | A   | 1.25  | 67                    | P-2124 Socket 3/8" x 3/4"   | A   | .70   | 12                    |
| M-0206 Mag. Sckt.     | C   | 1.05  | 7                     | NDS-7 Nut Drs.       | A   | 6.30  | 67                    | P-2210 Socket 3/8" x 3/16"  | A   | .50   | 35                    |
| M-0207 Mag. Sckt.     | C   | 1.05  | 7                     | NDS-7K Kit only      | A   | 1.15  | 67                    | P-2210L Socket 3/8" x 3/16" | A   | .65   | 35                    |
| M-0208 Mag. Sckt.     | C   | 1.00  | 7                     | NDS-75 Nut Dr. Set   | A   | 7.45  | 67                    | P-2211 Socket 3/8" x 1/2"   | A   | .50   | 35                    |
| M-0208T Mag. Sckt.    | C   | 1.05  | 7                     | NP-117 Nail Pulr.    | B   | 2.25  | 113                   | P-2211L Socket 3/8" x 1/2"  | A   | .65   | 35                    |
| M-0208Y Mag. Sckt.    | C   | 1.10  | 7                     | NP-323 Nail Pulr.    | A   | 1.50  | 113                   | P-2212 Socket 3/8" x 3/8"   | A   | .50   | 35                    |
| M-0209 Mag. Sckt.     | C   | 1.05  | 7                     | NST-18 Tap           | C   | 1.70  | 113                   | P-2212L Socket 3/8" x 3/8"  | A   | .65   | 35                    |
| M-0210 Mag. Sckt.     | C   | 1.00  | 7                     | O Pilot              | A   | 16.50 | 96                    | P-2214 Socket 3/8" x 3/16"  | A   | .50   | 35                    |
| M-0210Y Mag. Sckt.    | C   | 1.10  | 7                     | O Reamer             | A   | 41.00 | 96                    | P-2214L Socket 3/8" x 3/16" | A   | .65   | 35                    |
| M-0211 Mag. Sckt.     | C   | 1.05  | 7                     | O Rmr. & P.          | A   | 57.50 | 96                    | P-2216 Socket 3/8" x 1/2"   | A   | .50   | 35                    |
| M-0212 Mag. Sckt.     | C   | 1.05  | 7                     | OC-70 Oil Can        | A   | 1.75  | 113                   | P-2216L Socket 3/8" x 1/2"  | A   | .65   | 35                    |
| M-0214 Mag. Sckt.     | C   | 1.10  | 7                     | OC-9311 Bk. Fld. Can | B   | 4.95  | 113                   | P-2217 Socket 3/8" x 1/2"   | A   | .50   | 35                    |
| M-0216 Mag. Sckt.     | C   | 1.10  | 7                     | OG-5 Wrench          | A   | 2.15  | 31                    | P-2218 Socket 3/8" x 3/16"  | A   | .50   | 35                    |
| M-2210 Mag. Sckt.     | C   | 1.25  | 13                    | OS-11 Socket         | A   | 1.15  | 22                    | P-2218L Socket 3/8" x 3/16" | A   | .65   | 35                    |
| M-2210Y Mag. Sckt.    | C   | 1.35  | 13                    | OS-13 Socket         | A   | 1.15  | 22                    | P-2219 Socket 3/8" x 1/2"   | A   | .60   | 35                    |
| M-2212 Mag. Sckt.     | C   | 1.30  | 13                    | OS-21 Socket         | A   | 1.40  | 22                    | P-2220 Socket 3/8" x 3/8"   | A   | .60   | 35                    |
| M-2212Y Mag. Sckt.    | C   | 1.40  | 13                    | OY-HC Cutter         | C   | 9.75  | 115                   | P-2220L Socket 3/8" x 3/8"  | A   | .75   | 35                    |
| M-2214 Mag. Sckt.     | C   | 1.30  | 13                    | OYT-101 Vlv. Tool    | A   | 7.95  | 44                    | P-2222 Socket 3/8" x 1/2"   | A   | .65   | 35                    |
| M-2216 Mag. Sckt.     | C   | 1.35  | 13                    | OYT-102 Vlv. Tool    | A   | 4.15  | 44                    | P-2222L Socket 3/8" x 1/2"  | A   | .85   | 35                    |
| M-2216H Mag. Sckt.    | C   | 1.35  | 13                    | OYT-102L Vlv. Tool   | A   | 4.90  | 44                    | P-2224 Socket 3/8" x 3/4"   | A   | .70   | 35                    |
| M-2216L Mag. Sckt.    | C   | 1.50  | 13                    | OYT-103 Vlv. Tool    | A   | 8.95  | 44                    | P-2224L Socket 3/8" x 3/4"  | A   | .90   | 35                    |
| M-2218 Mag. Sckt.     | C   | 1.60  | 13                    | OYT-105 Vlv. Tool    | A   | 6.95  | 44                    | P-2308 Socket 3/8" x 1/4"   | A   | .55   | 35                    |
| M-3212 Mag. Sckt.     | C   | 1.35  | 20                    | OW-8 Wrench          | A   | 1.30  | 31                    | P-2308Y Socket 3/8" x 1/4"  | A   | .60   | 35                    |
| M-3214 Mag. Sckt.     | C   | 1.35  | 20                    | OW-16FM Wrench       | A   | 2.50  | 31                    | P-2309 Socket 3/8" x 3/8"   | A   | .55   | 35                    |
| M-3216 Mag. Sckt.     | C   | 1.55  | 20                    | *OW-22-54-M Wrench   | A   | DISC. | 32                    | P-2309Y Socket 3/8" x 3/8"  | A   | .60   | 35                    |
| M-3218 Mag. Sckt.     | C   | 1.65  | 20                    | OW-22-54PB Wrench    | A   | 3.95  | 32                    | P-2310 Socket 3/8" x 3/16"  | A   | .55   | 35                    |
| MA-72 Box Wr.         | C   | 9.50  | 56                    | OW-70 Wrench         | C   | 3.53  | 32                    | P-2310L Socket 3/8" x 3/16" | A   | .70   | 35                    |
| MD-955 Puller         | C   | 8.95  | 56                    | OW-78 Wrench         | A   | 3.53  | 32                    | P-2310Y Socket 3/8" x 3/16" | A   | .60   | 35                    |
| MD-956 Puller         | C   | 9.50  | 56                    | OW-322 Wrench        | C   | 3.27  | 32                    | P-2311 Socket 3/8" x 1/2"   | A   | .55   | 35                    |
| MF-3 Mech. Fngr.      | B   | 2.95  | 113                   | P-2 Plier            | A   | 1.40  | 59                    | P-2312 Socket 3/8" x 3/8"   | A   | .55   | 35                    |
| MF-5 Maggimick        | B   | 1.20  | 113                   | P-7 Plier            | A   | .85   | 59                    | P-2312L Socket 3/8" x 3/8"  | A   | .80   | 35                    |
| MF-5A End only        | B   | .50   | 113                   | P-10 Plier           | A   | 1.55  | 59                    | P-2312Y Socket 3/8" x 3/8"  | A   | .60   | 35                    |
| MF-10 Maggimick       | B   | 2.20  | 113                   | P-11 Plier           | C   | 2.95  | 59                    | P-2314 Socket 3/8" x 7/16"  | A   | .55   | 35                    |
| MF-10A End only       | B   | 1.25  | 113                   | P-18 Plier           | A   | 3.05  | 59                    | P-2314L Socket 3/8" x 7/16" | A   | .80   | 35                    |

| Tool No.                                                   | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.                                                   | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.                                | Sym       | Price | Catalog Pg. A-55 I-53 |
|------------------------------------------------------------|-----|-------|-----------------------|------------------------------------------------------------|-----|-------|-----------------------|-----------------------------------------|-----------|-------|-----------------------|
| <b>P-2314Y</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A |     | .60   | 35 12                 | <b>P-3234L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.80  | 36 18                 | <b>PD-36P</b> Screw Dr.                 |           | DISC. | 50                    |
| <b>P-2316</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ " A   |     | .60   | 35 12                 | <b>P-3236</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.35  | 36 18                 | <b>PD-36S</b> See PD-306                |           |       | 50                    |
| <b>P-2316L</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ " A  |     | .90   | 35 12                 | <b>P-3236L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.85  | 36 18                 | <b>PD-36SP</b> See PD-306P              |           |       | 50                    |
| <b>P-2316Y</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ " A  |     | .65   | 35 12                 | <b>P-3238</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.35  | 36 18                 | <b>PD-47</b> Screw Dr.                  |           | DISC. | 50                    |
| <b>P-2318</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A  |     | .65   | 35 12                 | <b>P-3240</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.40  | 36 18                 | <b>PD-47P</b> Screw Dr.                 |           | DISC. | 50                    |
| <b>P-2318L</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A |     | .90   | 35 12                 | <b>P-3312</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A   |     | .75   | 36 19                 | <b>PD-47S</b> See PD-408                |           |       | 50                    |
| <b>P-2318Y</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A |     | .70   | 35 12                 | <b>P-3312Y</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A  |     | .80   | 36 19                 | <b>PD-47SP</b> See PD-408P              |           |       | 50                    |
| <b>P-2320</b> Socket $\frac{3}{8}$ " x $\frac{5}{8}$ " A   |     | .70   | 35 12                 | <b>P-3314</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .75   | 36 19                 | <b>PD-101P</b> Screw Dr.                | A         | .70   | 52                    |
| <b>P-2320L</b> Socket $\frac{3}{8}$ " x $\frac{5}{8}$ " A  |     | .90   | 35 12                 | <b>P-3314Y</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | .80   | 36 19                 | <b>PD-103</b> Screw Dr.                 | A         | .65   | 52                    |
| <b>P-2320Y</b> Socket $\frac{3}{8}$ " x $\frac{5}{8}$ " A  |     | .75   | 35 12                 | <b>P-3316</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A   |     | .75   | 36 19                 | <b>PD-103B</b> Blade only               | A         | .45   | 52                    |
| <b>P-2322</b> Socket $\frac{3}{8}$ " x $\frac{1}{16}$ " A  |     | .80   | 35 12                 | <b>P-3316Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A  |     | .80   | 36 19                 | <b>PD-103P</b> Screw Dr.                | A         | .85   | 52                    |
| <b>P-2322Y</b> Socket $\frac{3}{8}$ " x $\frac{1}{16}$ " A |     | .85   | 35 12                 | <b>P-3318</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .85   | 36 19                 | <b>PD-202</b> Screw Dr.                 | A         | .60   | 52                    |
| <b>P-2409</b> Socket $\frac{3}{8}$ " x $\frac{3}{32}$ " A  |     | .75   | 35 12                 | <b>P-3318Y</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | .90   | 36 19                 | <b>PD-202B</b> Blade only               | A         | .45   | 52                    |
| <b>P-2409Y</b> Socket $\frac{3}{8}$ " x $\frac{3}{32}$ " A |     | .80   | 35 12                 | <b>P-3319</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .90   | 36 19                 | <b>PD-202P</b> Screw Dr.                | A         | .85   | 52                    |
| <b>P-2410</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A  |     | .80   | 35 12                 | <b>P-3320</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A   |     | .90   | 36 19                 | <b>PD-204</b> Screw Dr.                 | A         | .70   | 52                    |
| <b>P-2412</b> Socket $\frac{3}{8}$ " x $\frac{3}{8}$ " A   |     | .80   | 35 12                 | <b>P-3320L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A  |     | 1.30  | 36 19                 | <b>PD-204B</b> Blade only               | A         | .50   | 52                    |
| <b>P-2412Y</b> Socket $\frac{3}{8}$ " x $\frac{3}{8}$ " A  |     | .85   | 35 12                 | <b>P-3320Y</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A  |     | .95   | 36 19                 | <b>PD-204K</b> Screw Dr.                | A         | 1.25  | 58                    |
| <b>P-2414</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A  |     | .80   | 35 12                 | <b>P-3322</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.00  | 36 19                 | <b>PD-204P</b> Screw Dr.                | A         | 1.00  | 52                    |
| <b>P-2414Y</b> Socket $\frac{3}{8}$ " x $\frac{7}{16}$ " A |     | .85   | 35 12                 | <b>P-3322L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.45  | 36 19                 | <b>PD-209B</b> Blade only               | A         | .60   | 52                    |
| <b>P-3112</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A   |     | .60   | 36 18                 | <b>P-3322Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.05  | 36 19                 | <b>PD-209P</b> Screw Dr.                | A         | 1.15  | 52                    |
| <b>P-3114</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .60   | 36 18                 | <b>P-3324</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A   |     | 1.10  | 36 19                 | <b>PD-223</b> See PDS-22                |           |       | 50                    |
| <b>P-3116</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A   |     | .60   | 36 18                 | <b>P-3324L</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A  |     | 1.55  | 36 19                 | <b>PD-233</b> See PDS-23                |           |       | 50                    |
| <b>P-3118</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .60   | 36 18                 | <b>P-3324Y</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A  |     | 1.15  | 36 19                 | <b>PD-243</b> See PDS-24                |           |       | 50                    |
| <b>P-3120</b> Socket $\frac{1}{2}$ " x $\frac{5}{8}$ " A   |     | .65   | 36 18                 | <b>P-3326</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.20  | 36 19                 | <b>PD-245</b> Screw Dr.                 |           | DISC. | 50                    |
| <b>P-3122</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .70   | 36 18                 | <b>P-3326Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.65  | 36 19                 | <b>PD-306</b> Screw Dr.                 | A         | .95   | 52                    |
| <b>P-3124</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A   |     | .70   | 36 18                 | <b>P-3326Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.25  | 36 19                 | <b>PD-306B</b> Blade only               | A         | .80   | 52                    |
| <b>P-3126</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .85   | 36 18                 | <b>P-3328</b> Socket $\frac{1}{2}$ " x $\frac{7}{8}$ " A   |     | 1.25  | 36 19                 | <b>PD-306K</b> Screw Dr.                | A         | 1.68  | 58                    |
| <b>P-3128</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .90   | 36 18                 | <b>P-3328L</b> Socket $\frac{1}{2}$ " x $\frac{7}{8}$ " A  |     | 1.75  | 36 19                 | <b>PD-306P</b> Screw Dr.                | A         | 1.40  | 52                    |
| <b>P-3130</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.05  | 36 18                 | <b>P-3328Y</b> Socket $\frac{1}{2}$ " x $\frac{7}{8}$ " A  |     | 1.30  | 36 19                 | <b>PD-408</b> Screw Dr.                 | A         | 1.15  | 52                    |
| <b>P-3132</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.10  | 36 18                 | <b>P-3330</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.35  | 36 19                 | <b>PD-408B</b> Blade only               | A         | 1.00  | 52                    |
| <b>P-3134</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.35  | 36 18                 | <b>P-3330L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 2.00  | 36 19                 | <b>PD-408K</b> Screw Dr.                | A         | 2.25  | 58                    |
| <b>P-3136</b> Socket $\frac{1}{2}$ " x $\frac{1}{8}$ " A   |     | 1.35  | 36 18                 | <b>P-3330Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.40  | 36 19                 | <b>PD-408P</b> Screw Dr.                | A         | 1.95  | 52                    |
| <b>P-3212</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A   |     | .60   | 36 18                 | <b>P-3332</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.60  | 36 19                 | <b>PDO-1</b> Screw Dr.                  | C         | .40   | 52                    |
| <b>P-3212L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A  |     | 1.30  | 36 18                 | <b>P-3332L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 2.15  | 36 19                 | <b>PDO-2</b> Screw Dr.                  | C         | .40   | 52                    |
| <b>P-3212Y</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A  |     | .65   | 36 18                 | <b>P-3332Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.65  | 36 19                 | <b>PDO-3</b> Screw Dr.                  | C         | .60   | 52                    |
| <b>P-3214</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .60   | 36 18                 | <b>P-3334</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.70  | 36 19                 | <b>PDO-4</b> Screw Dr.                  | C         | .80   | 52                    |
| <b>P-3214L</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | 1.35  | 36 18                 | <b>P-3334Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.75  | 36 19                 | <b>PDS-02</b> Screw Dr.                 | C         | .85   | 56                    |
| <b>P-3214S</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | .80   | 36 19                 | <b>P-3412L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ " A  |     | 1.30  | 36 19                 | <b>PDS-22</b> Screw Dr.                 | C         | .90   | 56                    |
| <b>P-3214Y</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | .65   | 36 18                 | <b>P-3414L</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | 1.30  | 36 19                 | <b>PDS-23</b> Screw Dr.                 | C         | .90   | 56                    |
| <b>P-3216</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A   |     | .60   | 36 18                 | <b>P-3416L</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A  |     | 1.30  | 36 19                 | <b>PDS-24</b> Screw Dr.                 | C         | .90   | 56                    |
| <b>P-3216L</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A  |     | 1.05  | 36 19                 | <b>P-3418L</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | 1.30  | 36 19                 | <b>PF-1</b> Point File                  | A         | .20   | 85                    |
| <b>P-3216L</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A  |     | 1.35  | 36 18                 | <b>PAS-2206</b> See PS-2206A                               |     |       | 14                    | <b>PF-2</b> Point File                  | A         | 1.35  | 85                    |
| <b>P-3216S</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A  |     | .85   | 36 19                 | <b>PAS-2206L</b> See PS-2206LA                             |     |       | 14                    | <b>PF-3</b> Flex Stone                  | A         | .15   | 85                    |
| <b>P-3216Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{2}$ " A  |     | .65   | 36 18                 | <b>PAS-2208</b> See PS-2208A                               |     |       | 14                    | <b>PF-25</b> Flex Stone                 | A         | .15   | 85                    |
| <b>P-3217</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .70   | 36 18                 | <b>PAS-2208L</b> See PS-2208LA                             |     |       | 14                    | <b>PIN-832</b> Capslipin $\frac{1}{4}$  | A         | .15   | 39                    |
| <b>P-3218</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A  |     | .60   | 36 18                 | <b>PAS-2210</b> See PS-2210A                               |     |       | 14                    | <b>PIN-1232</b> Capslipin $\frac{3}{8}$ |           | DISC. | 39                    |
| <b>P-3218L</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | 1.35  | 36 18                 | <b>PAS-2210L</b> See PS-2210LA                             |     |       | 14                    | <b>PJ-5</b> Pedal Jack                  | A         | 2.05  | 42                    |
| <b>P-3218S</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | .90   | 36 19                 | <b>PAS-2212</b> See PS-2212A                               |     |       | 14                    | <b>PK-2</b> Punches                     | A         | 2.30  | 42                    |
| <b>P-3218Y</b> Socket $\frac{1}{2}$ " x $\frac{7}{16}$ " A |     | .65   | 36 18                 | <b>PAS-2212L</b> See PS-2212LA                             |     |       | 14                    | <b>PK-2K</b> Kit only                   | A         | .35   | 42                    |
| <b>P-3219</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .65   | 36 18                 | <b>PAS-3206</b> Bit & Sckt. A                              |     | 1.70  | 55 21                 | <b>PK-25</b> Punch Set                  | A         | 2.65  | 42                    |
| <b>P-3219L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.35  | 36 18                 | <b>PAS-3207</b> Bit & Sckt. A                              |     | 1.70  | 55 21                 | <b>PK-2J</b> Punch Set                  | A         | 2.55  | 42                    |
| <b>P-3220</b> Socket $\frac{1}{2}$ " x $\frac{5}{8}$ " A   |     | .65   | 36 18                 | <b>PAS-3208</b> Bit & Sckt. A                              |     | 1.70  | 55 21                 | <b>PK-4</b> EZ Outs                     | A         | 2.65  | 43                    |
| <b>P-3220L</b> Socket $\frac{1}{2}$ " x $\frac{5}{8}$ " A  |     | 1.05  | 36 19                 | <b>PAS-3210</b> Bit & Sckt. A                              |     | 1.70  | 55 21                 | <b>PK-4K</b> Kit only                   | A         | .30   | 43                    |
| <b>P-3220L</b> Socket $\frac{1}{2}$ " x $\frac{5}{8}$ " A  |     | 1.35  | 36 18                 | <b>PAS-3212</b> Bit & Sckt. A                              |     | 1.75  | 55 21                 | <b>PK-45</b> EZ Set                     | A         | 2.95  | 43                    |
| <b>P-3220S</b> Socket $\frac{1}{2}$ " x $\frac{5}{8}$ " A  |     | .90   | 36 19                 | <b>PAS-3214</b> Bit & Sckt. A                              |     | 1.75  | 55 21                 | <b>PK-4J</b> EZ Set                     | A         | 2.90  | 42                    |
| <b>P-3220Y</b> Socket $\frac{1}{2}$ " x $\frac{5}{8}$ " A  |     | .70   | 36 18                 | <b>PAS-3216</b> Bit & Sckt. A                              |     | 1.80  | 55 21                 | <b>PK-6</b> Punches                     | A         | 4.00  | 42                    |
| <b>P-3221</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .80   | 36 18                 | <b>PAS-3218</b> Bit & Sckt. A                              |     | 1.80  | 55 21                 | <b>PK-6K</b> Kit only                   | A         | .65   | 42                    |
| <b>P-3222</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .70   | 36 18                 | <b>PAS-3220</b> Bit & Sckt. A                              |     | 1.85  | 55 21                 | <b>PK-65</b> Punch Set                  | A         | 4.65  | 42                    |
| <b>P-3222L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.35  | 36 18                 | <b>PB-3</b> Pry Bar                                        | A   | 1.70  | 43 54                 | <b>PK-7</b> Punches                     | A         | 5.45  | 42                    |
| <b>P-3222Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | .75   | 36 18                 | <b>PB-4</b> Pry Bar                                        | A   | 1.75  | 43 54                 | <b>PK-7K</b> Kit only                   | See WK-4K |       | 42                    |
| <b>P-3224</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A   |     | .70   | 36 18                 | <b>PB-5</b> Pry Bar                                        | A   | 2.25  | 43 54                 | <b>PK-7S</b> Punch Set                  | A         | 5.55  | 42                    |
| <b>P-3224L</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A  |     | 1.15  | 36 19                 | <b>PB-6</b> Pry Bar                                        | A   | 2.55  | 43 54                 | <b>PK-8</b> Punches                     | A         | 3.95  | 42                    |
| <b>P-3224L</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A  |     | 1.40  | 36 18                 | <b>PB-7</b> Pry Bar                                        | A   | 3.75  | 43 54                 | <b>PK-8K</b> Kit only                   | A         | .65   | 42                    |
| <b>P-3224Y</b> Socket $\frac{1}{2}$ " x $\frac{3}{4}$ " A  |     | .75   | 36 18                 | <b>PD-022</b> See PDS-02                                   |     |       | 50                    | <b>PK-8S</b> Punch Set                  | A         | 4.60  | 42                    |
| <b>P-3225</b> Socket $\frac{1}{2}$ " x $\frac{2}{16}$ " A  |     | .80   | 36 18                 | <b>PD-13</b> Screw Dr.                                     |     | DISC. | 50                    | <b>PK-65B</b> Pkt. Knife                | B         | 1.00  | 42                    |
| <b>P-3226</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | .85   | 36 18                 | <b>PD-13P</b> Screw Dr.                                    |     | DISC. | 50                    | <b>PL-100</b> Padlock                   | C         | 1.75  | 42                    |
| <b>P-3226L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.40  | 36 18                 | <b>PD-13S</b> See PD-103                                   |     |       | 50                    | <b>PM-10A</b> Magnet, 12/card           | A         | 8.40  | 42                    |
| <b>P-3226Y</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | .90   | 36 18                 | <b>PD-13SP</b> See PD-103P                                 |     |       | 50                    | <b>PP-2</b> Punch                       | A         | .40   | 40 52                 |
| <b>P-3228</b> Socket $\frac{1}{2}$ " x $\frac{7}{8}$ " A   |     | .90   | 36 18                 | <b>PD-21</b> Screw Dr.                                     |     | DISC. | 50                    | <b>PP-4</b> Punch                       | A         | .45   | 40 52                 |
| <b>P-3228L</b> Socket $\frac{1}{2}$ " x $\frac{7}{8}$ " A  |     | 1.55  | 36 18                 | <b>PD-21P</b> Screw Dr.                                    |     | DISC. | 50                    | <b>PP-6</b> Punch                       | A         | .45   | 40 52                 |
| <b>P-3228Y</b> Socket $\frac{1}{2}$ " x $\frac{7}{8}$ " A  |     | .95   | 36 18                 | <b>PD-21S</b> See PD-202                                   |     |       | 50                    | <b>PP-8</b> Punch                       | A         | .50   | 40 52                 |
| <b>P-3229</b> Socket $\frac{1}{2}$ " x $\frac{29}{32}$ " A |     | .95   | 36 18                 | <b>PD-21SP</b> See PD-202P                                 |     |       | 50                    | <b>PP-10</b> Punch                      | A         | .55   | 40 52                 |
| <b>P-3230</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.05  | 36 18                 | <b>PD-24</b> Screw Dr.                                     |     | DISC. | 50                    | <b>PP-12</b> Punch                      | A         | .60   | 40 52                 |
| <b>P-3230L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.75  | 36 18                 | <b>PD-24P</b> Screw Dr.                                    |     | DISC. | 50                    | <b>PP-12B</b> Punch                     | A         | .70   | 40 52                 |
| <b>P-3231</b> Socket $\frac{1}{2}$ " x $\frac{3}{32}$ " A  |     | 1.10  | 36 18                 | <b>PD-24S</b> See PD-204                                   |     |       | 50                    | <b>PP-12F</b> Punch                     | A         | 1.05  | 40 52                 |
| <b>P-3232</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.10  | 36 18                 | <b>PD-24SP</b> See PD-204P                                 |     |       | 50                    | <b>PP-14</b> Punch                      | A         | .75   | 40 52                 |
| <b>P-3232L</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A |     | 1.75  | 36 18                 | <b>PD-28SP</b> See PD-209P                                 |     |       | 50                    | <b>PP-16</b> Punch                      | A         | .90   | 40 52                 |
| <b>P-3234</b> Socket $\frac{1}{2}$ " x $\frac{1}{16}$ " A  |     | 1.35  | 36 18                 | <b>PD-36</b> Screw                                         |     |       |                       |                                         |           |       |                       |

| Tool No.               | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.            | Sym | Price  | Catalog Pg. A-55 I-53 | Tool No.                    | Sym | Price | Catalog Pg. A-55 I-53 |
|------------------------|-----|-------|-----------------------|---------------------|-----|--------|-----------------------|-----------------------------|-----|-------|-----------------------|
| PS-0208 Socket         | A   | .55   | 54                    | PU-927A Legs        | C   | 3.20   | 74                    | RD-204K Screw Dr.           | A   | 1.10  | 58                    |
| PS-0208A Bit Assy.     | A   | .80   | 55                    | PU-927B Legs        | C   | 4.40   | 74                    | RD-306K Screw Dr.           | A   | 1.25  | 58                    |
| PS-0208LA Bit Assy.    | A   | .85   | 55                    | PU-930B Legs        | C   | 6.90   | 56                    | RDA-5 Die Adptr.            | B   | 1.00  | 58                    |
| PS-2206 Socket         | A   | .65   | 54                    | PU-930C Legs        | C   | 7.90   | 56                    | RG-570 Grv. Clnr.           | A   | 2.95  | 69                    |
| PS-2206A Bit Assy.     | A   | .90   | 55                    | PU-930E Legs        | C   | 4.90   | 56                    | RIB-28 Band                 | A   | .35   | 39                    |
| PS-2206LA Bit Assy.    | A   | .95   | 55                    | PU-932B Adaptor     | C   | 1.95   | 56                    | RIB-32 Band                 | A   | .30   | 39                    |
| PS-2207 Socket         | A   | .65   | 54                    | PU-938 Puller       | C   | 24.75  | 56                    | RIB-35 Band                 | A   | .35   | 39                    |
| PS-2207A Bit Assy.     | A   | .90   | 55                    | PU-939 Puller       | C   | 59.50  | 56                    | RIB-38 Band                 | A   | .45   | 39                    |
| PS-2207LA Bit Assy.    | A   | .95   | 55                    | PU-939B Legs        | C   | 16.90  | 56                    | RIB-41 Band                 | A   | .60   | 39                    |
| PS-2208 Socket         | A   | .65   | 54                    | PU-943 Puller       | C   | 15.75  | 56                    | RIB-45 Band                 | A   | .60   | 39                    |
| PS-2208A Bit Assy.     | A   | .90   | 55                    | PU-944A Puller      | C   | 12.90  | 56                    | RP-2 Punch                  | A   | .55   | 40                    |
| PS-2208LA Bit Assy.    | A   | .95   | 55                    | PU-947 Puller       | C   | 39.50  | 56                    | RP-4 Punch                  | A   | .65   | 40                    |
| PS-2210 Socket         | A   | .65   | 54                    | PU-950 Puller       | C   | 5.40   | 56                    | RP-6 Punch                  | A   | .70   | 40                    |
| PS-2210A Bit Assy.     | A   | 1.05  | 55                    | PU-951 Puller       | C   | 13.75  | 56                    | RP-8 Punch                  | A   | .90   | 40                    |
| PS-2210LA Bit Assy.    | A   | 1.10  | 55                    | PU-952 Puller       | C   | 17.50  | 56                    | RP-10 Punch                 | A   | 1.45  | 40                    |
| PS-2212 Socket         | A   | .65   | 54                    | PU-953 Puller       | C   | 49.95  | 56                    | RP-12 Punch                 | A   | 1.75  | 40                    |
| PS-2212A Bit Assy.     | A   | 1.25  | 55                    | PU-954 Puller       | C   | 6.95   | 76                    | RP-14 Punch                 | A   | 1.95  | 40                    |
| PS-2212LA Bit Assy.    | A   | 1.30  | 55                    | PU-960 Puller       | C   | 14.95  | 77                    | RP-16 Punch                 | A   | 2.05  | 40                    |
| PS-2410 Socket         | A   | .65   | 54                    | PU-970 Puller       | C   | 29.95  | 77                    | RP-700 Screw Dr.            | B   | .70   | 52                    |
| PS-3212 Socket         | A   | 1.15  | 54                    | PU-1000 1/2L Puller | C   | 4.95   | 56                    | RP-705 Screw Dr.            | B   | .70   | 52                    |
| PS-3212A Bit Assy.     | A   | 1.75  | 55                    | PU-1001 Puller      | C   | 7.95   | 74                    | RP-710 Screw Dr.            | B   | .70   | 52                    |
| PS-3212LA Bit Assy.    | A   | 1.80  | 55                    | PU-1001-2 Puller    | C   | 2.25   | 56                    | RP-715 Screw Dr.            | B   | .80   | 52                    |
| PS-3214 Socket         | A   | 1.15  | 54                    | PU-1001L Puller     | C   | 8.45   | 56                    | RP-720 Screw Dr.            | B   | 1.05  | 52                    |
| PS-3214A Bit Assy.     | A   | 1.40  | 55                    | PU-1002 Puller      | C   | 15.95  | 74                    | RSD-3K5 Sc. Dr. Set         | A   | 4.60  | 58                    |
| PS-3216 Socket         | A   | 1.15  | 54                    | PU-1002L Puller     | C   | 15.95  | 56                    | RSD-804K Screw Dr.          | A   | 1.00  | 58                    |
| PS-3216A Bit Assy.     | A   | 1.40  | 55                    | PU-1003 Puller      | C   | 24.75  | 56                    | RSD-804KC Screw Dr.         | A   | 1.00  | 58                    |
| PS-3216LA Bit Assy.    | A   | 1.45  | 55                    | PU-1003L Puller     | C   | 28.75  | 56                    | RSD-806K Screw Dr.          | A   | 1.10  | 58                    |
| PS-3218 Socket         | A   | 1.15  | 54                    | PU-1003 1/2 Puller  | C   | 36.75  | 56                    | RSD-1002K Screw Dr.         | A   | 1.18  | 58                    |
| PS-3218A Bit Assy.     | A   | 1.40  | 55                    | PU-1003 1/2L Puller | C   | 44.75  | 56                    | RSD-1004K Screw Dr.         | A   | 1.25  | 58                    |
| PS-3218LA Bit Assy.    | A   | 1.45  | 55                    | PU-1004 Puller      | C   | 54.95  | 56                    | RSD-1006K Screw Dr.         | A   | 1.30  | 58                    |
| PSD-3K5 Scr. Dr. Set   | A   | 5.60  | 58                    | PU-1004L Puller     | C   | 58.95  | 56                    | RSD-1008K Screw Dr.         | A   | 1.35  | 58                    |
| PSS-1 Scr. Start       | B   | 1.25  | 51                    | PU-1005 Puller      | C   | 74.75  | 56                    | RSD-1206K Screw Dr.         | A   | 1.75  | 58                    |
| PSS-2 Scr. Start       | B   | 1.40  | 51                    | PU-1005L Puller     | C   | 84.85  | 56                    | RSD-1208K Screw Dr.         | A   | 1.85  | 58                    |
| PSS-3 Scr. Start       | B   | 1.50  | 51                    | PU-1006 Puller      | C   | 129.50 | 56                    | RSD-1212K Screw Dr.         | A   | 2.15  | 58                    |
| PSS-4 Scr. Start       | B   | 2.10  | 51                    | PU-1006L Puller     | C   | 154.50 | 56                    | RSS-20 Start Sw.            | A   | 2.95  | 89                    |
| PT-1 Pick              | C   | 5.33  | 109                   | PU-1011 Puller      | C   | 11.95  | 56                    | S-8 SAE Die Set             | B   | 3.50  | 58                    |
| PT-2 Pick              | C   | 5.55  | 109                   | PU-1011L Puller     | C   | 14.95  | 56                    | S-8 1/2" Ratchet Adptr.     | A   | 6.25  | 71                    |
| PT-4 Pick              | C   | 3.90  | 109                   | PU-1012 Puller      | C   | 22.50  | 56                    | S-25 3/8 Torque Wr.         | B   | 35.20 | 71                    |
| PT-5 Pick              | C   | 6.45  | 109                   | PU-1012L Puller     | C   | 22.50  | 56                    | S-25 1/2 Torque Wr.         | B   | 35.20 | 71                    |
| PT-8 Pick              | C   | 5.55  | 109                   | PU-1013 Puller      | C   | 33.95  | 56                    | S-50 3/8 Torque Wr.         | B   | 36.90 | 71                    |
| PT-8 Hammer            | A   | 2.25  | 68                    | PU-1013L Puller     | C   | 38.25  | 56                    | S-50 1/2 Torque Wr.         | B   | 36.90 | 71                    |
| PT-8A Tip only         | A   | .75   | 68                    | PU-1013 1/2 Puller  | C   | 49.95  | 56                    | S-100 Torque Wr.            | B   | 38.85 | 71                    |
| PT-16 Hammer           | A   | 2.95  | 68                    | PU-1013 1/2L Puller | C   | 61.95  | 56                    | S-150 Torque Wr.            | B   | 47.95 | 71                    |
| PT-16A Tip only        | A   | .75   | 68                    | PU-1014 Puller      | C   | 69.95  | 56                    | S-200 3/4 Torque Wr.        | B   | 61.80 | 71                    |
| PT-32 Hammer           | A   | 3.95  | 68                    | PU-1014L Puller     | C   | 75.95  | 56                    | S-300 Torque Wr.            | B   | 82.30 | 71                    |
| PT-32A Tip only        | A   | 1.10  | 68                    | PU-1015 Puller      | C   | 99.95  | 56                    | S-300-1-3/4 Torque Wr.      | B   | 35.20 | 71                    |
| PT-101 Pin Rmvr.       | A   | 3.05  | 79                    | PU-1015L Puller     | C   | 115.10 | 56                    | S-300-1-1/2 Torque Wr.      | B   | 35.20 | 71                    |
| PT-101-1 Wrench        | A   | 1.70  | 79                    | PU-1016 Puller      | C   | 189.95 | 56                    | S-400-1-3/4 Torque Wr.      | B   | 61.80 | 71                    |
| PT-101-2 Jack          | A   | 1.15  | 79                    | PU-1016L Puller     | C   | 227.45 | 56                    | S-600-1-3/4 Torque Wr.      | B   | 36.90 | 71                    |
| PT-101-3 Jack          | A   | .85   | 79                    | PU-1202 Wrench      | C   | 6.25   | 78                    | S-600-1-1/2 Torque Wr.      | B   | 36.90 | 71                    |
| *PTL-2 Time Lite       | D   | 26.50 | 89                    | PU-1204 Wrench      | C   | 6.25   | 78                    | S-1200-1 Torque Wr.         | B   | 38.85 | 71                    |
| *PTL-5 Time Lite       | D   | 21.75 | 89                    | PU-1205 Wrench      | C   | DISC.  | 78                    | S-1800-1 Torque Wr.         | B   | 47.95 | 71                    |
| PTL-5K Time Lite       | D   | 30.00 | 89                    | PU-1206 Wrench      | C   | 6.25   | 78                    | S-2212L Socket 3/8"x3/8"    | A   | .70   | 20                    |
| PTL-25 Time Lite       | B-1 | 29.50 | 89                    | PU-1207 Wrench      | C   | 6.25   | 78                    | S-2214 Socket 3/8"x7/16"    | A   | .50   | 20                    |
| PU-187                 | A   | 5.25  | 73                    | PU-1209 Wrench      | C   | 7.25   | 78                    | S-2214L Socket 3/8"x7/16"   | A   | .70   | 20                    |
| PU-189                 | A   | 4.75  | 73                    | PW-6 Pipe Wr.       | C   | 2.25   | 66                    | S-2216 Socket 3/8"x1/2"     | A   | .65   | 20                    |
| PU-200 Pitman Arm Plr. | B   | 6.00  | 72                    | PW-8 Pipe Wr.       | C   | 2.60   | 66                    | S-2216L Socket 3/8"x1/2"    | A   | .70   | 20                    |
| PU-240                 | A   | 5.30  | 72                    | PW-10 Pipe Wr.      | C   | 3.40   | 66                    | S-2218 Socket 3/8"x9/16"    | A   | .65   | 20                    |
| PU-241                 | A   | 8.10  | 72                    | PW-12 Pipe Wr.      | C   | 3.95   | 66                    | S-2218L Socket 3/8"x9/16"   | A   | .70   | 20                    |
| PU-242                 | A   | 15.85 | 72                    | PW-14 Pipe Wr.      | C   | 4.55   | 66                    | S-2220L Socket 3/8"x5/8"    | A   | .75   | 20                    |
| PU-243                 | A   | 17.80 | 72                    | PW-18 Pipe Wr.      | C   | 6.50   | 66                    | S-3216 Socket 1/2"x1/2"     | A   | .70   | 20                    |
| *PU260 Puller          | C   | 11.70 | 76                    | PW-24 Pipe Wr.      | C   | 10.25  | 66                    | S-3216L Socket 1/2"x1/2"    | A   | 1.50  | 20                    |
| *PU-270 Puller         | C   | 19.70 | 76                    | R-12 Plug           | A   | .04    | 39                    | S-3218 Socket 1/2"x3/16"    | A   | .70   | 20                    |
| PU-515 Puller          | C   | 4.95  | 76                    | R-13 Pin            | A   | .04    | 39                    | S-3218L Socket 1/2"x3/16"   | A   | 1.50  | 20                    |
| PU-515A Puller         | C   | 4.65  | 76                    | R-14 Plug           | A   | .04    | 39                    | S-3220 Socket 1/2"x3/8"     | A   | .75   | 20                    |
| PU-529 Puller          | C   | 3.95  | 76                    | R-15 Pin            | A   | .04    | 39                    | S-3220L Socket 1/2"x5/8"    | A   | 1.50  | 20                    |
| PU-530 Puller          | C   | 4.95  | 76                    | R-16 Plug           | A   | .04    | 39                    | S-3222 Socket 1/2"x1 1/16"  | A   | .75   | 20                    |
| PU-530 1/2 Puller      | C   | 5.95  | 76                    | R-17 Pin            | A   | .04    | 39                    | S-3222L Socket 1/2"x1 1/16" | A   | 1.55  | 20                    |
| PU-614 Puller          | C   | 3.50  | 78                    | R-18 Plug           | A   | .05    | 39                    | S-3224 Socket 1/2"x3/4"     | A   | .75   | 20                    |
| PU-620 Puller          | C   | 12.00 | 78                    | R-19 Pin            | A   | .05    | 39                    | S-3224L Socket 1/2"x3/4"    | A   | 1.60  | 20                    |
| PU-630S Puller         | C   | 10.25 | 76                    | R-100 Torque Wrench | B   | 13.15  | 41                    | S-3225 Socket 1/2"x2 1/2"   | A   | .95   | 20                    |
| PU-679 Puller          | C   | 5.90  | 76                    | RB-2 Riv. Bstr.     | A   | 1.75   | 52                    | S-3226 Socket 1/2"x1 3/16"  | A   | .95   | 20                    |
| PU-680 Puller          | C   | 19.95 | 76                    | RB-4 Riv. Bstr.     | A   | 2.90   | 41                    | S-3226L Socket 1/2"x1 3/16" | A   | 1.65  | 20                    |
| PU-827B Puller         | C   | 16.95 | 76                    | RC-0 Ring Comp.     | A   | 1.20   | 84                    | S-3228 Socket 1/2"x3/8"     | A   | 1.00  | 20                    |
| PU-853A Puller         | C   | 10.50 | 76                    | RC-1 Ring Comp.     | A   | 1.20   | 84                    | S-3228L Socket 1/2"x3/8"    | A   | 1.75  | 20                    |
| PU-915 Puller          | C   | 2.95  | 76                    | RC-3 Ring Comp.     | A   | 2.40   | 84                    | S-3230 Socket 1/2"x1 1/16"  | A   | 1.20  | 20                    |
| PU-924 Adaptor         | C   | .95   | 76                    | RC-5 Ring Comp.     | A   | 2.90   | 84                    | S-3230L Socket 1/2"x1 1/16" | A   | 1.90  | 20                    |
| PU-927 Puller          | C   | 17.00 | 74                    | RC-150T Ring Comp.  | A   | 6.25   | 84                    | S-3232 Socket 1/2"x1"       | A   | 1.25  | 20                    |

| Tool No.                           | Sym | Price | Catalog Pg. A-55 | I-53 | Tool No.                    | Sym | Price | Catalog Pg. A-55 | I-53 | Tool No.                        | Sym   | Price | Catalog Pg. A-55 | I-53 |
|------------------------------------|-----|-------|------------------|------|-----------------------------|-----|-------|------------------|------|---------------------------------|-------|-------|------------------|------|
| <b>S-3232L</b> Socket 1/2"x1"      | A   | 1.90  | 20               | 20   | <b>SDU-55</b> Scr. Dr. Set  | A   | 1.80  | 51               | 51   | <b>SK-3115</b> Sockets          | A     | 13.75 | 16               | 16   |
| <b>S-3234</b> Socket 1/2"x1 1/16"  | A   | 1.45  | 20               | 20   | <b>SDU-75</b> Scr. Dr. Set  | A   | 2.70  | 51               | 51   | <b>SK-3115T</b> Tray only       | A     | 1.30  | 16               | 16   |
| <b>S-3234L</b> Socket 1/2"x1 1/16" | A   | 2.00  | 20               | 20   | <b>SDU-7P5</b> Scr. Dr. Set | A   | 5.40  | 51               | 51   | <b>SK-3115S</b> Socket Set      | A     | 15.05 | 16               | 16   |
| <b>S-3600-1</b> Torque Wr.         | B   | 82.30 | 71               | 71   | <b>SDU-402</b> Screw Dr.    | A   | .25   | 50               | 50   | <b>SK-3211L</b> Sockets         | A     | 15.75 | 16               | 16   |
| <b>S-4218</b> Socket 3/8"x3/8"     | A   | 1.00  | 28               | 28   | <b>SDU-402P</b> Screw Dr.   | A   | .45   | 50               | 50   | <b>SK-3211LT</b> Tray only      | A     | .95   | 16               | 16   |
| <b>S-4220</b> Socket 3/8"x3/8"     | A   | 1.00  | 28               | 28   | <b>SDU-602</b> Screw Dr.    | A   | .35   | 50               | 50   | <b>SK-3211LS</b> Skt. Set       | A     | 16.70 | 16               | 16   |
| <b>S-4222</b> Socket 3/8"x1 1/16"  | A   | 1.00  | 28               | 28   | <b>SDU-602P</b> Screw Dr.   | A   | .65   | 50               | 50   | <b>SK-3215</b> Sockets          | A     | 13.75 | 16               | 16   |
| <b>S-4222L</b> Socket 3/8"x1 1/16" | A   | 1.75  | 28               | 28   | <b>SDU-604</b> Screw Dr.    | A   | .40   | 50               | 50   | <b>SK-3215T</b> Tray only       | A     | 1.30  | 16               | 16   |
| <b>S-4224</b> Socket 3/8"x3/4"     | A   | 1.00  | 28               | 28   | <b>SDU-604P</b> Screw Dr.   | A   | .70   | 50               | 50   | <b>SK-3215S</b> Socket Set      | A     | 15.05 | 16               | 16   |
| <b>S-4224L</b> Socket 3/8"x3/4"    | A   | 1.75  | 28               | 28   | <b>SDU-608</b> Screw Dr.    | A   | .50   | 50               | 50   | <b>SK-3311</b> Sockets          | A     | 12.05 | 16               | 16   |
| <b>S-4226</b> Socket 3/8"x1 1/16"  | A   | 1.05  | 28               | 28   | <b>SDU-608P</b> Screw Dr.   | A   | .80   | 50               | 50   | <b>SK-3311T</b> Tray only       | A     | 1.30  | 16               | 16   |
| <b>S-4226L</b> Socket 3/8"x1 1/16" | A   | 1.75  | 28               | 28   | <b>SDU-806</b> Screw Dr.    | A   | .55   | 50               | 50   | <b>SK-3311S</b> Socket Set      | A     | 13.35 | 16               | 16   |
| <b>S-4228</b> Socket 3/8"x7/8"     | A   | 1.10  | 28               | 28   | <b>SDU-806P</b> Screw Dr.   | A   | .95   | 50               | 50   | <b>SK-5112L</b> Sockets         | A     | 37.90 | 20               | 20   |
| <b>S-4228L</b> Socket 3/8"x7/8"    | A   | 1.85  | 28               | 28   | <b>SDU-810</b> Screw Dr.    | A   | .65   | 50               | 50   | <b>SK-5112LT</b> Tray only      | A     | 2.30  | 20               | 20   |
| <b>S-4230</b> Socket 3/8"x1 1/16"  | A   | 1.20  | 28               | 28   | <b>SDU-810P</b> Screw Dr.   | A   | 1.15  | 50               | 50   | <b>SK-5112LS</b> Skt. Set       | A     | 40.20 | 20               | 20   |
| <b>S-4230L</b> Socket 3/8"x1 1/16" | A   | 1.85  | 28               | 28   | <b>SDU-1008</b> Screw Dr.   | A   | .75   | 50               | 50   | <b>SKA-10</b> Screw Drvs.       | A     | 2.60  | 55               | 55   |
| <b>S-4232</b> Socket 3/8"x1"       | A   | 1.30  | 28               | 28   | <b>SDU-1008P</b> Screw Dr.  | A   | 1.20  | 50               | 50   | <b>SKA-10B</b> Box only         | A     | 1.05  | 55               | 55   |
| <b>S-4232L</b> Socket 3/8"x1"      | A   | 1.85  | 28               | 28   | <b>SI-301</b> Sold. Iron    | C   | 2.65  | 112              | 112  | <b>SKA-10S</b> Scr. Dr. St.     | A     | 3.65  | 55               | 55   |
| <b>S-4234</b> Socket 3/8"x1 1/16"  | A   | 1.45  | 28               | 28   | <b>SI-501</b> Sold. Iron    | C   | 10.95 | 112              | 112  | <b>SKA-311</b> Screw Drvs.      | A     | 6.62  | 55               | 55   |
| <b>S-4234L</b> Socket 3/8"x1 1/16" | A   | 1.85  | 28               | 28   | <b>SK-029L</b> Sockets      | A   | 8.15  | 7                | 7    | <b>SKA-311B</b> Box only        | A     | 1.10  | 55               | 55   |
| <b>S-4236</b> Socket 3/8"x1 1/16"  | A   | 1.60  | 28               | 28   | <b>SK-029LB</b> Box only    | A   | .95   | 7                | 7    | <b>SKA-311S</b> Scr. Dr. St.    | A     | 7.72  | 55               | 55   |
| <b>S-4236L</b> Socket 3/8"x1 1/16" | A   | 2.05  | 28               | 28   | <b>SK-029LS</b> Socket Set  | A   | 9.10  | 7                | 7    | <b>SKI-329</b> Sockets          | A     | 6.65  | 35               | 35   |
| <b>S-4238</b> Socket 3/8"x1 1/16"  | A   | 1.80  | 28               | 28   | <b>SK-22</b> Tool Box       | C   | 6.90  | 117              | 117  | <b>SKI-329T</b> Tray only       | A     | .85   | 35               | 35   |
| <b>S-4240</b> Socket 3/8"x1 1/4"   | A   | 1.80  | 28               | 28   | <b>SK-22T</b> Tray only     | C   | 2.15  | 117              | 117  | <b>SKI-329S</b> Socket Set      | A     | 7.50  | 35               | 35   |
| <b>*SC-6</b> Crowfoot              | A   | 1.65  | 53               | 53   | <b>SK-24</b> Tool Box       | C   | 45.95 | 118              | 118  | <b>SKI-4212</b> Sockets         | DISC. | 35    | 35               | 35   |
| <b>*SC-8</b> Crowfoot              | A   | 1.65  | 53               | 53   | <b>SK-24T</b> Tray only     | C   | 2.60  | 119              | 119  | <b>SKI-4212T</b> Tray only      | DISC. | 35    | 35               | 35   |
| <b>*SC-10</b> Crowfoot             | A   | 2.00  | 53               | 53   | <b>SK-24-1</b> Divider      | C   | 1.35  | 119              | 119  | <b>SKI-4212S</b> Skt. Set       | DISC. | 35    | 35               | 35   |
| <b>*SC-12</b> Crowfoot             | A   | 2.00  | 53               | 53   | <b>SK-31</b> Rack, 7/8"     | A   | 1.35  | 114              | 114  | <b>SKS-218L</b> Sockets         | A     | 8.45  | 11               | 11   |
| <b>*SC-14</b> Crowfoot             | A   | 2.35  | 53               | 53   | <b>SK-32</b> Rack, 1/2"     | A   | 1.35  | 114              | 114  | <b>SKS-218LT</b> Tray only      | A     | .95   | 11               | 11   |
| <b>SCA-800</b> Scratch Awl         | A   | .80   | 53               | 53   | <b>SK-35</b> Tool Box       | C   | 24.50 | 117              | 117  | <b>SKS-218LS</b> Skt. Set       | A     | 9.40  | 11               | 11   |
| <b>SCA-805</b> Scratch Awl         | A   | 1.20  | 45               | 45   | <b>SK-217</b> Sockets       | A   | 4.20  | 11               | 11   | <b>SKS-228L</b> Sockets         | A     | 8.45  | 11               | 11   |
| <b>SD-006</b> Screw Dr.            | A   | .85   | 56               | 56   | <b>SK-217T</b> Tray only    | A   | .95   | 11               | 11   | <b>SKS-228LT</b> Tray only      | A     | .95   | 11               | 11   |
| <b>SD-008</b> Screw Dr.            | A   | .85   | 56               | 56   | <b>SK-217S</b> Socket Set   | A   | 5.15  | 11               | 11   | <b>SKS-228LS</b> Skt. Set       | A     | 9.40  | 11               | 11   |
| <b>SD-012</b> Screw Dr.            | A   | .90   | 56               | 56   | <b>SK-218L</b> Sockets      | A   | 6.60  | 11               | 11   | <b>SKU-217</b> Universals       | A     | 15.60 | 12               | 12   |
| <b>SD-52</b> See SD-252            |     |       | 51               | 51   | <b>SK-218LT</b> Tray only   | A   | .95   | 11               | 11   | <b>SKU-217B</b> Box only        | A     | 1.10  | 12               | 12   |
| <b>SD-54</b> See SD-354            |     |       | 51               | 51   | <b>SK-218LS</b> Socket Set  | A   | 7.55  | 11               | 11   | <b>SKU-217S</b> Univ. Set       | A     | 16.70 | 12               | 12   |
| <b>SD-100</b> Screw Dr.            | A   | 2.10  | 56               | 56   | <b>SK-227</b> Sockets       | A   | 4.20  | 11               | 11   | <b>SKU-227</b> Universals       | A     | 15.60 | 12               | 12   |
| <b>SD-137</b> Spark Test Sc. Dr.   | B   | .80   | 56               | 56   | <b>SK-227T</b> Tray only    | A   | .95   | 11               | 11   | <b>SKU-227B</b> Box only        | A     | 1.10  | 12               | 12   |
| <b>SD-139</b> Spark Test Sc. Dr.   | B   | 1.10  | 56               | 56   | <b>SK-227S</b> Socket Set   | A   | 5.15  | 11               | 11   | <b>SKU-227S</b> Univ. Set       | A     | 16.70 | 12               | 12   |
| <b>SD-200</b> Screw Dr.            | A   | 1.20  | 56               | 56   | <b>SK-228L</b> Sockets      | A   | 6.60  | 11               | 11   | <b>SL-2001</b> Spk. Ltr.        | B     | .30   | 112              | 112  |
| <b>SD-252</b> Screw Dr.            | A   | .75   | 56               | 56   | <b>SK-228LT</b> Tray only   | A   | .95   | 11               | 11   | <b>SL-2501X</b> Flint, 6 pcs.   | B     | .60   | 112              | 112  |
| <b>SD-354</b> Screw Dr.            | A   | .90   | 56               | 56   | <b>SK-228LS</b> Socket Set  | A   | 7.55  | 11               | 11   | <b>SL-5001</b> Spk. Ltr., ea.   | B     | .60   | 112              | 112  |
| <b>SDB-211</b> Bit-Slotted         |     | .20   | 56               | 56   | <b>SK-252</b> Tool Box      | C   | 24.95 | 118              | 118  | <b>SL-5001X</b> Flint, 3 pcs.   | B     | .25   | 112              | 112  |
| <b>SDB-212</b> Bit-Slotted         |     | .20   | 56               | 56   | <b>SK-252T</b> Tray only    | C   | 2.40  | 118              | 118  | <b>SLD-14</b> Sp. Lit. Dr. 1/2" | B     | 7.00  | 42               | 42   |
| <b>SDB-213</b> Bit-Slotted         |     | .20   | 56               | 56   | <b>SK-310</b> Tools         |     | 30.55 |                  |      | <b>SM-1</b> See SMA-10          |       |       | 69               | 42   |
| <b>SDB-214</b> Bit-Slotted         |     | .20   | 56               | 56   | <b>SK-310B</b> Box only     | A   | 4.20  |                  |      | <b>SM-2</b> See SMA-12          |       |       | 69               | 42   |
| <b>SDB-221</b> Bit-Phillips        |     | .18   | 56               | 56   | <b>SK-310BL</b> Wd. Block   | A   | 1.55  |                  |      | <b>SM-3</b> See SMA-14          |       |       | 69               | 42   |
| <b>SDB-222</b> Bit-Phillips        |     | .18   | 56               | 56   | <b>SK-310S</b> Tool Set     |     | 36.30 |                  |      | <b>SM-4</b> See SMA-16          |       |       | 69               | 42   |
| <b>SDB-223</b> Bit-Phillips        |     | .18   | 56               | 56   | <b>SK-352</b> Tool Box      | C   | 28.50 | 118              | 118  | <b>SM-5</b> See SMS-1016        |       |       | 69               | 42   |
| <b>SDB-251</b> Bit-Hex             |     | .40   | 56               | 56   | <b>SK-352T</b> Tray only    | C   | 2.40  | 118              | 118  | <b>SM-10R</b> Roller            | A     | .08   | 69               | 42   |
| <b>SDB-252</b> Bit-Hex             |     | .40   | 56               | 56   | <b>SK-390</b> Tools         |     | 47.20 |                  |      | <b>SM-11</b> See SMA-18         |       |       | 69               | 42   |
| <b>SDB-253</b> Bit-Hex             |     | .40   | 56               | 56   | <b>SK-390B</b> Box only     | A   | 3.90  |                  |      | <b>SM-12</b> See SMA-20         |       |       | 69               | 42   |
| <b>SDB-254</b> Bit-Hex             |     | .40   | 56               | 56   | <b>SK-390S</b> Tool Set     |     | 50.95 |                  |      | <b>SM-12R</b> Roller            | A     | .08   | 69               | 42   |
| <b>SDB-255</b> Bit-Hex             |     | .40   | 56               | 56   | <b>SK-535</b> Tool Box      | C   | 74.40 | 117              | 117  | <b>SM-14</b> See SMA-24         |       |       | 69               | 42   |
| <b>SDB-256</b> Bit-Hex             |     | .40   | 56               | 56   | <b>SK-535D-1</b> Divider    | C   | .25   |                  |      | <b>SM-14R</b> Roller            | A     | .08   | 69               | 42   |
| <b>SDF-211</b> Flx. Scr. Dr.       | A   | 1.60  | 51               | 51   | <b>SK-535D-2</b> Divider    | C   | .27   |                  |      | <b>SM-15</b> See SMS-1828       |       |       | 69               | 42   |
| <b>SDH-263</b> Pyro. Hdl.          | A   | .30   |                  |      | <b>SK-535D-3</b> Divider    | C   | .30   |                  |      | <b>SM-16</b> See SMA-28         |       |       | 69               | 42   |
| <b>SDH-265</b> Pyro. Hdl.          | A   | .45   |                  |      | <b>SK-700</b> Tools         |     | 70.95 |                  |      | <b>SM-16R</b> Roller            | A     | .10   |                  |      |
| <b>SDH-270</b> Pyro. Hdl.          | A   | .35   |                  |      | <b>SK-700B</b> Box only     | A   | 8.80  |                  |      | <b>SM-18R</b> Roller            | A     | .12   |                  |      |
| <b>SDH-275</b> Pyro. Hdl.          | A   | .55   |                  |      | <b>SK-700S</b> Tool Set     |     | 80.45 |                  |      | <b>SM-20R</b> Roller            | A     | .12   |                  |      |
| <b>SDH-280</b> Pyro. Hdl.          | A   | .70   |                  |      | <b>SK-2111L</b> Sockets     | A   | 10.55 | 11               | 11   | <b>SM-24R</b> Roller            | A     | .12   |                  |      |
| <b>SDH-285</b> Pyro. Hdl.          | A   | .95   |                  |      | <b>SK-2111LT</b> Tray only  | A   | 1.25  | 11               | 11   | <b>SM-28R</b> Roller            | A     | .12   |                  |      |
| <b>SDM-84</b> Mag. Sc. Dr.         | D   | 3.95  | 56               | 56   | <b>SK-2111LS</b> Skt. Set   | A   | 11.80 | 11               | 11   | <b>*SM-30</b> Stud Rmvr.        | A     | 7.95  | 42               | 42   |
| <b>SDO-4</b> Scr. Drvs.            | A   | 2.55  | 51               | 51   | <b>SK-2113</b> Sockets      | A   | 8.60  | 11               | 11   | <b>*SM-32</b> Stud Rmvr.        | A     | 12.50 | 42               | 42   |
| <b>SDO-4K</b> Kit only             | A   | .65   | 51               | 51   | <b>SK-2113T</b> Tray only   | A   | 1.25  | 11               | 11   | <b>SM-1016S</b> Spring          | A     | .05   |                  |      |
| <b>SDO-4S</b> Scr. Dr. Set         | A   | 3.20  | 51               | 51   | <b>SK-2113S</b> Socket Set  | A   | 9.85  | 11               | 11   | <b>SM-1828S</b> Spring          | A     | .10   |                  |      |
| <b>SDO-5</b> Scr. Drvs.            | A   | 6.80  | 51               | 51   | <b>SK-2211L</b> Sockets     | A   | 10.55 | 11               | 11   | <b>SMA-10</b> Stud Rmvr.        | A     | 1.85  | 69               | 42   |
| <b>SDO-5K</b> Kit only             | A   | .65   | 51               | 51   | <b>SK-2211LT</b> Tray only  | A   | 1.25  | 11               | 11   | <b>SMA-12</b> Stud Rmvr.        | A     | 1.85  | 69               | 42   |
| <b>SDO-5S</b> Scr. Dr. Set         | A   | 7.45  | 51               | 51   | <b>SK-2211LS</b> Skt. Set   | A   | 11.80 | 11               | 11   | <b>SMA-14</b> Stud Rmvr.        | A     | 1.85  | 69               | 42   |
| <b>SDO-40</b> Screw Dr.            | A   | 1.15  | 50               | 50   | <b>SK-2213</b> Sockets      | A   | 8.60  | 11               | 11   | <b>SMA-16</b> Stud Rmvr.        | A     | 1.85  | 69               | 42   |
| <b>SDO-41</b> Screw Dr.            | A   | 1.25  | 50               | 50   | <b>SK-2213T</b> Tray only   | A   | 1.25  | 11               | 11   | <b>SMA-18</b> Stud Rmvr.        | A     | 3.00  | 69               | 42   |
| <b>SDO-42</b> Screw Dr.            | A   | 1.35  | 50               | 50   | <b>SK-2213S</b> Socket Set  | A   | 9.85  | 11               | 11   | <b>SMA-20</b> Stud Rmvr.        | A     | 3.00  | 69               | 42   |
| <b>SDO-43</b> Screw Dr.            | A   | 1.45  | 50               | 50   | <b>SK-3111L</b> Sockets     | A   | 15.75 | 16               | 16   | <b>SMA-24</b> Stud Rmvr.        | A     | 3.00  | 69               | 42   |
| <b>SDO-44</b> Screw Dr.            | A   | 1.60  | 50               | 50   | <b>SK-3111LT</b> Tray only  | A   | .95   | 16               | 16   | <b>SMA-28</b> Stud Rmvr.        | A     | 3.20  | 69               | 42   |
| <b>SDO-47</b> Screw Dr.            | A   | .60   | 50               | 50   | <b>SK-3111LS</b> Skt. Set   | A   | 16.70 | 16               | 16   | <b>SMK-1016</b> Std. Rmvr.      | A     | 9.25  | 69               | 42   |
| <b>SDO-48</b> Screw Dr.            | A   | .60   | 50               | 50   | <b>SK-3113</b> Sockets      | A   | 10.35 | 16               | 16   | <b>SMK-1016B</b> Box only       | A     | 1.00  | 69               | 42   |
| <b>SDO-49</b> Screw Dr.            | A   | .65   | 50               | 50   | <b>SK-3113T</b> Tray only   | A   | .95   | 16               | 16   | <b>SMK-1016S</b> Stud Rmvr. St. | A     | 10.25 | 69               | 42   |
| <b>SDO-50</b> Screw Dr.            | A   | .70   | 50               | 50   | <b>SK-3113S</b> Socket Set  | A   | 11.30 | 16               | 16   | <b>SMK-1824</b> Std. Rmvr.      | A     | 11.60 | 69               | 42   |

| Tool No.                            | Sym | Price        | Catalog Pg. A-55 | I-53  | Tool No.                      | Sym | Price        | Catalog Pg. A-55 | I-53 | Tool No.                                                   | Sym | Price        | Catalog Pg. A-55 | I-53 |     |
|-------------------------------------|-----|--------------|------------------|-------|-------------------------------|-----|--------------|------------------|------|------------------------------------------------------------|-----|--------------|------------------|------|-----|
| <b>SMK-1824B</b> Box only           | A   | <b>1.25</b>  | 69               | ---   | <b>SS-319</b> Bushing Tool    | B   | <b>4.50</b>  | ---              | ---  | <b>T-120</b> Tap                                           | C   | <b>1.35</b>  | 116              | ---  |     |
| <b>SMK-1824S</b> Stud Rmv. St.      | A   | <b>12.85</b> | 69               | 42    | <b>SS-320</b> Flanger         | B   | <b>9.00</b>  | ---              | ---  | <b>T-125</b> Tap                                           | C   | <b>1.55</b>  | 116              | ---  |     |
| <b>SMS-1016</b> Shell               | A   | <b>1.85</b>  | 69               | ---   | <b>SSD-3K5</b> Scr. Dr. Set   | A   | <b>5.35</b>  | 58               | ---  | <b>T-130</b> Tap                                           | C   | <b>1.80</b>  | 116              | ---  |     |
| <b>SMS-1828</b> Shell               | A   | <b>2.60</b>  | 69               | ---   | <b>SSD-6</b> Screw Drvs.      | A   | 51           | ---              | ---  | <b>T-135</b> Tap                                           | C   | <b>2.10</b>  | 116              | ---  |     |
| <b>SP-22</b> Pins                   | A   | <b>.10</b>   | ---              | 39    | <b>SSD-6K</b> Kit only        | A   | 51           | ---              | ---  | <b>T-140</b> Tap                                           | C   | <b>2.35</b>  | 116              | ---  |     |
| <b>SP-27</b> Pins                   | A   | <b>.10</b>   | ---              | 39    | <b>SSD-6S</b> Scr. Dr. Set    | A   | 51           | ---              | ---  | <b>T-145</b> Tap                                           | C   | <b>3.35</b>  | 116              | ---  |     |
| <b>SP-32</b> Pins                   | A   | <b>.10</b>   | 39               | 39    | <b>SSD-6P</b> Screw Drvs.     | A   | 51           | ---              | ---  | <b>T-150</b> Tap                                           | C   | <b>4.45</b>  | 116              | ---  |     |
| <b>SP-36</b> Pins                   | A   | <b>.10</b>   | 39               | 39    | <b>SSD-6PK</b> Kit only       | A   | 51           | ---              | ---  | <b>T-155</b> Tap                                           | C   | <b>5.50</b>  | 116              | ---  |     |
| <b>SP-40</b> Pins                   | A   | <b>.15</b>   | 39               | 39    | <b>SSD-6PS</b> Scr. Dr. Set   | A   | 51           | ---              | ---  | <b>T-160</b> Pipe Tap                                      | C   | <b>1.50</b>  | 116              | ---  |     |
| <b>SP-100</b> Sdr. Pad. Set         | B   | <b>2.50</b>  | 110              | ---   | <b>SSD-62</b> See SSD-602     | --- | ---          | 50               | ---  | <b>T-0110</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$   | A   | <b>.45</b>   | 6                | ---  |     |
| <b>SP-100H</b> Sdr. Pd. Hdl.        | B   | <b>1.20</b>  | 110              | ---   | <b>SSD-62P</b> See SSD-602P   | --- | ---          | 50               | ---  | <b>T-0112</b> Socket $\frac{1}{4}" \times \frac{1}{16}"$   | A   | <b>.45</b>   | 6                | ---  |     |
| <b>SP-100-1</b> Sml. Blade          | B   | <b>.16</b>   | 110              | ---   | <b>SSD-81</b> See SSD-801     | --- | ---          | 50               | ---  | <b>T-0114</b> Socket $\frac{1}{4}" \times \frac{1}{16}"$   | A   | <b>.45</b>   | 6                | ---  |     |
| <b>SP-100-2</b> Wd. Blade           | B   | <b>.17</b>   | 110              | ---   | <b>SSD-81P</b> See SSD-801P   | --- | ---          | 50               | ---  | <b>T-0206</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SP-100-3</b> Rnd. Blade          | B   | <b>.18</b>   | 110              | ---   | <b>SSD-84</b> See SSD-804     | --- | ---          | 50               | ---  | <b>T-0206L</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SP-201</b> Socket                | A   | <b>.95</b>   | 22               | ---   | <b>SSD-84P</b> See SSD-804P   | --- | ---          | 50               | ---  | <b>T-0207</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SPE-8</b> Plg. Ext., 8 pcs.      | C   | <b>2.95</b>  | ---              | ---   | <b>SSD-106</b> See SSD-1006   | --- | ---          | 50               | ---  | <b>T-0207L</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-5A</b> Handle                 | A   | <b>3.65</b>  | 47               | 41    | <b>SSD-106P</b> See SSD-1006P | --- | ---          | 50               | ---  | <b>T-0208</b> Socket $\frac{1}{4}" \times \frac{1}{4}"$    | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-5B</b> Hub                    | A   | <b>1.25</b>  | 47               | 41    | <b>SSD-128</b> See SSD-1208   | --- | ---          | 50               | ---  | <b>T-0208L</b> Socket $\frac{1}{4}" \times \frac{1}{4}"$   | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-5C</b> Pawl                   | A   | <b>.60</b>   | 47               | 41    | <b>SSD-128P</b> See SSD-1208P | --- | ---          | 50               | ---  | <b>T-0209</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-5D</b> Trigger                | A   | <b>.65</b>   | 47               | 41    | <b>SSD-402</b> Screw Dr.      | A   | <b>.30</b>   | ---              | ---  | <b>T-0209L</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-5E</b> Ring Cap               | A   | <b>.60</b>   | 47               | 41    | <b>SSD-402P</b> Screw Dr.     | A   | <b>.50</b>   | ---              | ---  | <b>T-0210</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-5F</b> Screw                  | A   | <b>.23</b>   | 47               | 41    | <b>SSD-405</b> Screw Dr.      | A   | <b>.40</b>   | 50               | ---  | <b>T-0210L</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-5G</b> Spring, doz.           | A   | <b>.23</b>   | 47               | ---   | <b>SSD-405P</b> Screw Dr.     | A   | <b>.60</b>   | 50               | ---  | <b>T-0211</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-7A</b> Handle                 | A   | <b>4.15</b>  | 47               | 41    | <b>SSD-601P</b> Screw Dr.     | A   | <b>.55</b>   | 50               | ---  | <b>T-0211L</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-7B</b> Hub                    | A   | <b>1.25</b>  | 47               | 41    | <b>SSD-602</b> Screw Dr.      | A   | <b>.40</b>   | 50               | ---  | <b>T-0212</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-7C</b> Pawl                   | A   | <b>.60</b>   | 47               | 41    | <b>SSD-602P</b> Screw Dr.     | A   | <b>.70</b>   | 50               | ---  | <b>T-0212L</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-7D</b> Trigger                | A   | <b>.65</b>   | 47               | 41    | <b>SSD-605</b> Screw Dr.      | A   | <b>.55</b>   | 50               | ---  | <b>T-0214</b> Socket $\frac{1}{4}" \times \frac{1}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-7E</b> Ring Cap               | A   | <b>.60</b>   | 47               | 41    | <b>SSD-605P</b> Screw Dr.     | A   | <b>.80</b>   | 50               | ---  | <b>T-0214L</b> Socket $\frac{1}{4}" \times \frac{1}{16}"$  | A   | <b>.90</b>   | 6                | 6    |     |
| <b>SR-7F</b> Screw                  | A   | <b>.23</b>   | 47               | 41    | <b>SSD-801</b> Screw Dr.      | A   | <b>.50</b>   | 50               | ---  | <b>T-0216</b> Socket $\frac{1}{4}" \times \frac{1}{2}"$    | A   | <b>.50</b>   | 6                | 6    |     |
| <b>SR-7G</b> Spring/doz.            | A   | <b>.23</b>   | 47               | 41    | <b>SSD-801P</b> Screw Dr.     | A   | <b>.75</b>   | 50               | ---  | <b>T-0216L</b> Socket $\frac{1}{4}" \times \frac{1}{2}"$   | A   | <b>.95</b>   | 6                | ---  |     |
| <b>SR-21</b> Ratchet                | A   | <b>4.15</b>  | ---              | 24    | <b>SSD-804</b> Screw Dr.      | A   | <b>.75</b>   | 50               | ---  | <b>T-0306</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-50</b> Ratchet                | A   | <b>6.95</b>  | 15               | 24    | <b>SSD-804K</b> Screw Dr.     | A   | <b>1.35</b>  | 58               | ---  | <b>T-0308</b> Socket $\frac{1}{4}" \times \frac{1}{4}"$    | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-50A</b> Handle                | A   | <b>3.70</b>  | 46               | 40    | <b>SSD-804P</b> Screw Dr.     | A   | <b>.90</b>   | 50               | ---  | <b>T-0309</b> See T-0409                                   | --- | ---          | 6                | ---  |     |
| <b>SR-50B</b> Hub                   | A   | <b>1.30</b>  | 46               | 40    | <b>SSD-806</b> Screw Dr.      | A   | <b>.80</b>   | 50               | ---  | <b>T-0310</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-50C</b> Pawl                  | A   | <b>.65</b>   | 46               | 40    | <b>SSD-806P</b> Screw Dr.     | A   | <b>1.10</b>  | 50               | ---  | <b>T-0311</b> Socket $\frac{1}{4}" \times \frac{1}{32}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-50D</b> Trigger               | A   | <b>.65</b>   | 46               | 40    | <b>SSD-825</b> Screw Dr.      | A   | <b>1.55</b>  | 50               | ---  | <b>T-0312</b> Socket $\frac{1}{4}" \times \frac{3}{8}"$    | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-50E</b> Ring Cap              | A   | <b>.60</b>   | 46               | 40    | <b>SSD-825P</b> Screw Dr.     | A   | <b>1.95</b>  | 50               | ---  | <b>T-0314</b> Socket $\frac{1}{4}" \times \frac{3}{16}"$   | A   | <b>.45</b>   | 6                | 6    |     |
| <b>SR-50F</b> Pin                   | A   | <b>.20</b>   | 46               | 40    | <b>SSD-1006</b> Screw Dr.     | A   | <b>1.00</b>  | 50               | ---  | <b>T-0409</b> Socket $\frac{1}{4}" \times \frac{3}{32}"$   | A   | <b>.45</b>   | ---              | 6    | --- |
| <b>SR-50G</b> Spring/doz.           | A   | <b>.23</b>   | 46               | 40    | <b>SSD-1006K</b> Screw Dr.    | A   | <b>1.65</b>  | 58               | ---  | <b>T-2112</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$    | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SR-50PL</b> Plier                | A   | <b>2.50</b>  | 46               | 40    | <b>SSD-1006P</b> Screw Dr.    | A   | <b>1.25</b>  | 50               | ---  | <b>T-2112L</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$   | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SR-50R</b> Ret. Rg./doz.         | A   | <b>.40</b>   | 46               | 40    | <b>SSD-1012</b> Screw Dr.     | A   | <b>1.10</b>  | 50               | ---  | <b>T-2112LF</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$  | A   | <b>1.15</b>  | ---              | ---  | --- |
| <b>SR-50RK</b> Repair Kit           | A   | <b>2.00</b>  | 47               | ---   | <b>SSD-1012P</b> Screw Dr.    | A   | <b>1.50</b>  | 50               | ---  | <b>T-2114</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$   | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SR-70</b> Ratchet                | A   | <b>7.45</b>  | 15               | 24    | <b>SSD-1202</b> Screw Dr.     | A   | <b>.95</b>   | ---              | ---  | <b>T-2114L</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$  | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SR-70A</b> Handle                | A   | <b>4.20</b>  | 46               | 40    | <b>SSD-1208</b> Screw Dr.     | A   | <b>1.20</b>  | 50               | ---  | <b>T-2115</b> Socket $\frac{3}{8}" \times \frac{1}{32}"$   | A   | <b>DISC.</b> | ---              | ---  | --- |
| <b>SR-70B</b> Hub                   | A   | <b>1.30</b>  | 46               | 40    | <b>SSD-1208K</b> Screw Dr.    | A   | <b>1.95</b>  | 58               | ---  | <b>T-2116</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$    | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SR-70C</b> Pawl                  | A   | <b>.65</b>   | 46               | 40    | <b>SSD-1208P</b> Screw Dr.    | A   | <b>1.70</b>  | 50               | ---  | <b>T-2116L</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$   | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SR-70D</b> Trigger               | A   | <b>.65</b>   | 46               | 40    | <b>SSD-1212</b> Screw Dr.     | A   | <b>1.40</b>  | 50               | 50   | <b>T-2118</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$   | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SR-70E</b> Ring Cap              | A   | <b>.60</b>   | 46               | 40    | <b>SSD-1212K</b> Screw Dr.    | A   | <b>2.40</b>  | 58               | ---  | <b>T-2118L</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$  | A   | <b>.75</b>   | 8                | 11   |     |
| <b>SR-70F</b> Pin                   | A   | <b>.20</b>   | 46               | 40    | <b>SSD-1212P</b> Screw Dr.    | A   | <b>1.95</b>  | 50               | 50   | <b>T-2120</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$    | A   | <b>.60</b>   | 8                | 11   |     |
| <b>SR-70G</b> Spring/doz.           | A   | <b>.23</b>   | 46               | 40    | <b>SSD-1618P</b> Screw Dr.    | --- | <b>DISC.</b> | 50               | ---  | <b>T-2120L</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$   | A   | <b>.85</b>   | 8                | 11   |     |
| <b>SR-70PL</b> Plier                | A   | <b>2.50</b>  | 46               | 40    | <b>SSE-190</b> Sprg. Ext.     | B   | <b>12.95</b> | ---              | ---  | <b>T-2122</b> Socket $\frac{3}{8}" \times \frac{1}{16}"$   | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SR-70R</b> Ret. Rg./doz.         | A   | <b>.40</b>   | 46               | 40    | <b>ST-6</b> Spr. Tstr.        | B   | <b>26.05</b> | 70               | ---  | <b>T-2122L</b> Socket $\frac{3}{8}" \times \frac{1}{16}"$  | A   | <b>.90</b>   | 8                | 11   |     |
| <b>SRA-3</b> Ratchet                | --- | <b>DISC.</b> | 15               | 24    | <b>*SW-7</b> Jet Wr.          | A   | <b>1.05</b>  | ---              | ---  | <b>T-2124</b> Socket $\frac{3}{8}" \times \frac{3}{4}"$    | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SRW</b> Ring Cap Wr.             | A   | <b>2.90</b>  | 46               | 40-41 | <b>*SW-9</b> Jet Wr.          | A   | <b>1.10</b>  | ---              | ---  | <b>T-2124L</b> Socket $\frac{3}{8}" \times \frac{3}{4}"$   | A   | <b>.95</b>   | 8                | 11   |     |
| <b>SS-201</b> Std. Str. Set         | A   | <b>7.05</b>  | 69               | ---   | <b>*SW-11</b> Jet Wr.         | A   | <b>1.30</b>  | ---              | ---  | <b>T-2126</b> Socket $\frac{3}{8}" \times \frac{1}{16}"$   | A   | <b>.75</b>   | 8                | 11   |     |
| <b>SS-201-1</b> $\frac{3}{16}"$ -24 | A   | <b>2.50</b>  | 69               | ---   | <b>SW-13</b> Wrench           | A   | <b>1.30</b>  | ---              | ---  | <b>T-2126L</b> Socket $\frac{3}{8}" \times \frac{1}{16}"$  | A   | <b>1.05</b>  | 8                | 11   |     |
| <b>SS-201-2</b> $\frac{3}{16}"$ -24 | A   | <b>2.50</b>  | 69               | ---   | <b>SW-33</b> Wrench           | A   | <b>2.35</b>  | 31               | ---  | <b>T-2128</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$    | A   | <b>.80</b>   | 8                | 11   |     |
| <b>SS-201-3</b> $\frac{3}{16}"$ -20 | A   | <b>2.50</b>  | 69               | ---   | <b>SW-41</b> Wrench           | A   | <b>3.75</b>  | 32               | ---  | <b>T-2128L</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$   | A   | <b>1.25</b>  | 8                | 11   |     |
| <b>SS-201-4</b> $\frac{1}{2}"$ -20  | A   | <b>2.50</b>  | 69               | ---   | <b>SW-42</b> Wrench           | A   | <b>1.95</b>  | 31               | ---  | <b>T-2130</b> Socket $\frac{3}{8}" \times \frac{1}{16}"$   | A   | <b>.85</b>   | 8                | 11   |     |
| <b>SS-300</b> Solar Set             | B   | <b>38.70</b> | ---              | ---   | <b>SW-44</b> Wrench           | A   | <b>1.95</b>  | ---              | ---  | <b>T-2130L</b> Socket $\frac{3}{8}" \times \frac{1}{16}"$  | A   | <b>1.30</b>  | 8                | 11   |     |
| <b>SS-301</b> Panel Cutter          | B   | <b>3.00</b>  | ---              | ---   | <b>SW-46A</b> Wrench          | A   | <b>2.50</b>  | 31               | ---  | <b>T-2132</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$    | A   | <b>.90</b>   | 8                | 11   |     |
| <b>SS-302</b> Cold Chisel           | B   | <b>3.00</b>  | ---              | ---   | <b>SW-47B</b> Wrench          | A   | <b>2.85</b>  | 31               | ---  | <b>T-2132L</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$   | A   | <b>1.40</b>  | 8                | 11   |     |
| <b>SS-303</b> Weld Buster           | B   | <b>3.00</b>  | ---              | ---   | <b>*SW-48</b> Wrench          | A   | <b>.95</b>   | ---              | ---  | <b>T-2208</b> Socket $\frac{3}{8}" \times \frac{1}{4}"$    | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SS-304</b> Taper Punch           | B   | <b>3.00</b>  | ---              | ---   | <b>SWC-40</b> Wrench          | A   | <b>2.80</b>  | 32               | ---  | <b>T-2210</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$   | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SS-305</b> Beehive Spring        | B   | <b>.90</b>   | ---              | ---   | <b>SWC-42</b> Wrench          | A   | <b>2.65</b>  | 32               | ---  | <b>T-2212</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$   | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SS-306</b> Panel Cutter          | B   | <b>3.00</b>  | ---              | ---   | <b>SWC-44</b> Wrench          | A   | <b>2.80</b>  | 32               | ---  | <b>T-2212L</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$  | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SS-307</b> Ripping Tool          | B   | <b>3.00</b>  | ---              | ---   | <b>T-60</b> Tap               | C   | <b>1.10</b>  | 116              | ---  | <b>T-2214</b> Socket $\frac{3}{8}" \times \frac{7}{16}"$   | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SS-308</b> Edger                 | B   | <b>3.00</b>  | ---              | ---   | <b>T-65</b> Tap               | C   | <b>1.20</b>  | 116              | ---  | <b>T-2214L</b> Socket $\frac{3}{8}" \times \frac{7}{16}"$  | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SS-309</b> Lead Trimmer          | B   | <b>3.00</b>  | ---              | ---   | <b>T-70</b> Tap               | C   | <b>1.35</b>  | 116              | ---  | <b>T-2216</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$    | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SS-310</b> Hole Punch            | B   | <b>3.00</b>  | ---              | ---   | <b>T-75</b> Tap               | C   | <b>1.60</b>  | 116              | ---  | <b>T-2216L</b> Socket $\frac{3}{8}" \times \frac{1}{2}"$   | A   | <b>.70</b>   | 8                | 11   |     |
| <b>SS-311</b> Goo Scraper           | B   | <b>3.00</b>  | ---              | ---   | <b>T-80</b> Tap               | C   | <b>1.70</b>  | 116              | ---  | <b>T-2218</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$   | A   | <b>.55</b>   | 8                | 11   |     |
| <b>SS-312</b> Paneling Tool         | B   | <b>3.00</b>  | ---              | ---   | <b>T-85</b> Tap               | C   | <b>2.10</b>  | 116              | ---  | <b>T-2218L</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$  | A   | <b>.75</b>   | 8                | 11   |     |
| <b>SS-313</b> Rivet Cutter          | B   | <b>3.00</b>  | ---              | ---   | <b>T-90</b> Tap               | C   | <b>2.35</b>  | 116              | ---  | <b>T-2218LA</b> Socket $\frac{3}{8}" \times \frac{3}{16}"$ | A   | <b>.75</b>   | ---              | ---  | --- |
| <b>SS-314</b> Forming Head          | B   | <b>3.00</b>  | ---              | ---   | <b>T-95</b> Tap               | C   | <b>3.35</b>  | 116              | ---  | <b>T-2220</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$    | A   | <b>.60</b>   | 8                | 11   |     |
| <b>SS-315</b> S. Hammer             | B   | <b>3.00</b>  | ---              | ---   | <b>T-100</b> Tap              | C   | <b>4.45</b>  | 116              | ---  | <b>T-2220L</b> Socket $\frac{3}{8}" \times \frac{3}{8}"$   | A   | <b>.85</b>   | 8                | 11   |     |
|                                     |     |              |                  |       |                               |     |              |                  |      |                                                            |     |              |                  |      |     |

| Tool No.                                                 | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.                                                | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.                                | Sym | Price | Catalog Pg. A-55 I-53 |
|----------------------------------------------------------|-----|-------|-----------------------|---------------------------------------------------------|-----|-------|-----------------------|-----------------------------------------|-----|-------|-----------------------|
| <b>T-2224L</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "  | A   | .95   | 8 11                  | <b>T-5132</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.60  | 18 30                 | <b>TC-85T</b> Top only                  | C   | 5.90  | 120                   |
| <b>T-2226</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "   | A   | .75   | 8                     | <b>T-5132L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 2.75  | 18 30                 | <b>TC-227F</b> Tube Ctr.                | C   | 1.85  | 92                    |
| <b>T-2226CO</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ " | A   | 1.30  | 22                    | <b>T-5134</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.65  | 18 30                 | <b>TC-583</b> Insert, TC-85             | C   | 37.15 | 121                   |
| <b>T-2226FM</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ " | A   | 1.05  | 22                    | <b>T-5134L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 2.75  | 18 30                 | <b>TC-6103</b> Thd. Clnr.               | C   | 6.50  | 103                   |
| <b>T-2226L</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "  | A   | 1.05  | 8 11                  | <b>T-5136</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.65  | 18 30                 | <b>TC-6104</b> Thd. Clnr.               | C   | 12.00 | 103                   |
| <b>T-2228</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "   | A   | .80   | 8 11                  | <b>T-5136L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 2.85  | 18 30                 | <b>TC-6106</b> Thd. Clnr.               | C   | 27.50 | 103                   |
| <b>T-2228L</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "  | A   | 1.25  | 8 11                  | <b>T-5138</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.70  | 18 30                 | <b>TC-6203</b> Thd. Clnr.               | C   | 9.50  | 103                   |
| <b>T-2230</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "   | A   | .85   | 8 11                  | <b>T-5138L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 3.05  | 18 30                 | <b>TC-6204</b> Thd. Clnr.               | C   | 21.00 | 103                   |
| <b>T-2230L</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "  | A   | 1.30  | 8 11                  | <b>T-5140</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.05  | 18 30                 | <b>TCC-3BR 3"</b> Cstr./Br.             | C   | 1.40  | 103                   |
| <b>T-2232</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "   | A   | .90   | 8 11                  | <b>T-5140L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 3.05  | 18 30                 | <b>TCC-3PL 3"</b> Cstr./Pl.             | C   | 1.10  | 103                   |
| <b>T-2232L</b> Socket $\frac{3}{8}$ " x $\frac{1}{2}$ "  | A   | 1.40  | 8 11                  | <b>T-5142</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.15  | 18 30                 | <b>TCC-4BR 4"</b> Cstr./Br.             | C   | 2.50  | 103                   |
| <b>T-3112</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5142L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 3.30  | 18 30                 | <b>TCC-4PL 4"</b> Cstr./Pl.             | C   | 2.30  | 103                   |
| <b>T-3114</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5144</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.30  | 18 30                 | <b>TD-2</b> Tap Wr.                     | C   | .45   | 103                   |
| <b>T-3116</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5144L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 3.40  | 18 30                 | <b>TD-6</b> Tap Wr.                     | C   | 8.55  | 116                   |
| <b>T-3116L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-5146</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.40  | 18 30                 | <b>TD-8</b> Tap Wr.                     | C   | 9.55  | 116                   |
| <b>T-3118</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5146L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 3.50  | 18 30                 | <b>TD-10</b> Tap Wr.                    | C   | 11.90 | 116                   |
| <b>T-3118L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-5148</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.65  | 18 30                 | <b>TDC-5 T. &amp; D. Chsrs.</b>         | B   | 4.50  | 116                   |
| <b>T-3119</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5148L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 3.85  | 18 30                 | <b>TG-6</b> Toe-In Ga.                  | B   | 12.50 | 116                   |
| <b>T-3120</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5150</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.85  | 18 30                 | <b>TG-7</b> Toe-in Ga.                  | B   | 12.95 | 116                   |
| <b>T-3120L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-5152</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.15  | 18 30                 | <b>TG-8</b> Toe-in Ga.                  | B   | 12.95 | 116                   |
| <b>T-3121</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5152L</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ " | A   | 4.15  | 18 30                 | <b>TGL-1432</b> Gasket Locator          | A   | .85   | 116                   |
| <b>T-3122</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .70   | 13 17                 | <b>T-5154</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.40  | 18 30                 | <b>TGL-1632</b> Gasket Locator          | A   | .85   | 116                   |
| <b>T-3122L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-5156</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.50  | 18 30                 | <b>TGP-10</b> Tim. Gr. Plr.             | A   | 4.40  | 116                   |
| <b>T-3124</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .75   | 13 17                 | <b>T-5158</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.65  | 18 30                 | <b>TGP-10-A</b> Sd. Scr., 6"            | A   | 2.00  | 116                   |
| <b>T-3124L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.30  | 13 17                 | <b>T-5160</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.85  | 18 30                 | <b>TGP-10-B</b> Sd. Scr., 7"            | A   | 2.00  | 116                   |
| <b>T-3125</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .80   | 13 17                 | <b>T-5162</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 4.00  | 18 30                 | <b>TGP-10-C</b> Sd. Scr., 9"            | A   | 2.00  | 116                   |
| <b>T-3126</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .85   | 13 17                 | <b>T-5164</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 4.40  | 18 30                 | <b>TGP-11-D</b> Plr. Body               | A   | 1.40  | 116                   |
| <b>T-3126L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.35  | 13 17                 | <b>T-5166</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 4.80  | 18 30                 | <b>TGP-12-E</b> Ctr. Scr., 6"           | A   | 1.30  | 116                   |
| <b>T-3126V</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.35  | 22                    | <b>T-5168</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 5.50  | 18 30                 | <b>TGP-13-F</b> Ctr. Scr., 8"           | A   | 1.70  | 116                   |
| <b>T-3128</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .90   | 13 17                 | <b>T-5170</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 5.55  | 18 30                 | <b>TGP-14G-8</b> Ctr. Scr., 8"          | A   | 2.15  | 116                   |
| <b>T-3128L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.45  | 13 17                 | <b>T-5172</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 6.65  | 18 30                 | <b>TGP-14G-11</b> Ctr. Scr., 11"        | A   | 2.15  | 116                   |
| <b>T-3129</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .95   | 13 17                 | <b>T-5176</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 7.65  | 18 30                 | <b>THF-8</b> Flex. Dr., $\frac{1}{4}$ " | A   | 1.45  | 116                   |
| <b>T-3130</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .95   | 13 17                 | <b>T-5234</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.65  | 18 30                 | <b>TK-1</b> Tune Tools                  | B   | 20.40 | 116                   |
| <b>T-3130L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.55  | 13 17                 | <b>T-5236</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.65  | 18 30                 | <b>TK-1B</b> Box only                   | B   | 2.50  | 116                   |
| <b>T-3132</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.00  | 13 17                 | <b>T-5238</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 1.70  | 18 30                 | <b>TK-1S</b> Set & Box                  | B   | 22.90 | 116                   |
| <b>T-3132L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.65  | 13 17                 | <b>T-5240</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.05  | 18 30                 | <b>TL-1</b> Tim. Lite                   | B   | 5.35  | 116                   |
| <b>T-3134</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.15  | 13 17                 | <b>T-5242</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.15  | 18 30                 | <b>TL-1B</b> Bulb only                  | B   | 2.05  | 116                   |
| <b>T-3134L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.70  | 13 17                 | <b>T-5244</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.30  | 18 30                 | <b>TR-3</b> Ratchet                     | A   | 3.65  | 116                   |
| <b>T-3136</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.30  | 13 17                 | <b>T-5246</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.40  | 18 30                 | <b>TR-3A</b> Handle                     | A   | 1.70  | 116                   |
| <b>T-3136L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.75  | 13 17                 | <b>T-5248</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.65  | 18 30                 | <b>TR-3B</b> Hub                        | A   | .55   | 116                   |
| <b>T-3138</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.40  | 13 17                 | <b>T-5250</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 2.85  | 18 30                 | <b>TR-3C</b> Pawl                       | A   | .45   | 116                   |
| <b>T-3140</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.50  | 13 17                 | <b>T-5252</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.15  | 18 30                 | <b>TR-3D</b> Trigger                    | A   | .60   | 116                   |
| <b>T-3140L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.95  | 13 17                 | <b>T-5254</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.40  | 18 30                 | <b>TR-3E</b> Ring Gap                   | A   | .45   | 116                   |
| <b>T-3142</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.55  | 13 17                 | <b>T-5256</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | DISC. | 18 30                 | <b>TR-3G</b> Spring/doz.                | A   | .20   | 116                   |
| <b>T-3212</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5258</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.65  | 18 30                 | <b>TR-3PL</b> Plier                     | A   | 1.32  | 116                   |
| <b>T-3214</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5260</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 3.85  | 18 30                 | <b>TR-3R</b> Ret. Rg./doz.              | A   | .36   | 116                   |
| <b>T-3214C</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | .85   | 22                    | <b>T-5262</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | DISC. | 18 30                 | <b>TR-3RK</b> Repair Kit                | A   | 1.10  | 116                   |
| <b>T-3216</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-5264</b> Socket $\frac{3}{4}$ " x $\frac{1}{2}$ "  | A   | 4.40  | 18 30                 | <b>TRW</b> Ring Cap Wr.                 | A   | 1.50  | 116                   |
| <b>T-3216L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-6252</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 3.65  | 21 36                 | <b>TS-63</b> Socket                     | A   | .60   | 116                   |
| <b>T-3218</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-6254</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 4.10  | 21 36                 | <b>TS-64</b> Socket                     | A   | .90   | 116                   |
| <b>T-3218F</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | .65   | 22                    | <b>T-6256</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | DISC. | 31 36                 | <b>TS-65</b> Socket                     | A   | .70   | 116                   |
| <b>T-3218L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-6258</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 4.65  | 21 36                 | <b>TS-66</b> Socket                     | A   | .60   | 116                   |
| <b>T-3220</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .65   | 13 17                 | <b>T-6260</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 4.85  | 21 36                 | <b>TS-015</b> Tools                     | A   | 13.80 | 116                   |
| <b>T-3220L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-6264</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 6.15  | 21 36                 | <b>TS-015B</b> Box only                 | A   | 1.15  | 116                   |
| <b>T-3222</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .70   | 13 17                 | <b>T-6268</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 6.65  | 21 36                 | <b>TS-015S</b> Tool Set                 | A   | 14.95 | 116                   |
| <b>T-3222L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.25  | 13 17                 | <b>T-6270</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 6.85  | 21 36                 | <b>TS-022</b> Tools                     | A   | 18.90 | 116                   |
| <b>T-3224</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .75   | 13 17                 | <b>T-6272</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 7.35  | 21 36                 | <b>TS-022B</b> Box only                 | A   | 1.45  | 116                   |
| <b>T-3224L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.30  | 13 17                 | <b>T-6276</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 8.15  | 21 36                 | <b>TS-022S</b> Tool Set                 | A   | 20.35 | 116                   |
| <b>T-3226</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .85   | 13 17                 | <b>T-6280</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 11.75 | 21 36                 | <b>TS-212</b> Tools                     | A   | 16.80 | 116                   |
| <b>T-3226L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.35  | 13 17                 | <b>T-6284</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 13.75 | 21 36                 | <b>TS-212B</b> Box only                 | A   | 2.45  | 116                   |
| <b>T-3228</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .90   | 13 17                 | <b>T-6288</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 15.85 | 21 36                 | <b>TS-212S</b> Tool Set                 | A   | 19.25 | 116                   |
| <b>T-3228L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.45  | 13 17                 | <b>T-6294</b> Socket $1$ " x $\frac{1}{2}$ "            | A   | 19.75 | 21 36                 | <b>TS-218</b> Tools                     | A   | 23.60 | 116                   |
| <b>T-3230</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | .95   | 13 17                 | <b>T-62100</b> Socket $1$ " x $\frac{3}{8}$ "           | A   | 22.50 | 21 36                 | <b>TS-218B</b> Box only                 | A   | 4.15  | 116                   |
| <b>T-3230L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.55  | 13 17                 | <b>TB-1008</b> Tube Bndr.                               | B   | .30   | 92                    | <b>TS-218S</b> Tool Set                 | A   | 27.75 | 116                   |
| <b>T-3232</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.00  | 13 17                 | <b>TB-1010</b> Tube Bndr.                               | B   | .40   | 92                    | <b>TS-226</b> Tools                     | A   | 39.90 | 116                   |
| <b>T-3232L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.65  | 13 17                 | <b>TB-1012</b> Tube Bndr.                               | B   | .45   | 92                    | <b>TS-226B</b> Box only                 | A   | 4.15  | 116                   |
| <b>T-3234</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.15  | 13 17                 | <b>TB-1014</b> Tube Bndr.                               | B   | .50   | 92                    | <b>TS-226S</b> Tool Set                 | A   | 44.05 | 116                   |
| <b>T-3234L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.70  | 13 17                 | <b>TB-1016</b> Tube Bndr.                               | B   | .55   | 92                    | <b>TS-237</b> Tools                     | A   | 50.45 | 116                   |
| <b>T-3236</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.30  | 13 17                 | <b>TB-1020</b> Tube Bndr.                               | B   | .60   | 92                    | <b>TS-237B</b> Box only                 | A   | 4.15  | 116                   |
| <b>T-3236L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.75  | 13 17                 | <b>TC-25</b> Tube Ctr.                                  | A   | 3.45  | 92                    | <b>TS-237S</b> Tool Set                 | A   | 54.60 | 116                   |
| <b>T-3238</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.40  | 13 17                 | <b>TC-25A</b> Ctr. only                                 | A   | .60   | 92                    | <b>TS-312</b> Tools                     | A   | 16.20 | 116                   |
| <b>T-3240</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "   | A   | 1.50  | 13 17                 | <b>TC-65-2</b> Divider                                  | C   | 1.55  | 119                   | <b>TS-312B</b> Box only                 | A   | 1.95  | 116                   |
| <b>T-3240L</b> Socket $\frac{1}{2}$ " x $\frac{3}{8}$ "  | A   | 1.95  | 13 17                 | <b>TC-65-3</b> Cabn't./3"                               | C   | 59.50 | 119                   | <b>TS-312S</b> Tool Set                 | A   | 18.15 | 116                   |
| <b>T-5124</b> Socket $\frac{$                            |     |       |                       |                                                         |     |       |                       |                                         |     |       |                       |

| Tool No.              | Sym | Price  | Catalog Pg. A-55 I-53 | Tool No.             | Sym   | Price | Catalog Pg. A-55 I-53 | Tool No.             | Sym | Price | Catalog Pg. A-55 I-53 |
|-----------------------|-----|--------|-----------------------|----------------------|-------|-------|-----------------------|----------------------|-----|-------|-----------------------|
| TS-3255 Tool Set      | A   | 39.80  | 17                    | U-3218 Universal     | A     | 2.65  | 14 22                 | VT-123 Jaws VT-116   | A   | 1.15  | 79                    |
| TS-337 Tools          | A   | 60.50  | 17                    | U-3220 Universal     | A     | 2.70  | 14 22                 | VT-124 Valve Lfr.    | A   | 2.90  | 80                    |
| TS-337B Box only      | A   | 8.10   | 17                    | U-3222 Universal     | A     | 2.70  | 14 22                 | VT-126 Att./VT-111   | A   | 2.75  | 79                    |
| TS-337S Tool Set      | A   | 68.60  | 17                    | U-3224 Universal     | A     | 3.45  | 14 22                 | VT-409 Vac. Cup      | A   | .45   | 80                    |
| TS-516 Tools          | A   | 64.20  | 20                    | U-3225               | DISC. |       | 22                    | VTD-4 Adj. Tap Wr.   | C   | .90   | 116                   |
| TS-516B Box only      | A   | 4.65   | 20                    | U-3226 Universal     | A     | 3.50  | 14 22                 | W-300-1 W. G. Drill  | B   | .73   | 105                   |
| TS-516S Tool Set      | A   | 68.85  | 20                    | U-3228 Universal     | A     | 3.75  | 14 22                 | W-300-2 W. G. Drill  | B   | .73   | 105                   |
| TS-531 Tools          | A   | 124.85 | 20                    | U-3230 Universal     | A     | 4.25  | 14 22                 | W-300-3 W. G. Drill  | B   | .70   | 105                   |
| TS-531B Box only      | A   | 14.30  | 20                    | U-3232 Universal     | A     | 5.45  | 14 22                 | W-300-4 W. G. Drill  | B   | .70   | 105                   |
| TS-531S Tool Set      | A   | 139.15 | 20                    | U-4146 Files, Hldr.  | D     | 21.00 | 111                   | W-300-5 W. G. Drill  | B   | .70   | 105                   |
| TS-612 Tools          | A   | 97.45  | 21                    | UB-2212 Universal    | A     | **    | 39 13                 | W-300-6 W. G. Drill  | B   | .70   | 105                   |
| TS-612B Box only      | A   | 15.75  | 21                    | UB-2214 Universal    | A     | **    | 39 13                 | W-300-7 W. G. Drill  | B   | .63   | 105                   |
| TS-612S Tool Set      | A   | 113.20 | 21                    | UB-2216 Universal    | A     | **    | 39 13                 | W-300-8 W. G. Drill  | B   | .63   | 105                   |
| TS-617 Tools          | A   | 181.05 | 21                    | UB-2218 Universal    | A     | **    | 39 13                 | W-300-9 W. G. Drill  | B   | .63   | 105                   |
| TS-617B Box only      | A   | 15.75  | 21                    | UB-2220 Universal    | A     | **    | 39 13                 | W-300-10 W. G. Drill | B   | .63   | 105                   |
| TS-617S Tool Set      | A   | 196.80 | 21                    | UB-3214 Universal    | A     | **    | 39 22                 | W-300-11 W. G. Drill | B   | .63   | 105                   |
| TSA-165               |     | 231.15 | 34                    | UB-3216 Universal    | A     | **    | 39 22                 | W-300-12 W. G. Drill | B   | .63   | 105                   |
| TSA-165S Tool Set     |     | 275.65 | 34                    | UB-3218 Universal    | A     | **    | 39 22                 | W-300-13 W. G. Drill | B   | .59   | 105                   |
| TSI-213 Tools         |     | 465.56 | 33                    | UB-3220 Universal    | A     | **    | 39 22                 | W-300-14 W. G. Drill | B   | .59   | 105                   |
| TSI-213S Tool Set     |     | 510.06 | 33                    | UB-3222 Universal    | A     | **    | 39 22                 | W-300-15 W. G. Drill | B   | .59   | 105                   |
| TW-1416 Tappet Wr.    | A   | 1.30   | 30 49                 | UB-3224 Universal    | A     | **    | 39 22                 | W-300-16 W. G. Drill | B   | .55   | 105                   |
| TW-1618 Tappet Wr.    | A   | 1.40   | 30 49                 | UB-3226 Universal    | A     | **    | 39 22                 | W-300-17 W. G. Drill | B   | .55   | 105                   |
| TW-2022 Tappet Wr.    | A   | 1.50   | 30 49                 | UB-3228 Universal    | A     | **    | 39 22                 | W-300-18 W. G. Drill | B   | .45   | 105                   |
| TW-2428 Tappet Wr.    | A   | 1.70   | 30 49                 | UBJ-2 Univ. Jt.      | A     | **    | 39 13                 | W-300-19 W. G. Drill | B   | .44   | 105                   |
| TWS-12 Tappet Wr.     | A   | 1.50   | 30 49                 | UBJ-2B Univ. Jt.     | A     | **    | 39 13                 | W-300-20 W. G. Drill | B   | .44   | 105                   |
| TWS-14A Tappet Wr.    | A   | 1.75   | 30 49                 | UBJ-3 Univ. Jt.      | A     | 3.50  | 39 22                 | W-300-21 W. G. Drill | B   | .44   | 105                   |
| TWS-14B Tappet Wr.    | A   | 1.95   | 30 49                 | UBJ-3B Univ. Jt.     | A     | 3.50  | 39 22                 | W-300-22 W. G. Drill | B   | .39   | 105                   |
| TWS-16A Tappet Wr.    | A   | 1.95   | 30 49                 | UBJ-6 Univ. Jt.      | A     | 36.15 |                       | W-300-23 W. G. Drill | B   | .39   | 105                   |
| TWS-16B Tappet Wr.    | A   | 1.95   | 30 49                 | UBJ-8 Univ. Jt.      | F     | 42.00 |                       | W-300-24 W. G. Drill | B   | .39   | 105                   |
| TWS-18A Tappet Wr.    | A   | 1.95   | 30 49                 | UJ-0 Univ. Jt.       | A     | 2.25  | 6 8                   | W-300-25 W. G. Drill | B   | .37   | 105                   |
| TWS-18B Tappet Wr.    | A   | 1.95   | 30 49                 | UJ-2 Univ. Jt.       | A     | 2.50  | 9 13                  | W-300-26 W. G. Drill | B   | .37   | 105                   |
| U-7 USS Die Set       | A   | 3.50   |                       | UJ-3 Univ. Jt.       | A     | 2.65  | 14 22                 | W-300-27 W. G. Drill | B   | .37   | 105                   |
| U-14 File Blade       | D   | 3.30   | 111                   | UJ-3N Univ. Jt.      | A     | 2.65  |                       | W-300-28 W. G. Drill | B   | .37   | 105                   |
| U-555-1/16 HSD Mech.  | B   | .23    | 104                   | UJ-5 Univ. Jt.       | A     | 7.05  | 19 33                 | W-300-29 W. G. Drill | B   | .35   | 105                   |
| U-555-1/4 HSD Mech.   | B   | .25    | 104                   | V-ST Tap             | C     | .40   | 116                   | W-300-30 W. G. Drill | B   | .35   | 105                   |
| U-555-3/32 HSD Mech.  | B   | .26    | 104                   | V-10T Tap            | C     | .45   | 116                   | W-300-31 W. G. Drill | B   | .31   | 105                   |
| U-555-7/64 HSD Mech.  | B   | .29    | 104                   | V-15T Tap            | C     | .55   | 116                   | W-300-32 W. G. Drill | B   | .31   | 105                   |
| U-555-1/8 HSD Mech.   | B   | .33    | 104                   | V-20T Tap            | C     | .60   | 116                   | W-300-33 W. G. Drill | B   | .31   | 105                   |
| U-555-9/64 HSD Mech.  | B   | .36    | 104                   | V-25T Tap            | C     | .65   | 116                   | W-300-34 W. G. Drill | B   | .29   | 105                   |
| U-555-5/32 HSD Mech.  | B   | .38    | 104                   | V-30T Tap            | C     | .40   | 116                   | W-300-35 W. G. Drill | B   | .29   | 105                   |
| U-555-11/64 HSD Mech. | B   | .44    | 104                   | V-35T Tap            | C     | .45   | 116                   | W-300-36 W. G. Drill | B   | .28   | 105                   |
| U-555-3/16 HSD Mech.  | B   | .56    | 104                   | V-40T Tap            | C     | .55   | 116                   | W-300-37 W. G. Drill | B   | .28   | 105                   |
| U-555-13/64 HSD Mech. | B   | .60    | 104                   | V-45T Tap            | C     | .60   | 116                   | W-300-38 W. G. Drill | B   | .28   | 105                   |
| U-555-7/32 HSD Mech.  | B   | .68    | 104                   | V-50T Tap            | C     | .65   | 116                   | W-300-39 W. G. Drill | B   | .28   | 105                   |
| U-555-15/64 HSD Mech. | B   | .70    | 104                   | V-55T Pipe Tap       | C     | .50   | 116                   | W-300-40 W. G. Drill | B   | .27   | 105                   |
| U-555-1/4 HSD Mech.   | B   | .76    | 104                   | VAT-5 V/A Tester     |       | 44.50 |                       | W-300-41 W. G. Drill | B   | .27   | 105                   |
| U-555-17/64 HSD Mech. | B   | .85    | 104                   | VD-5 Die             | C     | .65   | 116                   | W-300-42 W. G. Drill | B   | .27   | 105                   |
| U-555-9/32 HSD Mech.  | B   | .94    | 104                   | VD-10 Die            | C     | .65   | 116                   | W-300-43 W. G. Drill | B   | .25   | 105                   |
| U-555-19/64 HSD Mech. | B   | 1.06   | 104                   | VD-15 Die            | C     | .65   | 116                   | W-300-44 W. G. Drill | B   | .25   | 105                   |
| U-555-5/16 HSD Mech.  | B   | 1.14   | 104                   | VD-20 Die            | C     | .65   | 116                   | W-300-45 W. G. Drill | B   | .25   | 105                   |
| U-555-21/64 HSD Mech. | B   | 1.27   | 104                   | VD-25 Die            | C     | .65   | 116                   | W-300-46 W. G. Drill | B   | .25   | 105                   |
| U-555-11/32 HSD Mech. | B   | 1.37   | 104                   | VD-30 Die            | C     | .65   | 116                   | W-300-47 W. G. Drill | B   | .25   | 105                   |
| U-555-23/64 HSD Mech. | B   | 1.52   | 104                   | VD-35 Die            | C     | .65   | 116                   | W-300-48 W. G. Drill | B   | .25   | 105                   |
| U-555-3/8 HSD Mech.   | B   | 1.58   | 104                   | VD-40 Die            | C     | .65   | 116                   | W-300-49 W. G. Drill | B   | .25   | 105                   |
| U-555-25/64 HSD Mech. | B   | 1.75   | 104                   | VD-45 Die            | C     | .65   | 116                   | W-300-50 W. G. Drill | B   | .23   | 105                   |
| U-555-13/32 HSD Mech. | B   | 1.87   | 104                   | VD-50 Die            | C     | .65   | 116                   | W-300-51 W. G. Drill | B   | .23   | 105                   |
| U-555-27/64 HSD Mech. | B   | 2.05   | 104                   | VD-55 Die            | C     | .65   | 116                   | W-300-52 W. G. Drill | B   | .23   | 105                   |
| U-555-7/16 HSD Mech.  | B   | 2.16   | 104                   | VDH-2 Die Stock      | C     | 2.10  | 116                   | W-300-53 W. G. Drill | B   | .23   | 105                   |
| U-555-29/64 HSD Mech. | B   | 2.34   | 104                   | VG-1 Vac. Gauge      | B     | 8.70  | 89                    | W-300-54 W. G. Drill | B   | .23   | 105                   |
| U-555-15/32 HSD Mech. | B   | 2.45   | 104                   | VL-1912 Vac. Lifter  | C     | 5.50  |                       | W-300-55 W. G. Drill | B   | .23   | 105                   |
| U-555-31/64 HSD Mech. | B   | 2.67   | 104                   | *VT-2 Vlv. Punch     | A     | 1.50  |                       | W-300-56 W. G. Drill | B   | .23   | 105                   |
| U-555-1/2 HSD Mech.   | B   | 2.76   | 104                   | *VT-8 Vlv. Guide     | A     | 1.55  |                       | W-300-57 W. G. Drill | B   | .23   | 105                   |
| U-2112 Universal      | A   | 2.10   | 9 14                  | VT-11 Vac. Cup       | A     | .30   | 80                    | W-300-58 W. G. Drill | B   | .23   | 105                   |
| U-2114 Universal      | A   | 2.10   | 9 14                  | VT-12 Spring         | A     | .25   | 80                    | W-300-59 W. G. Drill | B   | .23   | 105                   |
| U-2116 Universal      | A   | 2.10   | 9 14                  | VT-12T Valve Grinder | A     | 4.15  |                       | W-300-60 W. G. Drill | B   | .23   | 105                   |
| U-2118 Universal      | A   | 2.25   | 9 14                  | VT-13 Adpt. Narw.    | A     | .20   | 80                    | W-300-61 W. G. Drill | B   | .34   | 105                   |
| U-2120 Universal      | A   | 2.35   | 9 14                  | VT-14 Adpt. Wide     | A     | .20   | 80                    | W-300-62 W. G. Drill | B   | .34   | 105                   |
| U-2122 Universal      | A   | 2.35   | 9 14                  | VT-15 Adpt. Scr. Dr. | A     | .20   | 80                    | W-300-63 W. G. Drill | B   | .34   | 105                   |
| U-2124 Universal      | A   | 2.35   | 9 14                  | VT-16 Valve Tool     | A     | 1.80  | 80                    | W-300-64 W. G. Drill | B   | .34   | 105                   |
| U-2212 Universal      | A   | 2.10   | 9 14                  | VT-17 Valve Tool     | A     | 3.35  | 80                    | W-300-65 W. G. Drill | B   | .34   | 105                   |
| U-2214 Universal      | A   | 2.10   | 9 14                  | VT-18 Spring Cmp.    | B     | 1.95  |                       | W-300-66 W. G. Drill | B   | .34   | 105                   |
| U-2216 Universal      | A   | 2.10   | 9 14                  | VT-20 Guide Clnr.    | A     | .75   | 80                    | W-300-67 W. G. Drill | B   | .34   | 105                   |
| U-2218 Universal      | A   | 2.25   | 9 14                  | VT-21 Key Rplcr.     | A     | 2.20  | 81                    | W-300-68 W. G. Drill | B   | .34   | 105                   |
| U-2220 Universal      | A   | 2.35   | 9 14                  | VT-50 Guide Clnr.    | C     | 1.55  | 80                    | W-300-69 W. G. Drill | B   | .34   | 105                   |
| U-2222 Universal      | A   | 2.35   | 9 14                  | VT-111 Valve Lfr.    | A     | 9.75  | 79                    | W-300-70 W. G. Drill | B   | .34   | 105                   |
| U-2224 Universal      | A   | 2.35   | 9 14                  | VT-111-0 Offset Jaws | A     | 1.15  | 79                    | W-300-71 W. G. Drill | B   | .42   | 105                   |
| U-3214 Universal      | A   | 2.60   | 14 22                 | VT-111-S Str. Jaws   | A     | 1.15  | 79                    | W-300-72 W. G. Drill | B   | .42   | 105                   |
| U-3216 Universal      | A   | 2.60   | 14 22                 | VT-116 Valve Lfr.    | A     | 12.50 | 79                    | W-300-73 W. G. Drill | B   | .42   | 105                   |

| Tool No.             | Sym | Price | Catalog Pg. A-55 I-53 | Tool No.            | Sym   | Price | Catalog Pg. A-55 I-53 | Tool No.             | Sym   | Price | Catalog Pg. A-55 I-53 |
|----------------------|-----|-------|-----------------------|---------------------|-------|-------|-----------------------|----------------------|-------|-------|-----------------------|
| W-300-74 W. G. Drill | B   | .42   | 105                   | WCO-5 Wrenches      | A     | 7.30  | 28                    | WK-375 See WC1-20S   |       |       | 45                    |
| W-300-75 W. G. Drill | B   | .42   | 105                   | WCO-5K Kit only     | A     | .60   | 28                    | WK-455 See HWK-14S   |       |       | 55                    |
| W-300-76 W. G. Drill | B   | .42   | 105                   | WCO-5S Wrench Set   | A     | 7.90  | 28                    | WK-55 See NDS-7      |       |       | 67                    |
| W-300-77 W. G. Drill | B   | .42   | 105                   | WCS1-6 Wrenches     | A     | 9.30  | 27                    | WK-55K See NDS-7K    |       |       | 67                    |
| W-300-78 W. G. Drill | B   | .42   | 105                   | WCS1-6K Kit only    | A     | .70   | 27                    | WK-55S See NDS-7S    |       |       | 67                    |
| W-300-79 W. G. Drill | B   | .42   | 105                   | WCS1-6S Wrench Set  | A     | 10.00 | 27                    | WK-91                | DISC. |       | 45                    |
| W-300-80 W. G. Drill | B   | .42   | 105                   | WE-4 Wrenches       | A     | 3.95  | 29                    | WK-91K               | DISC. |       | 45                    |
| WA-7 Wrenches        | A   | 7.20  | 23                    | WE-4K Kit only      | A     | .55   | 29                    | WK-91S               | DISC. |       | 45                    |
| WA-7K Kit only       | A   | .70   | 23                    | WE-4S Wrench Set    | A     | 4.50  | 29                    | WK-95 See WF2-5      |       |       | 45                    |
| WA-7S Wrench Set     | A   | 7.90  | 23                    | WE-6 Wrenches       | A     | 7.95  | 29                    | WK-95K See WF2-5K    |       |       | 45                    |
| WA-14 Wrenches       | A   | 19.85 | 23                    | WE-6K Kit only      | A     | .95   | 29                    | WK-95S See WF2-5S    |       |       | 45                    |
| WA-14K Kit only      | A   | 2.15  | 23                    | WE-6S Wrench Set    | A     | 8.90  | 29                    | WK-511               | DISC. |       | 47                    |
| WA-14S Wrench Set    | A   | 22.00 | 23                    | WE-8 Wrenches       | A     | 11.05 | 29                    | WK-511K              | DISC. |       | 47                    |
| WA-21 Wrenches       | A   | 42.95 | 23                    | WE-8K Kit only      | A     | 1.35  | 29                    | WK-511S              | DISC. |       | 47                    |
| WA-21K Kit only      | A   | 4.85  | 23                    | WE-8S Wrench Set    | A     | 12.40 | 29                    | WT-5 Wire Tester     | A     | 1.75  |                       |
| WA-21S Wrench Set    | A   | 47.80 | 23                    | WE-10 Wrenches      | A     | 25.70 | 29                    | WT-6 Wrenches        | A     | 8.40  | 30                    |
| WB-26 Wire Brush     | B   | 4.75  |                       | WE-10K Kit only     | A     | 3.35  | 29                    | WT-6K Kit only       | A     | 1.00  | 30                    |
| WB-27 Wire Brush     | B   | 5.15  |                       | WE-10S Wrench Set   | A     | 29.05 | 29                    | WT-6S Wrench Set     | A     | 9.40  | 30                    |
| WB-33 Wire Brush     | B   | 3.75  |                       | WF2-5 Wrenches      | A     | 8.95  | 28                    | WT-8 Wrenches        | A     | 11.80 | 30                    |
| WB1-5 Wrenches       | A   | 11.40 | 25                    | WF2-5K Kit only     | A     | .70   | 28                    | WT-8K Kit only       | A     | 1.30  | 30                    |
| WB1-5K Kit only      | A   | 1.05  | 25                    | WF2-5S Wrench Set   | A     | 9.65  | 28                    | WT-8S Wrench Set     | A     | 13.10 | 30                    |
| WB1-5S Wrench Set    | A   | 12.45 | 25                    | WF2-8 Wrenches      | A     | 16.50 | 28                    | WS-50 Wire Strpr.    | C     | 3.95  | 65                    |
| WB1-6 Wrenches       | A   | 16.55 | 25                    | WF2-8K Kit only     | A     | 1.25  | 28                    | WS-50B Blades, pr.   | C     | .75   | 65                    |
| WB1-6K Kit only      | A   | 1.50  | 25                    | WF2-8S Wrench Set   | A     | 17.75 | 28                    | X-2 Brake Tool       | A     | .90   | 45                    |
| WB1-6S Wrench Set    | A   | 18.05 | 25                    | WI-8 Wrenches       | A     | 6.40  | 30                    | X-3 Brake Tool       | A     | 1.15  |                       |
| WB1-9 Wrenches       | A   | 34.90 | 25                    | WI-8K Kit only      | A     | .45   | 30                    | X-7 Brake Tool       | A     | .90   |                       |
| WB1-9K Kit only      | A   | 2.80  | 25                    | WI-8S Wrench Set    | A     | 6.85  | 30                    | X-9 Brk. Clip        | A     | .30   |                       |
| WB1-9S Wrench Set    | A   | 37.70 | 25                    | WK-2 See WBS1-6     |       |       | 47                    | X-13 Thd. Rstr.      | B     | 2.50  | 103                   |
| WB2-4M Wrenches      | A   | 4.00  | 25                    | WK-2K See WBS1-6K   |       |       | 47                    | X-14 Thd. Rstr.      | B     | 2.50  | 103                   |
| WB2-4MK Kit only     | A   | .40   | 25                    | WK-2S See WBS1-6S   |       |       | 47                    | X-30 Wire Brush      | A     | .65   | 113                   |
| WB2-4MS Wrench Set   | A   | 4.40  | 25                    | WK-4K Kit only      | A     | .10   |                       | X-51 Spreader        | A     | 2.75  | 45                    |
| WBA-1 Adaptor        | B   | .85   |                       | WK-8 See WCS1-6     |       |       | 45                    | X-52 Spreader        | A     | 2.75  | 45                    |
| WBA-2 Adaptor        | B   | .80   |                       | WK-8K See WCS1-6K   |       |       | 45                    | X-53 Spreader        | A     | 2.95  | 45                    |
| WBA-3 Adaptor        | B   | .80   |                       | WK-8S See WCS1-6S   |       |       | 45                    | X-55 Hub Cap Remvr.  | A     | 1.95  | 114                   |
| WBS1-6 Wrenches      | A   | 7.35  | 25                    | WK-9                | DISC. |       | 45                    | X-60 Brake Tool      | DISC. |       | 45                    |
| WBS1-6K Kit only     | A   | .65   | 25                    | WK-9K               | DISC. |       | 45                    | X-1012 File & Hldr.  | D     | 5.10  | 111                   |
| WBS1-6S Wrench Set   | A   | 8.00  | 25                    | WK-95               | DISC. |       | 45                    | X-1207F File & Hldr. | D     | 3.70  | 111                   |
| WBS2-5 Wrenches      | A   | 5.40  | 25                    | WK-15 Tools         | A     | 9.95  | 85                    | X-1207S File & Hldr. | D     | 3.70  | 111                   |
| WBS2-5K Kit only     | A   | .45   | 25                    | WK-15K Kit only     | A     | .75   | 85                    | Y-1 Hack Saw         | A     | .50   |                       |
| WBS2-5S Wrench Set   | A   | 5.85  | 25                    | WK-15S Tool Set     | A     | 10.70 | 85                    | Y-5 Hack Saw         | B     | .75   |                       |
| WC1-7 Wrenches       | A   | 11.35 | 27                    | WK-24 See WE-8      |       |       | 43                    | Y-6 Blades, 10 pcs.  | A     | 1.35  |                       |
| WC1-7K Kit only      | A   | .95   | 27                    | WK-24K See WE-8K    |       |       | 43                    | Y-10 Blades, 10 pcs. | A     | 1.75  |                       |
| WC1-7S Wrench Set    | A   | 12.30 | 27                    | WK-24S See WE-8S    |       |       | 43                    | Y-10S Blade          | A     | .85   |                       |
| WC1-11 Wrenches      | A   | 22.95 | 27                    | WK-25B5 See BWK-10S |       |       | 55                    | Y-12 Blades, 10 pcs. | A     | 2.20  |                       |
| WC1-11K Kit only     | A   | 1.90  | 27                    | WK-25S See HWK-9S   |       |       | 55                    | Y-12S Blade          | A     | 1.00  |                       |
| WC1-11S Wrench Set   | A   | 24.85 | 27                    | WK-26               | DISC. |       | 43                    | Y-16 Hack Saw        | C     | 2.60  |                       |
| WC1-14 Wrenches      | A   | 36.80 | 27                    | WK-26K              | DISC. |       | 43                    | Y-20 Hack Saw        | B     | 1.25  |                       |
| WC1-14K Kit only     | A   | 3.25  | 27                    | WK-26S              | DISC. |       | 43                    | YD-022 Driver        | A     | .90   | 8                     |
| WC1-14S Wrench Set   | A   | 40.05 | 27                    | WK-30 See WA-7      |       |       | 48                    | YD-028 Driver        | A     | .90   | 8                     |
| WC1-20 Wrenches      | A   | 79.90 | 27                    | WK-30K See WA-7K    |       |       | 48                    | YD-031 Driver        | A     | .95   | 8                     |
| WC1-20K Kit only     | A   | 7.75  | 27                    | WK-30S See WA-7S    |       |       | 48                    | YD-228 Driver        | A     | 1.00  | 15                    |
| WC1-20S Wrench Set   | A   | 87.65 | 27                    | WK-36 See WA-21     |       |       | 48                    | YD-231 Driver        | A     | 1.10  | 15                    |
| WC2-7 Wrenches       | A   | 8.65  | 27                    | WK-36K See WA-21K   |       |       | 48                    | Z-3214 Socket        | A     | 1.25  | 21                    |
| WC2-7K Kit only      | A   | .70   | 27                    | WK-36S See WA-21S   |       |       | 48                    | Z-3214H Socket       | A     | DISC. | 21                    |
| WC2-7S Wrench Set    | A   | 9.35  | 27                    | WK-37 See WC1-20    |       |       | 45                    | Z-3214X Socket       | A     | 1.25  | 21                    |
| WCB-1 Cbn. Brush     | B   | 1.90  |                       | WK-37K See WC1-20K  |       |       | 45                    |                      |       |       |                       |